


2015/16 EDITION

# PROGRESSIVE *Identifier*



THE VISION COUNCIL  
**OPTICAL LAB** DIVISION

# Think About Your Eyes INCREASING EXAMS & BUILDING PRACTICES

Think About Your Eyes, the multi-million dollar national advertising campaign dedicated to educating consumers on the benefits of eye health and importance of annual eye exams is changing the eyecare industry.



## 2015 CAMPAIGN

### Powerful National Advertising Campaign



- **1.1 Billion** Impressions
- **5,200** TV Spots on 22 networks
- **540,00** Broadcast Radio Spots
- **93 Million** Digital Banner Ads
- **28 Million** Online Audio Ads

## PROVIDERS

Don't miss the opportunity for searching patients to find your practice. Sign up today!

### BASIC LISTING

\$250 (AOA Member Price \$225)

### PREMIUM LISTING

\$500 (AOA member price \$450)

## BE SEEN

on the TAYE practice locator; thousands of your friends are!

INCREASE EXAMS, AND GROW YOUR PRACTICE!

Sign up today at

[ThinkAboutYourEyes.com/enroll](http://ThinkAboutYourEyes.com/enroll)

Or call 855-449-TAYE (8293)

**thinkabout  
youreyes.com**

©2015 All rights reserved. Think About Your Eyes® is a public awareness campaign focused on educating consumers on the importance of vision health. Think About Your Eyes is a non-profit, non-commercial subsidiary of The Vision Council in Alexandria, Virginia. Lit 15108

Brought to you by the AOA  
 AMERICAN OPTOMETRIC ASSOCIATION

## The *Progressive Identifier* – At A Glance

The 2015/16 edition of the *Progressive Identifier* is the most up-to-date source of lens information available for ophthalmic professionals who want to identify progressive addition lenses (PALs) and any variable focus lenses currently available in the United States and Canada, including lenses that have been discontinued within the past five years.

## How to Use the *Progressive Identifier*

### An invaluable tool – What's in it?

Symbols that identify lens design have been separated from those that indicate other lens information: materials, filters, and recommended minimum height.

The stylized lens "diagrams" show the 180° line symbols and lens design symbol(s). The diagrams also have a code showing where to look for additional symbols. The list to the right of the diagram gives the additional symbols for each code, and the related lens information. The footer on each page illustrates this new format.

American and Canadian lenses are combined throughout the book, with information showing where lenses are available.

Indexes show a page number/letter combination = 4C, 5C-F, which locate the specific lens diagram(s) being referenced.

### Location, location, location

In order to identify the progressive lenses that a patient is wearing, doctors and dispensers must be able to locate critical product identifiers.

The *Progressive Identifier* illustrates these identifiers for each lens:

- Any unique symbols that appear on the 180° line (the standard is two circles).
- Any unique symbols or company logo that appear above or below the 180° line, as well as the location of the symbol
- Any additional symbols used to indicate:
  - lens materials;
  - lens filters;
  - recommended minimum height or corridor length.

- The distance of the fitting cross from the 180° line;
- Each lens manufacturer's recommended minimum height.

### Three steps to success

With the information contained in the *Progressive Identifier*, doctors and retailers can quickly identify any lens currently being worn (including those recently discontinued), and confidently select the best new lens for their patients' needs.

#### Step One:

Most modern PALs are marked by laser engravings (some older lenses may have fluorescent marks) that become easily visible when viewed under an intense light against a dark background. Look for these engraved symbols and refer to the Indexes in the front of the book.

#### Step Two:

Determine the patient's old Rx. If this information is not in your records, read the prescription from the lens.

#### Step Three:

Compare to the new Rx and assess any changes that might suggest a change in lens design or material. Remember to consider your patient's lifestyle, work habits, hobbies, and frame choice when choosing the appropriate lens.

For fitting tips and techniques, refer to the *Indispensable Dispensing GUIDE*, published by the Optical Lab Division of The Vision Council. Your Optical Lab Division member laboratory will be happy to provide information on this and other products published.

## Table of Contents

iii	Index by Symbol
iv	Custom Progressive Designs Index
iv	Near Variable Focus Designs Index
v	Index by Lens Name
vi	Index of Discontinued Lenses
vii	Extended ADD Range Index
viii	Index of Companies
ix	Index by Recommended Minimum Height
1	Lens Diagrams
59	Fitting Instructions for PALs

Copyright © 2015 The Vision Council. All Rights Reserved. No part of this publication may be reproduced, stored in a retrieval system, or transmitted in any form or by any means whatsoever, except in the case of brief quotations embodied in critical reviews and articles.

All lens information was supplied by the manufacturer. The information in this book is subject to change without notice and should not be construed as a commitment by The Vision Council. Although every precaution has been taken in the preparation of this book, The Vision Council assumes no responsibility for errors or omissions.

## Index by Symbol

Symbol	Page	Symbol	Page	Symbol	Page
A.....	2D,8D,E,9A,19D,20A,53D,55B	FX2.....	33E	ROL.....	35B-E,36A-E
a.....	3A,B	FX3.....	33C	S.....	7B,9C,12A,E,40F,44B,C
ABC.....	6F,7A,vi	GD.....	32E	(S).....	45C,50A,B,D,54C,55B,vi
AS.....	20B,D,31A	G1.....	21A	SA.....	5C
A <sub>3</sub> .....	47B	G4.....	35D	SB.....	5D
BPS.....	14D	H.....	7C,D,8A,22C,D,40B	SC.....	5E,56B
BPSII.....	14D	h.....	26A,C	SD.....	6A
B2.....	41B	H≥e.....	13B,C	SE.....	52E
B.....	3C	H≥e.....	13D,E,14A	SIG.....	37A
C.....	1A,16D,E,22A,B	I.....	4F,21D,48F	SL.....	45D
c.....	30E	IH.....	31B	SP.....	23B,C,25A,30B,C,49D
CA.....	37B	IO.....	31D	SPP.....	30A
CC.....	37C	IP.....	31C	SW.....	vi
CD.....	22F,23A	IS.....	25B,32A	(S).....	11E
CE.....	52F	iZ.....	vi	(S).....	30D
CH.....	3D,37D	I2.....	4E	T.....	15C,23D,vi
CHD.....	16D	J4.....	vi	TD.....	vi
CHS.....	16E	J6.....	vi	TF.....	20A,D,23A,C
CL.....	41F	K.....	50F,51D	THN.....	vi
CP.....	3E	KB.....	23F,24A,D	TJN.....	vi
CS.....	37E	Kc.....	50E	TLX.....	27C,vi
CU.....	52B	Ks.....	51B	TR1.....	34A
CU.....	52C	KU.....	51C	TR2.....	34B
CV.....	3F	K <sub>+</sub> .....	51A	TR3.....	34C
CW.....	38A	L.....	21E,F,22A-D,39A,42D	TR4.....	34D
CX.....	42A	M.....	22E,40D	TR5.....	34E
D.....	9B-D,15E	N.....	35E,56D	TR8.....	35A
E.....	7C,17A,47E	NE.....	10E,vi	U.....	55C
e.....	19B	NS.....	10F,27E	Ur.....	57C
EA.....	17B,19A	NX.....	11A	Ux.....	57B
EBA.....	17C,19C	N4.....	41E	V.....	38B
EDR.....	17D	N8A.....	41D	VCP.....	38C
EK.....	16A	OC.....	6B	VEL.....	56F
EKA.....	16B	ODC.....	56A	VG.....	vi
EKP.....	16C	OFF.....	35C	VSP.....	vi
EP.....	18B	P.....	vi	VSP.....	vi
EPC.....	18A	P.....	1F,2A,16E,32B,C,42F,43E,45E,48C,vi	VSO VI.....	vi
ESP.....	18C	PC.....	43B,54E	VW.....	38D
ER.....	6C	PE.....	1B	VX.....	15F
EUS.....	18D	PE.....	1D	Y.....	56C
EV.....	53A	PF.....	36B	~V.....	53C
⌚.....	14B	PH.....	36A	W.....	19E,20C,E,F,21B,C, (W).....
⌚.....	9F	PM.....	26E,32C	22A-D,28C,D,44B,46A	
⌚.....	12F	PN.....	36C	W.....	44C,55D
⌚.....	14C	POG.....	32D,E,33A	(W).....	57D
⌚.....	13A	PP.....	29F	X.....	1E,2B,15D
⌚.....	12B,C,E	PU.....	6D	XS.....	4C
⌚.....	12D	PS.....	26D,32B	XP.....	38E
⌚.....	vi	PT.....	44A	X/H.....	40C
FF.....	15A,vi	PW.....	43C	X/M.....	40E
FFC.....	47C	Q.....	55E	Y.....	20E, 27A,58C
FFS.....	vi	QU.....	36D	YA.....	19E
FFO.....	46E	QS.....	36E	YAS.....	20C
FFW.....	49E	R.....	33B	YF.....	20F
FP.....	48A	R.....	39A-E,40A-F,41A-F,42A,C-E	YT.....	23E
FX1.....	33D	RD.....	2C	YW.....	21C

## Index by Symbol (*continued*)

Symbol	Page	Symbol	Page	Symbol	Page
▽	58D	☒	2DF,3A,B,D-F,4E,F,vi	◎	52A,E,F,53A,C,E,F,54B,vi
Z	8A	◇	41F,42B	○	52D,53D
1	vi	◇	8D,26C,43B,54D,E,57E	○—○	54A,vi
11	14E	◇	58A	▲	6E
[11]	15B	☒	2C,12A,56C	□	7A,vi
2	.39B,D,E,40A,F,41A,C,F,42B,vi	□	.42A,C,D	■	24F
2B	39C	□	25D	~	53E,F
2N	2E,vi	□	42E	£	10A
2S	vi	□	26A,C	¤	10B
3	9D,30D	○	.26A,28C,F,30C,41D,E	£	10C
3V	2F	○	.28D,29E,30B	⌚	11B,C
Σ	10D	⌚	.46B-E,47A-E,48A,C,F,49C-E,vi	⌚⌚	11E
◎	4A	⌚⌚	5A,B	⌚⌚⌚	49A
∅	27F,30D	○	37A	⌚⌚⌚⌚	11F
⊖	.4B,D,28B,29B	⌚	44D	<>	24C
○	21D-F,22E	⌚	44E	◀	8B,C
⌚	1C,52B,C,53B	⌚	44F	◀	51E,F
⌚⌚	25C	⌚	45A	⌚⌚	47A
⌚⌚⌚	58B	∞	39B-E,40A-F	⌚⌚⌚	9E
⌚⌚⌚⌚	39A,42F,vi	❖	48B	⌚⌚⌚⌚	46B
⌚⌚⌚⌚⌚	vi	○	49B,C	⌚⌚⌚⌚⌚	46C
⌚⌚⌚⌚⌚⌚	24E,26B	+	.50C,F,51A-E,55E,56B	⌚⌚⌚⌚⌚⌚	48E
⌚⌚⌚⌚⌚⌚⌚	39E	⌚	50C	⌚⌚⌚⌚⌚⌚⌚	.54F,55A
⌚⌚⌚⌚⌚⌚⌚⌚	1E,F,2A,B,vi	⌚⌚	50D	⌚⌚⌚⌚⌚⌚⌚⌚	58E
⌚⌚⌚⌚⌚⌚⌚⌚⌚	24B				

### Custom Progressive Designs

Acclaim OEM PAL #1 and #2**	.58E
Adaptar DS Short	.8E, 9A
Amplitude	19A, 20A
Altitude III	.46B, C
Biofit	.8B
CLEARi DED	.5D, E
Continual Focus Lens (CFL)	.55E
Elan HD Short	.52F
Golf	.48E
Illumina	.56C
Impression	.40C, E
InTouch	.48F
iRx Pro	.24B
Novel	.56D
Novella Thindex	.56E
Outlook	.56F
Paradigm Progressive	.56A
Persona	.35B
Piccolo	.49B
Presio i	.29D
SOLAOne HD	.53F
Stealth 15	.57A
Synchrony	.54A
TR8	.35A
UNITY	.57B,C
VIP	.54B,C
VISTA WS	.38D
Wrap HD	.55D
ZEISS Experience	.4C
ZEISS Individual	.4F

### Near Variable Focus Designs

Amplitude BKS	.19B, 20B, D
CLEARi	.6B
DLS Advanced PAL	.16B
EOS	.23F
Geo-FORM EZ 13	.33D
ID LifeStyle	.21F, 22B, C
Impression Ergo FreeSign 2	.39E
Navigator Precision	.51E
Nikon Online	.28B
Office	.49A
Ovation DS Short (Canada)	.11D
PCWide	.43C
Perfas Prestige 2	.43E
Presio Power	.29F
Proceed II Short	.44B
SeeMax Power	.30A
SmallFit	.11F
SOLA HDV	.53C
Summit	.22F, 23A
Supernal	.45D
Surmount	.46A
Tact	.23D
TR2	.34B
Varilux Ellipse	.12F
VISTA CP	.38C
XP HD	.38E
X-Pro	.15C, D
Zeal	.58E

## Index by Lens Name

Lens Name	Company Name	Page	Lens Name	Company Name	Page
Access	SOLA Optical	52A	GT2	Carl Zeiss Vision	2D-F,3A,B
Acclaim OEM PAL	Walman - Soderberg	57D	HD Trinity	Augen Optics	2A,B
Accolade	Essilor	8B,C	HyperPro	PFO/Optima	30D
Acuity 9/11/13	PFO Global	31A	identity	PFO Global	31B-D,32A
Adage	Younger Optics	58B	iD InStyle	Hoya Vision	21D
Adaptar	Essilor	8D,E,9A	iD Lifestyle	Hoya Vision	21E,F,22A-D
Advanced HD	US Optical	55B	iD Mystyle	Hoya Vision	22E
AF2	Seiko	43A	Illumina	Vision-Ease Lens	56C
Amplitude	Hoya Vision	19D,E,20A-D	Image	Younger Optics	58C,D
AO Compact	American Optical	1A	Impression 2 XS/M/L	Rodenstock	39B
AO Easy	American Optical	1B-D	Impression Ergo	Rodenstock	39C,D
APEX	Classic Optical Laboratories, Inc.	5A,B	Impression Freesign 2	Rodenstock	39E,40A
Array	Hoya Vision	20E,F	Impression Hyperop	Rodenstock	40B,C
Attitude	Shamir Insight Inc.	46B,C	Impression Myop	Rodenstock	40D,E
Augen HD Trinity Spacia SF	Augen Optics	1E	Impression Sport	Rodenstock	40F
AugenSol HD Trinity 13/17	Augen Optics	1F	Instinctive/PEZ	SOLA Optical	53B
Autograph	Shamir Insight Inc.	46D,E,47A,B	InTouch	Shamir Insight Inc.	48F
Ce-Tru	L.B.I.	24E,F,25A-C	iRx	KBco	24B,C
Channel 14	Landon Lens	25D-F,26A	KODAK Concise	Signet Armorlite	50E
ClassicLife Free XS/M/L	Rodenstock	39A	KODAK MonitorView	Signet Armorlite	50F
CLEARi DED	CLEARi	5C-E,6A-D	KODAK Precise	Signet Armorlite	51A,B
Compact Ultra	SOLA Optical	52B,C	KODAK Unique	Signet Armorlite	51C
Computer	Shamir Insight Inc.	47C	KODAKProgressive	Signet Armorlite	51D
Constitution	FEA Industries	16D,E	Maui Passport	Maui Jim	26F
Continual Focus Lens (CFL)	Vision Dynamics Lab/ Optical Dynamics	55E	Melibrad Progressive	Melibrad	27A
Continuum	SOLA Optical	52D	Micro	Polycore Optical	32C
COZE	Robertson Optical Laboratories	37B-E,38A	MOVE	Nikon Optical	27F,28A
Creation	Shamir Insight Inc.	47D	Multigressiv	Rodenstock	41A
DC mini	Seiko	43B	MVP Platinum Plastic II	Landon Lens	26B
DLS	Eye Kraft Optical	16A-C	MyView Ergo	Rodenstock	41B,C
Definity	Essilor	9B-D	Nalco Progressive	Nassau Lens Company	27D
DirecTek	Signet Armorlite, Inc.	50C,D	Navigator	Signet Armorlite	51E,F
Eagle	FEA Industries	17A-D,18A-D,19A	Nexyma	Rodenstock	41D,E
Eaglet	FEA Industries	19B,C	Nikon Eyes	Essilor	10E,F,11A
EasyLux	Dehlawi Optical Industries	6E	Nikon Online	Nikon Optical	28B
Elan	SOLA Optical	52E,F,53A	Nikon W	Nikon Optical	28C,D
Element	Shamir Insight Inc.	47E	Novel	Vision-Ease Lens	56D
EOS	KBco	23F,24A	Novella Thindex	Vision-Ease Lens	56E
Essilor Anti-Fatigue	Essilor	9E	Office	Shamir Insight Inc.	49A
Essilor Computer	Essilor	9F	Outlook	Vision-Ease Lens	56F
Essilor Ideal	Essilor	10A-C	Ovation	Essilor	11B-D
Essilor Natural	Essilor	10D	Overture	Sutherlin Optical	54F,55A
Executive	Shore Lens Company	50A	Paradigm	Vision Dynamics Lab/ Optical Dynamics	56A,B
EZ View	SOMO Optical	54D,E	PC Wide	Seiko	43C
First PAL	Shamir Insight Inc.	48A	Perfas	Seiko	43D,E,44A
Freedom	X-CEL Optical	57E,F,58A	Persona	Riverside Opticalab Ltd.	35B-E,36A-E
Futurise	Polycore Optical	32B	Piccolo	Shamir Insight Inc.	49B,C
Geo-FORM	Rite-Style Optical	33B-E	Polar-Ray Progressive	Melibrad	27B,C
Genesis	Shamir Insight Inc.	48B-D	PolySensus	MacLens Optical	26D
Golf	Shamir Insight Inc.	48E	Presio	Nikon Optical	28E,F,29A-F
GP	Hoya Vision	21A-C	Prio Computer Lens	Essilor	11E
Gradal	Carl Zeiss Vision	2C	Privo	Dehlawi Optical Industries	7A

*These names, terms and designations are the registered and/or common law trademarks of their respective owners. All rights reserved.*

## Index by Lens Name

Lens Name	Company Name	Page	Lens Name	Company Name	Page
Proceed	Seiko . . . . .	44B,C	TR2 Basic	Rite-Style Optical . . . . .	34B
Pro-Freedom	Excelite, Inc. . . . .	14D,E,15A,B	TR3 Demand	Rite-Style Optical . . . . .	34C
Progressiv ClassicLife	Rodenstock . . . . .	41F,42A	TR4 Highway	Rite-Style Optical . . . . .	34D
Progressiv Life	Rodenstock . . . . .	42B,C	TR5 Zone	Rite-Style Optical . . . . .	34E
Progressiv Purelife	Rodenstock . . . . .	42D-F	TR8 Active	Rite-Style Optical . . . . .	35A
Promult	MacLens Optical . . . . .	26E	Ultimate HD	US Optical . . . . .	55C
Proprius DS	Nexus Vision Group . . . . .	27E	UNITY	VSP . . . . .	57B,C
PureSite	Diversified Ophthalmics, Inc. . . . .	7B-D,8A	Variations	London Lens . . . . .	26C
Resolution Response	PFO/Optima . . . . .	30E	Varilux Comfort	Essilor . . . . .	12B-E
SeeMax	Nikon Optical . . . . .	30A-C	Varilux Ellipse	Essilor . . . . .	12F
ShoreView	Shore Lens Comp . . . . .	50A,B	Varilux Ipseo IV	Essilor . . . . .	13A
Signature HD	Riverside Opticalab Ltd. . . . .	37A	Varilux Physio	Essilor . . . . .	13B-E,14A
Smallfit	Essilor . . . . .	11F	Varilux S	Essilor . . . . .	14C
SOLA HDV	SOLA Optical . . . . .	53C	Varilux Sport	Essilor . . . . .	14B
SOLAMAX	SOLA Optical . . . . .	53D	VIP	SOLA Optical . . . . .	54B,C
SOLAOne	SOLA Optical . . . . .	53E,F	Vista	Robertson Optical Laboratories . . . . .	38B-D
Spectrum	Shamir Insight Inc. . . . .	49D	Workspace	Shamir Insight Inc. . . . .	49E
Stealth 15	Vision Warehouse . . . . .	57A	Wrap HD	US Optical . . . . .	55D
Succeed	Seiko . . . . .	44D,E	XP HD	Robertson Optical Laboratories . . . . .	38E
Summit	Hoya Vision . . . . .	22F,23A-C	Xplore	KBco, Inc. . . . .	24D
Super No-Line	Essilor . . . . .	12A	X-Pro	Excelite, Inc. . . . .	15C-F
Supercede	Seiko . . . . .	44F,45A,B	Zeal	Zeal Optical . . . . .	58E
Superior	Seiko . . . . .	45C	ZEISS Business	Carl Zeiss Vision . . . . .	3C
Supernal	Seiko . . . . .	45D	ZEISS Choice	Carl Zeiss Vision . . . . .	3D-F
Surmount	Seiko . . . . .	45E,46A	ZEISS Experience	Carl Zeiss Vision . . . . .	4A-D
Synchrony	SOLA Optical . . . . .	54A	ZEISS Individual	Carl Zeiss Vision . . . . .	4E,F
Tact	Hoya Vision . . . . .	23D,E	4 You	Precision Optical Group . . . . .	32D,E,33A
TR1-Far	Rite-Style Optical . . . . .	34A			

## Index of Discontinued Lenses

Company	Lens Name	180 Line Symbols		Additional Symbols		Company	Lens Name	180 Line Symbols		Additional Symbols	
		T	N*	T	N*			T	N*	T	N*
Augen Optics	TrinityPROGRESSIVE/	Δ	Δ			Seiko	AF	○	○		J6
Carl Zeiss Vision	Gradal Top	□	□			Seiko	AF mini	○	○		J4
Dehlawi	Privo	○	○	□	ABC	Seiko	Perfas Premier	○	○		
Essilor	Nikon Eyes	○	○		NE	Seiko	Perfas Prestige	○	○	P	S
Essilor	Varilux Panamic	○	○	□	□	Seiko	Perfas Prime	○	○		P
KBco	CPU	○	○	1	1	Seiko	Perfas Wide	○	○		
KBco	Fusion I	○	○		TLX	Shamir	Autograph	□	□		FF
KBco	Fusion II	○	○		TD	Shamir	Autograph Short	□	□		FFS
KBco	iRx RPM	○	○	□	□	Shamir	Altitude with Genesis	□	□		
Ophthonix Inc	iZon ML	IZ	IZ			SOLA Optical	VIP Gold	□	□		VG
Plastic Plus	1.67 Supremacy 2 Short	P	P		25	VSP	Reveal	G-□	G-□		VSP
Rodenstock	Progressiv Life Free	○	○	2N	2	VSP	Reveal Freeform	G-□	G-□		VSP
RSE Optics	Tokai 13	○	○		THN	VSP	Reveal Freeform Vi	G-□	G-□		VSP VI
RSE Optics	Tokai 15	○	○		TJN						

\* T|N refers to Temporal and Nasal placement of symbols

## Extended ADD Range Index

ADD Range	Lens Name	Page	ADD Range	Lens Name	Page	ADD Range	Lens Name	Page
<b>From 0.50</b>			<b>(0.75)</b>			<b>(0.75)</b>		
Acclaim OEM PAL #1 and #2**	57D		Acuity	31A		Resolution Response	30E	
Adage	58B		Adaptar	8D,E,9A,		SeeMax	30A,B	
Amplitude	19B,20A,C		Advanced HD	55B		ShoreView	50B	
AO Compact	1A		AF2	43A		Signature HD	37A	
AO Easy	1B		Amplitude	19A		SmallFit	11F	
APEX	5A,B		Array	20E,F		SOLAOne HD	53F	
CLEARi DED	5C,D,E		Altitude III	46B,C		Super No-Line	12A	
Computer	47C		AugenSol HD Trinity	1F		Superior	45C	
Continual Focus Lens (CFL)	55E		Autograph II	46D,47A		Synchrony	54A	
Eagle Driver	17D		Balance Digital 12	29B		TR2,TR3,TR5,TR8	34B,C,E,35A	
Elan HD Short	52F		Biofit	8B		Ultimate HD	55C	
EOS Wrap	24A		Ce-Tru	25B,C		Variations	26C	
Essilor Ideal	10B		Channel 14	25D,E,F,26A		Varilux Ipseo IV	13A	
Essilor Natural	10D		ClassicLife Free	39A		Varilux Comfort	12C,D,E	
First PAL	48A		CLEARi DED 19	6A,D		Varilux Physio	13B,C,14A,B,D	
Freedom ID	57E,F,58A		Compact Ultra	52B		Varilux S	14C	
ID MyStyle	22E		Constitution HD	16D		Varilux Sport	14B	
Illumina	56C		COZE	37B,D,E,38A		WorkSpace	49E	
Impression	39D,40C		DC mini	43B		X-Pro	15C,F	
iRx Pro	24B		Definity	9B,C		ZEISS Choice	3D,E,F	
KODAK	51A,B,C,D		DLS PAL	16A		ZEISS Experience Short	4C	
Maui Passport	26F		Eagle	17B,18A,B,C		ZEISS Individual	4F	
Melibrad	27A		Eaglet Balance	19C				
MOVE	28A		Easylux	6E		<b>To 3.50</b>		
Nalco	27D		Elan HDV	53A		4 You	32D,33A	
Natural DS	10D		Element	47E		Acclaim OEM PAL #1 and #2**	57D	
Nikon Eyes	10E,F		EOS	23F		Accolade Freedom	8C	
Nikon Go	28F,20A		Essilor Anti-Fatigue	9E		Acuity 9/11/13	31A	
Novel	56D		Essilor Computer	9F		Adage	58B	
Novella Thindex	56E		Essilor Ideal	10A,B		Adaptar	8E,9A	
Outlook	56F		Essilor Ideal Short	10C		Advanced HD	55B	
Ovation	11B		ShoreView	50A		AF2	43A	
Paradigm	56B		EZ View	54D,E		Amplitude	19A,20C	
PCWide	43C		Futureise	32B		Array	20E,F	
Perfas Prominent	44A		Geo-FORM	33B,C,D,E		Attitude III	46B,C	
Persona	35B		Golf	48E		Autograph II	17A,46D	
Polar-Ray	27B		Gradal RD	2C		Balance Digital 12	29B	
PolySensus	26D		GT2	2D,F,3A		Biofit	8B	
Presio i	29D		HD Trinity	2A,B		Ce-Tru	25B,C	
Prio	11E		Hoyalux GP	21B,21C		Channel 14	25D,E,F,26A	
Promult	27D		HyperPro	30D		ClassicLife	39A	
Proprius DS	27E		ID InStyle,LifeStyle	21D,E,F,22A,D		CLEARi DED	6A,D	
Smallfit	11F		identity	31B,C,D,32A		Compact Ultra	52B	
SOLAMAX	53D		Image	58C,D		Computer	47C	
SOLAOne	53E		Impression	39B,C,40A,B,D,E		Constitution HD	16D	
Stealth 15	57A		Instinctive/PEZ	53B		Continual Focus Lens (CFL)	5	
Succeed	44D,E		InTouch	48F		COZE	37B,E,38A	
Summit ecp	23B		Micro	32C		DLS PAL	16A	
Supercede	44F,45A,B		Move Digital	27F,28A		Eagle	17B,D,18A	
Supernal	45D		Mvp Platinum Plastic II	26B		Eaglet Balance	19C	
Surmount	45E,46E		Nexyma	41D,E		Easylux	6E	
TR1	34A		Nexyma Reading (40)	41E		Elan	52F,53A	
UNITY	57B,C		Nikon	28B,C,D,29E		Element	47E	
Varilux Comfort	12B		Office	49A		Essilor Anti-Fatigue	9E	
Varilux Ellipse 360	12F		Ovation ADS (Canada)	11C,D		Essilor Ideal Advanced Wrap	10B	
Varilux Ipseo	13A		Overture	54F		ShoreView	50A	
Varilux Physio	13D,E,14A		Perfas	43D,E		EZ View	54D,E	
VISTA WS	38D		Persona	35C,D,36B,C,D,E		Freedom ID	57E,F,58A	
XP HD	38E		Piccolo	49B		Futureise	32B	
ZEISS Individual	4E		Presio i	28F,29B,C,D,E,F		Geo-FORM	33B,C,D,E	
<b>From 0.75</b>			Privo Advance	7A		Golf	48E	
4 You	32D,33A		Proceed II	44B,C		Gradal RD	2C	
Accolade	8B,C		Pro-Freedom	14D,E,15B		GT2	2D,3A	
			Progressiv	41F,42A,B,C		HD Trinity	2B	
			PureSite	7B,C,D		Hoyalux GP	21B,21C	

## Extended ADD Range Index (continued)

ADD Range	Lens Name	Page	ADD Range	Lens Name	Page	ADD Range	Lens Name	Page
(3.50)	ID InStyle ,LifeStyle	21D,22D	(3.50)	Summit ecp	23B	(4.00)	Paradigm	56
identity		32A	Superior	45C	PolySensus	26D		
Image		58C,D	Synchrony	54A	Presia i	29D		
Impression 2		39B,C,40A,B,D,E	TR1,TR2,TR3,TR5,TR8	34A-C,E35A	Promult	27D		
Instinctive/PEZ		53B	Ultimate HD	55C	SOLAMAX	53D		
IntTouch		48F	UNITY	57B	SOLAOne	53E		
KODAK Precise		51A	Variations	26C	Super No-Line	12A		
Melibrad		27A	Varilux Comfort	12C	Varilux Ipseo	13A		
Move		27F,28A	Varilux Ellipse 360	12F	ZEISS Individual 2	4E		
Mvp Platinum Plastic II		26B	Varilux Ipseo IV eyecode	13A-E,14A				
Nalco		27D	Varilux S	14C				
Nexyma		41D,E	Varilux Sport	14B	To 4.50			
Nikon Eyes		11A	WorkSpace	49E	Amplitude IQ	20A		
Nikon Go		29A	X-Pro Discovery	15C	AO Easy	1B		
Nikon i		28E,29E	ZEISS Choice	3D,E,F	CLEARi DED	5D		
Nikon W		28C,D	ZEISS Experience Short	4C	EOS Wrap	24A		
Novel		56D	ZEISS Individual	4F	Essilor Natural	10D		
Office		49A			First PAL	48A		
Outlook		56F			ID Mystyle	22E		
Ovation		11B,D			Illumina	56C		
Perfas		43D,E,44A			iRx Pro	24B		
Persona		35B,C,D,36B,C,D,E			KODAK	51B,C,D		
Piccolo		49B			MOVE	28A		
Polar-Ray		27B			Natural DS	10D		
Presio i		28F,29B,D,E			Nikon Eyes	10E		
Privo Advance		7A			Nikon Go	28F		
Proceed II		44B			Ovation	11B		
Pro-Freedom		14D,E,15B			PCWide	43C		
Progressiv		41F,42A,B,C			Prio	11E		
PureSite		7B,C,D			Proprius	27E		
Resolution Response		30E			Smallfit	11F		
SeeMaX		30B			Supercede	44F,4A,B		
ShoreView		50B			Supernal	45D		
Signature HD		37A			Surmount	45E,46A		
SmallFit		11F			TR1	34A		
SOLAOne HD		53F			UNITY	5		
Stealth 15		57A			Varilux Comfort	12B		
Succeed		44D,E			VISTA WS	38D		
					XP HD	38E		

## Index of Companies

Company Name	Page	Company Name	Page
American Optical	1	Polycore Optical	32
Augen Optics	1	Precision Optical Group	32
Carl Zeiss Vision	2	Rite-Style Optical Company	33
Classic Optical Laboratories, Inc.	5	Riverside Opticalab Ltd.	35
CLEARi	5	Robertson Optical Laboratories	37
Dehlawi Optical Industries	6	Rodenstock	39
Diversified Ophthalmics, Inc.	7	Seiko	43
Essilor	8	Shamir	46
Excelite	14	Shore Lens Company	50
Eye Kraft Optical	16	Signet Armortite	50
FEA Industries	16	SOLA Optical	52
Hoya Vision	19	SOMO Optical	54
KBco, Inc.	23	Sutherlin Optical	54
KBco, Inc. (Specialty Lens Corp)	23	US Optical	55
L.B.I.	24	Vision Dynamics Lab/Optical Dynamics	55
Landon Lens	25	Vision-Ease Lens	56
MacLens Optical	26	Vision Warehouse	57
Mau Jim	26	VSP	57
Melibrad	27	Walman - Soderberg	57
Nassau Lens Company	27	X-CELOptical Company	57
Nexus Vision Group	27	Younger Optics	58
Nikon Optical	27	Zeal Optics	58
PFO Optima	30		

## Index by Recommended Minimum Height

Min. Height	Lens Name . . . . .	Page	Min. Height	Lens Name . . . . .	Page	Min. Height	Lens Name . . . . .	Page
10mm	Eagle Ultra Short . . . . .	18D	(14mm)	Multigressiv MyView 2 XS, M, L . . . . .	41A	(15mm)	Definity 3 . . . . .	9D
11mm	AO Easy . . . . .	1C		MyView Ergo 2 Book . . . . .	41B		Definity 3 Plus . . . . .	9D
	Autograph II . . . . .	17A		Navigator Short . . . . .	51F		Essilor Computer . . . . .	9F
	Autograph III . . . . .	47B		Nikon Eyes Advanced Short . . . . .	10F		First PAL . . . . .	48A
12mm	HD Trinity 8/12 SF . . . . .	2B		Novella Thindex Short Corridor . . . . .	56E		Geo-FORM EZ S 11 . . . . .	33E
13mm	Adage . . . . .	58B		Overture Short . . . . .	55A		ID Mystyle . . . . .	22E
	Compact Ultra . . . . .	52,B,C		Perfas Premier II . . . . .	43D		Identity pro . . . . .	31D
	DLS Advanced PAL . . . . .	16A,B,C		Perfas Prominent . . . . .	44A		InTouch . . . . .	48F
	Elan HD Short . . . . .	52F		Progressiv ClassicLife XS . . . . .	42A		Nikon Eyes Customized . . . . .	11A
	Elan HDV . . . . .	53A		Progressiv Life 2 XS . . . . .	42C		Nikon Online . . . . .	28B
	Essilor Anti-Fatigue . . . . .	9E		Progressiv Purelife XS . . . . .	42E		Nikon W Short . . . . .	28D
	GT2 3D 3DV . . . . .	2F		ProgressivPureLife Free XS,M,L . . . . .	42F		Ovation ADS Short (Canada) . . . . .	11C
	GT2 3D Short . . . . .	3A		PureSite Enhanced . . . . .	7C		Ovation DS Short (Canada) . . . . .	11D
	GT2 Short . . . . .	3B		PureSite Premier . . . . .	7D		PCWide . . . . .	43C
	Impression Freesign . . . . .	40A		PureSite Ultima . . . . .	8A		Persona Office . . . . .	35C
	KODAK Precise Short . . . . .	51B		Signature HD . . . . .	37A		Persona Quattro Sport . . . . .	36E
	KODAK Unique . . . . .	51C		Smallfit . . . . .	11F		Presio i Digital 12 . . . . .	29B
	Nexyma Reading (40) . . . . .	41E		Spectrum . . . . .	49D		Pro-Freedom . . . . .	14D
	Persona G4 . . . . .	35D		Summit cd . . . . .	22F		Pro-Freedom Plus . . . . .	14E
	Persona Phd . . . . .	36A,B,C		Summit cd iQ . . . . .	23A		Pro-Freedom Sports . . . . .	15B
	Persona Quattro . . . . .	36D		Supercede II . . . . .	45B		PureSite Easy Fit . . . . .	7B
	SOLA HDV . . . . .	35C		Supercede WS . . . . .	45A		SeeMaxProgressive 12 . . . . .	30B
	Varilux Ellipse 360 . . . . .	12C		Supernal . . . . .	45D		ShareView/ShoreView Mini . . . . .	50B
	ZEISS Choice . . . . .	3D,E,F		Surmount . . . . .	45E		Smallfit DS (Canada) . . . . .	11F
	ZEISS Experience Short . . . . .	4C		Surmount WS . . . . .	46A		Succeed WS . . . . .	44E
	ZEISS Individual . . . . .	4F,E		TR1-Far AW 14 . . . . .	34A		TR8-Active AW 15 . . . . .	35A
13.5mm	DirecTek Short . . . . .	50D		TR2-Basic 14 . . . . .	34B		4 You Computer . . . . .	33A
14mm	Adaptor Short Digital . . . . .	8E		TR3-Demand AW 14 . . . . .	33C		Acuity 9/11/13 . . . . .	31A
	Advanced HD . . . . .	55B		Ultimate HD . . . . .	55C		Autograph II Office . . . . .	46E
	Amplitude Mini . . . . .	20B,C,D		Varilux Ipseo IV . . . . .	13A		Ce-Tru Short Corridor . . . . .	25A,B
	APEX . . . . .	5A		Varilux Comfort Enhanced . . . . .	12D		Channel 14 Variations Gray & B . . . . .	25F
	Channel 14 Plastic II . . . . .	25D		Varilux Comfort Short . . . . .	12E		CLEARi DED 14 . . . . .	5D
	Channel 14 Poly II . . . . .	25E		Varilux Comfort Short Drx . . . . .	12C		Eagle Apprentice . . . . .	17B
	Channel 14 Variations Poly Pho . . . . .	26A		Varilux Ellipse . . . . .	12F		Eagle Sport . . . . .	18C
	ClassicLife Free XS, M or L . . . . .	39A		Varilux Ipseo IV eyecode . . . . .	13A		Element Short . . . . .	47E
	CLEARi DED 12 . . . . .	5C		Varilux Physio Enhanced . . . . .	13E,14A		EZ View Mini . . . . .	54D
	Computer . . . . .	47C		Varilux Physio Short . . . . .	13B,C,D		Geo-FORM 11 . . . . .	33B
	Eagle . . . . .	17A,C,18A,B		Varilux S 4D . . . . .	14C		Geo-FORM AW 12 . . . . .	33C
	Eaglet . . . . .	19B		Varilux S Design Short . . . . .	14C		identity home 9/11/13 . . . . .	31B
	Eaglet Balance . . . . .	19C		Varilux S Fit . . . . .	14C		identity play 9/11/13 . . . . .	31C
	Essilor Ideal Short . . . . .	10C		WorkSpace . . . . .	49E		identity smart 9/11/13 . . . . .	32A
	Essilor Natural Digital . . . . .	10D		Wrap HD . . . . .	55D		Micro . . . . .	32C
	Geo-FORM AW 10 . . . . .	33C		Access . . . . .	52A		Move Digital 13 . . . . .	27F
	ID InStyle . . . . .	21D		Accolade Freedom . . . . .	8C		MOVE Short . . . . .	27F
	ID LifeStyle 2 Clarity cd . . . . .	22B		Adaptar DS Short (Canada) . . . . .	9A		Nikon i . . . . .	28E,29E
	ID LifeStyle 2 Harmony cd . . . . .	22D		AO Compact . . . . .	1A		Novel . . . . .	56D
	ID Lifestyle cd . . . . .	21F		Attitude III Fashion . . . . .	46B		Office . . . . .	49A
	Impression 2 XS, M, or L . . . . .	39B		Autograph II Attitude . . . . .	46D		Paradigm Short Corridor . . . . .	56B
	Impression Ergo 2 Book . . . . .	39C		Balance Digital 12 . . . . .	29B		Piccolo . . . . .	49B
	Impression Ergo FreeSign 2 . . . . .	39E		Biofit FreeFrame (Canada) . . . . .	8C		Polar-Ray Progressive . . . . .	27C
	Impression Hyperop XS . . . . .	40C		Biofit FreeFrame Fit . . . . .	8C		PolySensus . . . . .	26D
	Impression Myop XS . . . . .	40E		Constitution Short HD . . . . .	16E		Presio i Digital Short . . . . .	29D
	iRx Short . . . . .	24C		Continuum . . . . .	52D		Presio i Short . . . . .	29E
	KODAK Concise . . . . .	50E		Definity Short . . . . .	9C		Prio Computer Lens . . . . .	11E

## Index by Recommended Minimum Height (continued)

Min. Height	Lens Name . . . . .	Page	Min. Height	Lens Name . . . . .	Page	Min. Height	Lens Name . . . . .	Page
(16mm)	Proceed III Super Short . . . . .	44C	(18mm)	Attitude III Sport . . . . .	46C	(18mm)	TR5-Zone 13 . . . . .	34E
	Proprius DS . . . . .	27E		CLEARi DED 16 . . . . .	5E		TR5-Zone 20 . . . . .	34E
	TR1-Far AW 16 . . . . .	34A		CLEARi DED OFFICE COMPUTER . . . . .	6C		TR5-Zone 40 . . . . .	34E
	TR2-Basic 16 . . . . .	34B		CLEARi DED OFFICE ROOM . . . . .	6D		Variations . . . . .	26C
	TR3-Demand AW 16 . . . . .	33C		Continual Focus Lens (CFL) . . . . .	55F		Varilux Sport . . . . .	14B
	ZEISS Business . . . . .	3C		Definity . . . . .	9B		VIP . . . . .	54B,C
	ZEISS Experience . . . . .	4A		Eagle Driver . . . . .	17D		X-Pro Discovery Xtra . . . . .	15E
16.5mm	DirecTek . . . . .	50C		Eagle Workplace . . . . .	19A		X-Pro Maxima Plus . . . . .	15F
17mm	Accolade . . . . .	8B		Essilor Natural . . . . .	10D		Zeal Digital Progressive . . . . .	58E
	AF2 . . . . .	43A		Executive . . . . .	50A	19mm	Amplitude . . . . .	19A,B,20A
	AugenSol HD Trinity 13/17 . . . . .	1F		Futurise . . . . .	32B		Creation . . . . .	47D
	Balance Digital 14 . . . . .	29C		Geo-FORM 13 . . . . .	33B		DC mini . . . . .	43B
	Biofit (Canada) . . . . .	8B		Geo-FORM AW 14 . . . . .	33C		Element . . . . .	47E
	CLEARi DED OFFICE BOOK . . . . .	6B		Golf . . . . .	48E		Genesis . . . . .	48B, B, C
	Constitution HD . . . . .	16D		GP Wide . . . . .	21A		Geo-FORM EZ 15 . . . . .	33D
	Elan HD . . . . .	52E		GP . . . . .	21B, C		Nalco Progressive . . . . .	27D
	EOS . . . . .	23F		iD Lifestyle . . . . .	21E		TR8-Active AW 19 . . . . .	35A
	EOS Wrap . . . . .	24A		iD LifeStyle 2 Clarity . . . . .	22A	20mm	EZ View Std . . . . .	54E
	Essilor Ideal . . . . .	10A		iD LifeStyle 2 Harmony . . . . .	22C		Geo-FORM 15 . . . . .	33B
	Essilor Ideal Advanced . . . . .	10B		Image . . . . .	58C		KODAKProgressive . . . . .	51D
	Freedom ID . . . . .	57E,F58A		Image Wrap Decentered . . . . .	58D		Navigator Precision . . . . .	51E
	Geo-FORM EZ 13 . . . . .	33D		Impression Ergo 2 PC or Room . . . . .	39D		Nexyma Computer (80) . . . . .	41D
	Geo-FORM EZ 5 13 . . . . .	33E		Impression Hyperop . . . . .	40B		ParadigmPROGRESSIVE . . . . .	56A
	GT2 . . . . .	2D		Impression Myop . . . . .	40D		TR1-Far AW 20 . . . . .	34A
	GT2 3D . . . . .	2E		Impression Sport 2 . . . . .	40F		TR2-Basic 20 . . . . .	34B
	HD Trinity 13/17 SF . . . . .	2A		iRx Pro . . . . .	24B		TR3-Demand AW 20 . . . . .	33C
	HyperPro . . . . .	30D		Melibrad Progressive . . . . .	27A		X-Pro Discovery . . . . .	15C
	Illumina . . . . .	56C		MOVE . . . . .	28A		X-Pro Discovery Plus . . . . .	15D
	Instinctive/PEZ . . . . .	53B		Move Digital 15 . . . . .	28A	21mm	CLEARi DED 19 . . . . .	6A
	KODAK MonitorView . . . . .	50F		Mvp Platinum Plastic II . . . . .	26B		Gradal RD . . . . .	2C
	KODAK Precise . . . . .	51A		MyView Ergo 2 PC or Room . . . . .	41C		Super No-Line . . . . .	12A
	Nikon Eyes Advanced . . . . .	10E		Natural DS (Canada) . . . . .	10D	22mm	Augen HD Trinity Spacia SF . . . . .	1E
	Nikon W . . . . .	28C		Nikon Go . . . . .	28F		Ce-Tru Normal Corridor . . . . .	24E
	Ovation . . . . .	11B		Nikon Go Digital . . . . .	29A		Ce-Tru Polarized Progressive . . . . .	24F
	Ovation ADS (Canada) . . . . .	AAC		Outlook . . . . .	56F		Ce-Tru SunSensor . . . . .	25C
	Ovation Digital . . . . .	11B		Ovation DS (Canada) . . . . .	11D		Polar-Ray Progressive . . . . .	27B
	Overture . . . . .	54F		Presio i . . . . .	28F	Several	4 You Gold/4 You Gold Variable . . . . .	32D
	Presio i Digital 14 . . . . .	29C		Presio i Digital . . . . .	29D		4 You/4 You Wrap . . . . .	32D
	Pro-Freedom Solace . . . . .	15A		Proceed II Short . . . . .	44B		Acclaim OEM PAL #1 and #2 . . . . .	57D
	SeeMaxProgressive 14 . . . . .	30C		Progressiv ClassicLife . . . . .	41F		APEX OFFICEHD . . . . .	5B
	SOLAMAX . . . . .	53D		Progressiv Life 2 . . . . .	42B		Array . . . . .	20E,F
	Succeed . . . . .	44D		Progressiv Purelife . . . . .	42D		COZE . . . . .	37B-E,38A
	Synchrony . . . . .	54A		Promult . . . . .	27D		EasyLux . . . . .	6E
	TR8-Active AW 17 . . . . .	35A		Resolution Response . . . . .	30E		Maui Passport Progressive . . . . .	26F
	Varilux Comfort . . . . .	12B		ShoreView ES . . . . .	50A		Perfas Prestige 2 . . . . .	43E
	Varilux Comfort Drx . . . . .	12C		SOLAOne . . . . .	53E,F		Persona . . . . .	35B
	Varilux Physio . . . . .	13B		Stealth 15 . . . . .	57A		Presio Power 12/13/14 . . . . .	29F
	Varilux Physio 360° . . . . .	13C		Summit ecp . . . . .	23B		Privo Advance . . . . .	7A
	Varilux Physio Drx . . . . .	13D		Summit ecp IQ . . . . .	23C		SeeMax Power 12/13/14 . . . . .	30A
	Varilux S Design . . . . .	14C		Tact . . . . .	23D		Supercede . . . . .	44F
	Xplore . . . . .	24D		TACT 40 BKS and TACT 60 BKS . . . . .	23E		Superior . . . . .	45C
18mm	Adaptar . . . . .	8D		TR1-Far AW 18 . . . . .	34A		UNITY . . . . .	57B,C
	Adaptar Digital . . . . .	8E		TR2-Basic 18 . . . . .	34B		Vista . . . . .	38B,C,D
	Adaptar DS (Canada) . . . . .	8D		TR3-Demand AW 18 . . . . .	33C		XP HD . . . . .	38E
	AO Easy . . . . .	18,D		TR4-Highway AW . . . . .	34D			

**A AO Compact**

<b>M</b>	Materials:
no symbol	Plastic (CR39 and 1.50)
F	Plastic High Index (1.60) (Canada only)
S	Plastic Mid-Index (1.52-1.58)
P	Polycarbonate

American Optical

Standard Progressive

Fitting cross location: 2mm above 180 line  
 Rec. minimum fitting height: 15mm  
 Available as: Clear; Photochromic  
 Available in: US and Canada

PAL Design on Front Side

**B AO Easy**

<b>M</b>	Materials:
no symbol	Plastic (CR39 and 1.50)
P	Polycarbonate
6	Plastic High Index (1.60) (Canada only)
<b>F</b>	Filters:
bA	Polarized
<b>C</b>	Photochromic

American Optical

Standard Progressive

Fitting cross location: 2mm above 180 line  
 Rec. minimum fitting height: 18mm  
 Available as: Clear; Photochromic; Polarized  
 Available in: US and Canada

PAL Design on Front Side

**C AO Easy**


<b>M</b>	Materials:
7	Plastic High Index (1.66-1.67)

American Optical

Standard Progressive

Fitting cross location: on 180 line  
 Rec. minimum fitting height: 11mm  
 Available as: Photochromic  
 Available in: US and Canada

PAL Design on Front Side

**D AO Easy HD**

<b>M</b>	Materials:
H	Plastic (CR39 and 1.50)
F	Plastic Hi-Index (1.60)
M	Plastic Hi-Index (1.66-1.67)
T	Trivex

American Optical

Standard Progressive

Fitting cross location: 2mm above 180 line  
 Rec. minimum fitting height: 18mm  
 Available as: Photochromic  
 Available in: US and Canada

PAL Design on Back Side

**E Augen HD Trinity Spacia SF**


<b>M</b>	Materials:
X	Trivex

Augen Optics

Standard Progressive

Fitting cross location: 4mm above 180 line  
 Rec. minimum fitting height: 22mm  
 Available as: Clear  
 Available in: US and Canada

PAL Design on Front Side

**F AugenSol HD Trinity 13/17**

<b>M</b>	Materials:
P	Plastic (CR39 and 1.50)

Augen Optics

Standard Progressive

Fitting cross location: 4mm above 180 line  
 Rec. minimum fitting height: 17mm  
 Available as: Clear; Photochromic  
 Available in: US and Canada

PAL Design on Front Side

**Right Lens, Convex Side Up**

Location of ADD Power



- M** symbol in this location indicates material
- H** symbol/number indicates recommended fitting height
- F** symbol in this location indicates filter
- L** symbol/number indicates corridor length

## HD Trinity 13/17 SF



Materials:  
Plastic (CR39 and 1.50)  
Plastic Mid-Index (1.52-1.58)  
Trivex

## Augen Optics A

Standard Progressive  
Fitting cross location: 4mm above 180 line  
Rec. minimum fitting height: 17mm  
Available as: Clear; Photochromic  
Available in: US and Canada

## HD Trinity 8/12 SF



Materials:  
Plastic (CR39 and 1.50)  
Trivex

## Augen Optics B

Standard Progressive  
Fitting cross location: 4mm above 180 line  
Rec. minimum fitting height: 12mm  
Available as: Clear; Photochromic  
Available in: US and Canada  
PAL Design on Front Side

## Gradal RD




Materials:  
Plastic (CR39 and 1.50)

## Carl Zeiss Vision C

Standard Progressive  
Fitting cross location: 6mm above 180 line  
Rec. minimum fitting height: 21mm  
Available as: Clear  
Available in: US and Canada  
PAL Design on Front Side

## GT2



**M**  
60  
80  
50  
59  
67  
60

Materials:  
Glass High Index (>1.60)  
Glass Ultra High Index (>1.70)  
Plastic (CR39 and 1.50)  
Polycarbonate  
Plastic Ultra High Index (>1.67)  
Plastic High Index (1.60)(Canada only)

## Carl Zeiss Vision D

Standard Progressive  
Fitting cross location: 4mm above 180 line  
Rec. minimum fitting height: 17mm  
Available as: Clear; Photochromic; Polarized  
Available in: US and Canada  
PAL Design on Front Side

## GT2 3D



**M**  
50  
59  
60  
67  
74  
53

Materials:  
Plastic (CR39 and 1.50)  
Polycarbonate  
Plastic High Index (1.60)(Canada only)  
Plastic High Index (1.66-1.67)  
Plastic Ultra High Index (>1.67)  
Trivex

## Carl Zeiss Vision E

Standard Progressive  
Fitting cross location: 6mm above 180 line  
Rec. minimum fitting height: 17mm  
Available as: Clear; Photochromic; Polarized  
Available in: US and Canada  
PAL Design on Front Side

## GT2 3D 3DV



**M**  
50  
53  
59  
60  
67  
74

Materials:  
Plastic (CR39 and 1.50)  
Trivex  
Polycarbonate  
Plastic High Index (1.60)(Canada only)  
Plastic High Index (1.66-1.67)  
Plastic Ultra High Index (>1.67)

## Carl Zeiss Vision F

Standard Progressive  
Fitting cross location: 6mm above 180 line  
Rec. minimum fitting height: 13mm  
Available as: Clear; Photochromic; Polarized  
Available in: US and Canada  
PAL Design on Front Side

\* Characters indicate frame fit and base curve

**Right Lens,  
Convex Side Up**

Location of  
ADD Power



symbol in this location indicates material




symbol/number indicates recommended fitting height



symbol in this location indicates filter



symbol/number indicates corridor length

**A GT2 3D Short**

**M**  
50  
59  
60  
67

Materials:  
Plastic (CR39 and 1.50)  
Polycarbonate  
Plastic High Index (1.60) (Canada only)  
Plastic High Index (1.66-1.67)

Carl Zeiss Vision

Standard Progressive

Fitting cross location: 6mm above 180 line  
Rec. minimum fitting height: 13mm

Available as: Clear; Photochromic; Polarized  
Available in: US and Canada

PAL Design on Back Side

**B GT2 Short**

**M**  
50  
59  
60  
67

Materials:  
Plastic (CR39 and 1.50)  
Polycarbonate  
Plastic High Index (1.60) (Canada only)  
Plastic High Index (1.66-1.67)

Carl Zeiss Vision

Standard Progressive

Fitting cross location: 4mm above 180 line  
Rec. minimum fitting height: 13mm

Available as: Clear; Photochromic; Polarized  
Available in: US only

PAL Design on Front Side

**C ZEISS Business**

Materials:  
Plastic (CR39 and 1.50)

Carl Zeiss Vision

Near Variable Focus

Fitting cross location: on 180 line  
Rec. minimum fitting height: 16mm

Available as: Clear  
Available in: US only

PAL Design on Front Side

**D ZEISS Choice (13, 15, 17, 19)**

**M**  
50  
53  
59  
60  
67

Materials:  
Plastic (CR39 and 1.50)  
Tivex  
Polycarbonate  
Plastic High Index (1.60)  
Plastic High Index (1.66-1.67)

\* number here indicates design (13,15,17,19)

Carl Zeiss Vision

Standard Progressive

Fitting cross location: 6mm above 180 line  
Rec. minimum fitting height: 13mm - 19 mm

Available as: Clear; Photochromic; Polarized  
Available in: US and Canada

PAL Design on Back Side

**E ZEISS Choice Plus (13, 15, 17, 19, 21)**

**M**  
50  
53  
59  
60  
67

Materials:  
Plastic (CR39 and 1.50)  
Tivex  
Polycarbonate  
Plastic High Index (1.60)  
Plastic High Index (1.66-1.67)

\* number here indicates design (13,15,17,19,21)


Carl Zeiss Vision

Standard Progressive

Fitting cross location: 6mm above 180 line  
Rec. minimum fitting height: 13mm - 21 mm

Available as: Clear; Photochromic; Polarized  
Available in: US and Canada

PAL Design on Back Side

**F ZEISS Choice Plus V**

**M**  
50  
53  
59  
60  
67  
74

Materials:  
Plastic (CR39 and 1.50)  
Tivex  
Polycarbonate  
Plastic High Index (1.60)  
Plastic High Index (1.66-1.67)  
Plastic Ultra High Index (>1.67) (only)

Carl Zeiss Vision

Standard Progressive

Fitting cross location: 6mm above 180 line  
Rec. minimum fitting height: 13mm - 21 mm


Available as: Clear; Photochromic; Polarized  
Available in: US and Canada

PAL Design on Back Side

\* Frame Fit Code

**Right Lens,  
Convex Side Up**

Location of  
ADD Power



- M** symbol in this location indicates material
- H** symbol/number indicates recommended fitting height
- F** symbol in this location indicates filter
- L** symbol/number indicates corridor length

### ZEISS Experience



Materials:  
Polycarbonate

### Carl Zeiss Vision A

Standard Progressive  
Fitting cross location: 3mm above 180 line  
Rec. minimum fitting height: 16mm  
Available as: Clear; Photchromic  
Available in: US and Canada  
PAL Design on Front Side

### ZEISS Experience




Materials:  
Plastic High Index [1.66-1.67]

### Carl Zeiss Vision B

Standard Progressive  
Fitting cross location: 3mm above 180 line  
Rec. minimum fitting height: 16mm  
Available as: Clear; Photchromic  
Available in: US only  
PAL Design on Front Side

### ZEISS Experience Short



Materials:  
Polycarbonate

### Carl Zeiss Vision C

Standard Progressive  
Fitting cross location: 4mm above 180 line  
Rec. minimum fitting height: 13mm  
Available as: Clear; Photchromic  
Available in: US only  
PAL Design on Front Side

### ZEISS Experience Short



Materials:  
Plastic High Index [1.66-1.67]

### Carl Zeiss Vision D

Standard Progressive  
Fitting cross location: 4mm above 180 line  
Rec. minimum fitting height: 13mm  
Available as: Clear; Photchromic  
Available in: US only  
PAL Design on Front Side

### ZEISS Individual 2



50  
53  
59  
60  
67  
74

Materials:  
Plastic [CR39 and 1.50]  
Trivex  
Polycarbonate  
Plastic High Index [1.60](Canada only)  
Plastic High Index [1.66-1.67]  
Plastic Ultra High Index (>1.67)

### Carl Zeiss Vision E

Standard Progressive  
Fitting cross location: 6mm above 180 line  
Rec. minimum fitting height: 13mm  
Available as: Clear; Photchromic; Polarized  
Available in: US and Canada  
PAL Design on Back Side

\* Characters here indicate frame fit, near type, base curve

### ZEISS Individual



53  
59  
60  
67  
74

Materials:  
Plastic [CR39 and 1.50]  
Trivex  
Polycarbonate  
Plastic High Index [1.60](Canada only)  
Plastic High Index [1.66-1.67]  
Plastic Ultra High Index (>1.67)

### Carl Zeiss Vision F

Standard Progressive  
Fitting cross location: 6mm above 180 line  
Rec. minimum fitting height: 13mm  
Available as: Clear; Photchromic  
Available in: US and Canada  
PAL Design on Back Side

**Right Lens,  
Convex Side Up**

Location of  
ADD Power



- [M] symbol in this location indicates material
- [H] symbol/number indicates recommended fitting height
- [F] symbol in this location indicates filter
- [L] symbol/number indicates corridor length

**A APEX**

[M]  
P  
T  
C

Materials:  
Plastic (CR39 and 1.50)  
Trivex  
Polycarbonate

**Classic Optical Laboratories, Inc.**

Standard Progressive

Fitting cross location: 4mm above 180 line  
Rec. minimum fitting height: 14mm

Available as: Clear; Photochromic; Polarized  
Available in: US and Canada

PAL Design on Back Side

**B APEX OFFICEHD**

[M]  
P  
T  
C

Materials:  
Plastic (CR39 and 1.50)  
Trivex  
Polycarbonate

**Classic Optical Laboratories, Inc.**

Near Variable Focus

Fitting cross location: on 180 line  
Rec. minimum fitting height: several

Available as: Clear; Photochromic; Polarized  
Available in: US and Canada

PAL Design on Back Side

**C CLEARi DED 12**

[M]  
50  
53  
59  
60  
67  
74

Materials:  
Plastic(CR39 and 1.50)  
Trivex  
Polycarbonate  
Plastic High Index [1.60]  
Plastic High Index [1.66-1.67]  
Plastic Ultra High Index [1.67]

**CLEARi**

Custom Progressive

Fitting cross location: 4mm above 180 line  
Rec. minimum fitting height: 14mm

Available as: Clear; Photochromic; Polarized  
Available in: US and Canada

PAL Design on Back Side

**D CLEARi DED 14**

[M]  
50  
53  
59  
60  
67  
74

Materials:  
Plastic(CR39 and 1.50)  
Trivex  
Polycarbonate  
Plastic High Index [1.60]  
Plastic High Index [1.66-1.67]  
Plastic Ultra High Index [1.67]

**CLEARi**

Custom Progressive

Fitting cross location: 4mm above 180 line  
Rec. minimum fitting height: 16mm

Available as: Clear; Photochromic; Polarized  
Available in: US and Canada

PAL Design on Back Side

**E CLEARi DED 16**

[M]  
50  
53  
59  
60  
67  
74

Materials:  
Plastic(CR39 and 1.50)  
Trivex  
Polycarbonate  
Plastic High Index [1.60]  
Plastic High Index [1.66-1.67]  
Plastic Ultra High Index [1.67]

**CLEARi**

Custom Progressive

Fitting cross location: 4mm above 180 line  
Rec. minimum fitting height: 18mm

Available as: Clear; Photochromic; Polarized  
Available in: US and Canada

PAL Design on Back Side

**Right Lens,  
Convex Side Up**

Location of  
ADD Power



- [M] symbol in this location indicates material
- [H] symbol/number indicates recommended fitting height
- [F] symbol in this location indicates filter
- [L] symbol/number indicates corridor length

## CLEARi DED 19



50  
53  
59  
60  
67  
74

Materials:  
Plastic(CR39 and 1.50)  
Trivex  
Polycarbonate  
Plastic High Index [1.60]  
Plastic High Index [1.66-1.67]  
Plastic Ultra High Index [1.67]

## CLEARi A

Custom Progressive

Fitting cross location: 4mm above 180 line  
Rec. minimum fitting height: 21mm

Available as: Clear; Photochromic; Polarized  
Available in: US and Canada

PAL Design on Back Side

## CLEARi DED Office Book



60  
67  
74

Materials:  
Plastic High Index [1.60]  
Plastic High Index [1.66-1.67]  
Plastic Ultra High Index [1.67]

## CLEARi B

Custom Progressive

Fitting cross location: on 180 line  
Rec. minimum fitting height: 17mm

Available as: Clear  
Available in: US and Canada

PAL Design on Back Side

## CLEARi DED Office Computer



60  
67  
74

Materials:  
Plastic High Index [1.60]  
Plastic High Index [1.66-1.67]  
Plastic Ultra High Index [1.67]

## CLEARi C

Custom Progressive

Fitting cross location: 2mm above 180 line  
Rec. minimum fitting height: 18mm

Available as: Clear  
Available in: US and Canada

PAL Design on Back Side

## CLEARi DED Office Room



60  
67  
74

Materials:  
Plastic High Index [1.60]  
Plastic High Index [1.66-1.67]  
Plastic Ultra High Index [1.67]

## CLEARi D


Custom Progressive

Fitting cross location: 4mm above 180 line  
Rec. minimum fitting height: 18mm

Available as: Clear  
Available in: US and Canada

PAL Design on Back Side

## EasyLux



50  
53  
56  
58  
60  
67  
74

Materials:  
Plastic (CR39 and 1.50)  
Plastic Mid-Index (1.52-1.58)  
Plastic Mid-Index (1.52-1.58)  
Polycarbonate  
Plastic High Index [1.60]  
Plastic High Index [1.66-1.67]  
Plastic Ultra High Index (>1.67)

## Dehlawi Optical Industries E

Standard Progressive

Fitting cross location: 4mm above 180 line

**H** Recommended fitting height:

R	20mm
M	18mm
S	16mm
E	14mm

Available as: Clear; Photochromic; Polarized  
Available in: US and Canada

PAL Design on Back Side

**Right Lens,  
Convex Side Up**


Location of  
ADD Power



180° Line  
Nasal

- M** symbol in this location indicates material
- H** symbol/number indicates recommended fitting height
- F** symbol in this location indicates filter
- L** symbol/number indicates corridor length


### A Privo Advance



[M]  
50  
56  
58  
60  
67  
74  
53

Materials:  
Plastic (CR39 and 1.50)  
Plastic Mid-Index (1.52-1.58)  
Polycarbonate  
Plastic High Index (1.60)  
Plastic High Index (1.66-1.67)  
Plastic Ultra High Index (>1.67)  
Trivex

### B PureSite Easy Fit



[S]  
ADD  
[L]

Materials:  
Plastic (CR39 and 1.50)  
Polycarbonate  
Trivex  
Plastic Mid-Index (1.52-1.58)  
Plastic High Index (1.60)  
Plastic High Index (1.66-1.67)  
Plastic Ultra High Index (>1.67)

### C PureSite Enhanced



[E]  
ADD H  
[L]

Materials:  
Plastic (CR39 and 1.50)  
Polycarbonate  
Trivex  
Plastic Mid-Index (1.52-1.58)  
Plastic High Index (1.60)  
Plastic High Index (1.66-1.67)  
Plastic Ultra High Index (>1.67)

### D PureSite Premier



[H]  
ADD  
[L]

Materials:  
Plastic (CR39 and 1.50)  
Polycarbonate  
Trivex  
Plastic Mid-Index (1.52-1.58)  
Plastic High Index (1.60)  
Plastic High Index (1.66-1.67)  
Plastic Ultra High Index (>1.67)

### Dehlawi Optical Industries

#### Standard Progressive

Fitting cross location: 4mm above 180 line

[H] Recommended fitting height:

R 20mm  
M 18mm  
S 16mm  
E 14mm

Available as: Clear; Photchromic; Polarized

Available in: US and Canada

PAL Design on Back Side

### Diversified Ophthalmics, Inc.

#### Near Variable Focus

Fitting cross location: 4mm above 180 line

Rec. minimum fitting height: 15mm

Available as: Clear; Photchromic; Polarized

Available in: US and Canada

[L] Corridor Length:

5 15mm  
7 17mm  
9 19mm

PAL Design on Back Side

### Diversified Ophthalmics, Inc.

#### Near Variable Focus

Fitting cross location: 4mm above 180 line

Rec. minimum fitting height: 14mm

Available as: Clear; Photchromic; Polarized

Available in: US and Canada

[L] Corridor Length:

4 14mm  
6 16mm  
8 18mm

PAL Design on Back Side

### Diversified Ophthalmics, Inc.

#### Near Variable Focus

Fitting cross location: 4mm above 180 line

Rec. minimum fitting height: 14mm

Available as: Clear; Photchromic; Polarized

Available in: US and Canada


[L] Corridor Length:

4 14mm  
6 16mm  
8 18mm

PAL Design on Back Side

**Right Lens,  
Convex Side Up**

Location of  
ADD Power



180° Line  
Nasal

[M]  
[H]  
[F]  
[L]

symbol in this location indicates material  
symbol/number indicates recommended fitting height  
symbol in this location indicates filter  
symbol/number indicates corridor length

### PureSite Ultima



#### Materials:

Plastic (CR39 and 1.50)  
Polycarbonate  
Trivex  
Plastic Mid-Index (1.52-1.58)  
Plastic High Index (1.60)  
Plastic High Index (1.66-1.67)  
Plastic Ultra High Index (>1.67)

### Diversified Ophthalmics, Inc.

**A**

#### Near Variable Focus


Fitting cross location: 4mm above 180 line  
Rec. minimum fitting height: 14mm

Available as: Clear; Photchromic; Polarized  
Available in: US and Canada

	Corridor Length:
4	14mm
6	16mm
8	18mm

PAL Design on Back Side

### Accolade (US)/Biofit (Canada)



	no symbol
P	Plastic (CR39 and 1.50)
6	Polycarbonate
67	Plastic High Index (1.60)
74	Plastic Hi-Index (1.66-1.67)
*	Plastic Ultra High Index (>1.67)
	Trivex

#### Materials:

Plastic (CR39 and 1.50)  
Polycarbonate  
Plastic High Index (1.60)  
Plastic Hi-Index (1.66-1.67)  
Plastic Ultra High Index (>1.67)  
Trivex

### Essilor

**B**


#### Standard Progressive

Fitting cross location: 4mm above 180 line  
Rec. minimum fitting height: 17mm

Available as: Clear; Photchromic; Polarized  
Available in: US and Canada

PAL Design on Front Side

### Accolade Freedom (US)/Biofit FreeFrame, Biofit FreeFrame Fit (Canada)



	no symbol
P	Plastic (CR39 and 1.50)
6	Polycarbonate
67	Plastic High Index (1.60)
74	Plastic Hi-Index (1.66-1.67)
*	Plastic Ultra High Index (>1.67)
	Trivex

#### Materials:

Plastic (CR39 and 1.50)  
Polycarbonate  
Plastic High Index (1.60)  
Plastic Hi-Index (1.66-1.67)  
Plastic Ultra High Index (>1.67)  
Trivex

### Essilor

**C**

#### Standard Progressive

Fitting cross location: 4mm above 180 line  
Rec. minimum fitting height: 15mm

Available as: Clear; Photchromic; Polarized  
Available in: US and Canada

PAL Design on Front and Back Side

### Adaptar/Adaptar DS (Canada)



	no symbol
P	Plastic (CR39 and 1.50)
6	Polycarbonate
67	Plastic High Index (1.60)

#### Materials:

Plastic (CR39 and 1.50)  
Polycarbonate  
Plastic High Index (1.60)  
Plastic Hi-Index (1.66-1.67)

### Essilor

**D**

#### Standard Progressive

Fitting cross location: 4mm above 180 line  
Rec. minimum fitting height: 18mm

Available as: Clear; Photchromic; Polarized  
Available in: US and Canada

PAL Design on Front Side (Adaptar),  
on Backside (Adaptar DS)

### Adaptar Digital/Adaptar Short Digital



	no symbol
P	Plastic (CR39 and 1.50)
67	Polycarbonate

#### Materials:

Plastic (CR39 and 1.50)  
Polycarbonate  
Plastic Hi-Index (1.66-1.67)

\* S here indicates Adaptar Short Digital

### Essilor

**E**

#### Standard Progressive

Fitting cross location: 4mm above 180 line  
Rec. minimum fitting height: 18mm;  
14mm Adaptar Short Digital

Available as: Clear; Photchromic; Polarized  
Available in: US and Canada

PAL Design on Front Side

**Right Lens,  
Convex Side Up**

Location of  
ADD Power



- symbol in this location indicates material
- symbol/number indicates recommended fitting height
- symbol in this location indicates filter
- symbol/number indicates corridor length

### A Adapta DS Short



<b>M</b>	Materials:
no symbol	Plastic (CR39 and 1.50)
P	Polycarbonate
6	Plastic High Index [1.60]
67	Plastic Hi-Index [1.66-1.67]

Essilor Standard Progressive

Fitting cross location: 4mm above 180 line


Rec. minimum fitting height: 15mm

Available as: Clear; Photochromic; Polarized

Available in: Canada

PAL Design on Back Side

### B Definity



<b>M</b>	Materials:
no symbol	Plastic (CR39 and 1.50)
P	Polycarbonate
6	Plastic High Index [1.60]
67	Plastic Hi-Index [1.66-1.67]
74	Plastic Ultra High Index (>1.67)
*	Trivex

Essilor Standard Progressive

Fitting cross location: 4mm above 180 line

Rec. minimum fitting height: 18mm

Available as: Clear; Photochromic; Polarized

Available in: US and Canada

PAL Design on Front and Back Side

### C Definity Short



<b>M</b>	Materials:
no symbol	Plastic (CR39 and 1.50)
P	Polycarbonate
6	Plastic High Index [1.60]
67	Plastic Hi-Index [1.66-1.67]
74	Plastic Ultra High Index (>1.67)
*	Trivex

Essilor Standard Progressive

Fitting cross location: 4mm above 180 line

Rec. minimum fitting height: 15mm

Available as: Clear; Photochromic; Polarized

Available in: US and Canada

PAL Design on Front and Back Side

### D Definity 3/Definity 3 Plus



<b>M</b>	Materials:
no symbol	Plastic (CR39 and 1.50)
P	Polycarbonate
6	Plastic High Index [1.60]
67	Plastic Hi-Index [1.66-1.67]
74	Plastic Ultra High Index (>1.67)
*	Trivex

Essilor Standard Progressive

Fitting cross location: 4mm above 180 line


Rec. minimum fitting height: 15mm

Available as: Clear; Photochromic; Polarized

Available in: US and Canada

PAL Design on Front and Back Side

### E Essilor Anti-Fatigue



<b>M</b>	Materials:
no symbol	Plastic (CR39 and 1.50)
P	Polycarbonate

Essilor Standard Progressive

Fitting cross location: on 180 line


Rec. minimum fitting height: 13mm

Available as: Clear

Available in: US and Canada

PAL Design on Front Side

### F Essilor Computer



<b>M</b>	Materials:
P	Polycarbonate

Essilor Near Variable Focus

Fitting cross location: 4mm above 180 line

Rec. minimum fitting height: 15mm

Available as: Clear

Available in: US and Canada

PAL Design on Front Side

**Right Lens,  
Convex Side Up**

Location of  
ADD Power



180° Line  
Nasal

- M** symbol in this location indicates material
- H** symbol/number indicates recommended fitting height
- F** symbol in this location indicates filter
- L** symbol/number indicates corridor length

### Essilor Ideal




<b>M</b>	Materials:
no symbol	Plastic (CR39 and 1.50)
P	Polycarbonate
6	Plastic High Index (1.60)
67	Plastic Hi-Index (1.66-1.67)
*	Trivex

Standard Progressive  
Fitting cross location: 4mm above 180 line  
Rec. minimum fitting height: 17mm  
Available as: Clear; Photochromic; Polarized  
Available in: US and Canada  
PAL Design on Front Side

### Essilor

**A**

### Essilor Ideal Advanced/Ideal Advanced Wrap



<b>M</b>	Materials:
no symbol	Plastic (CR39 and 1.50)
P	Polycarbonate
6	Plastic High Index (1.60)
67	Plastic Hi-Index (1.66-1.67)
*	Trivex

\* WR here identifies Wrap Design

Standard Progressive  
Fitting cross location: 4mm above 180 line  
Rec. minimum fitting height: 17mm  
Available as: Clear; Photochromic; Polarized  
Available in: US and Canada  
PAL Design on Back Side

### Essilor

**B**

### Essilor Ideal Short




<b>M</b>	Materials:
no symbol	Plastic (CR39 and 1.50)
P	Polycarbonate
6	Plastic High Index (1.60)
67	Plastic Hi-Index (1.66-1.67)
*	Trivex

Standard Progressive  
Fitting cross location: 4mm above 180 line  
Rec. minimum fitting height: 14mm  
Available as: Clear; Photochromic; Polarized  
Available in: US only  
PAL Design on Back Side

### Essilor

**C**

### Essilor Natural/Natural DS/Natural Digital



<b>M</b>	Materials:
no symbol	Plastic (CR39 and 1.50)
P	Polycarbonate
6	Plastic High Index (1.60)
67	Plastic Hi-Index (1.66-1.67)
*	Trivex (Natural Digital)

\* DS here identifies Natural DS (Canada only)

Standard Progressive  
Fitting cross location: 4mm above 180 line  
Rec. minimum fitting height: 18mm;  
14mm Natural Digital  
Available as: Clear; Photochromic; Polarized  
Available in: US and Canada  
PAL Design on Front Side

### Essilor

**D**

### Nikon Eyes Advanced



<b>M</b>	Materials:
P	Polycarbonate

Standard Progressive  
Fitting cross location: 4mm above 180 line  
Rec. minimum fitting height: 17mm  
Available as: Clear; Photochromic  
Available in: US only  
PAL Design on Front and Back Side

### Essilor

**E**

### Nikon Eyes Advanced Short



<b>M</b>	Materials:
P	Polycarbonate


Standard Progressive  
Fitting cross location: 4mm above 180 line  
Rec. minimum fitting height: 14mm  
Available as: Clear; Photochromic  
Available in: US only  
PAL Design on Front Side

### Essilor

**F**

**Right Lens,  
Convex Side Up**


Location of  
ADD Power



- M** symbol in this location indicates material
- H** symbol/number indicates recommended fitting height
- F** symbol in this location indicates filter
- L** symbol/number indicates corridor length

**A Nikon Eyes Advanced Customized**

Essilor

[M]  
67Materials:  
Plastic Hi-Index (1.66-1.67)

Standard Progressive

Fitting cross location: 4mm above 180 line  
Rec. minimum fitting height: 15mmAvailable as: Clear; Photochromic  
Available in: US only

PAL Design on Front and Back Side

**B Ovation/Ovation Digital (US)**

Essilor

[M]  
no symbol  
P  
6  
67  
\*Materials:  
Plastic (CR39 and 1.50)  
Polycarbonate  
Plastic High Index (1.60)  
Plastic Hi-Index (1.66-1.67)  
Trivex

Standard Progressive

Fitting cross location: 4mm above 180 line  
Rec. minimum fitting height: 17mmAvailable as: Clear; Photochromic; Polarized  
Available in: US and Canada

PAL Design on Front Side

**C Ovation ADS/Ovation ADS Short**

Essilor

[M]  
no symbol  
P  
6  
67Materials:  
Plastic (CR39 and 1.50)  
Polycarbonate  
Plastic High Index (1.60)  
Plastic Hi-Index (1.66-1.67)

Standard Progressive

Fitting cross location: 4mm above 180 line  
Rec. min. fit hgt: 17mm(ADS), 15mm(ADS Short)Available as: Clear; Photochromic; Polarized  
Available in: Canada only

PAL Design on Front and Back Side

**D Ovation DS/Ovation DS Short**

Essilor

[M]  
no symbol  
P  
6  
67Materials:  
Plastic (CR39 and 1.50)  
Polycarbonate  
Plastic High Index (1.60)  
Plastic Hi-Index (1.66-1.67)


Standard Progressive

Fitting cross location: 4mm above 180 line  
Rec. min. fit hgt: 18mm(DS), 15mm(DS Short)Available as: Clear; Photochromic; Polarized  
Available in: Canada only

PAL Design on Back Side

**E Prio Computer Lens**

Essilor

Materials:  
Plastic (CR39 and 1.50)


Standard Progressive

Fitting cross location: on 180 line  
Rec. minimum fitting height: 16mmAvailable as: Clear  
Available in: US and Canada

PAL Design on Front Side

**F SmallFit/SmallFit Digital (US)/SmallFit DS (Canada)**

Essilor

[M]  
no symbol  
P  
6  
67  
\*Materials:  
Plastic (CR39 and 1.50)  
Polycarbonate  
Plastic High Index (1.60)  
Plastic Hi-Index (1.66-1.67)  
Trivex

\* DS here identifies SmallFit DS (Canada only)

Standard Progressive


Fitting cross location: 4mm above 180 line  
Rec. minimum fitting height: 15mmAvailable as: Clear  
Available in: US and CanadaPAL Design  
Small Fit, Small Fit Dig. on Front Side  
Small Fit DS on Back Side**Right Lens, Convex Side Up**

Location of ADD Power



- [M] symbol in this location indicates material
- [H] symbol/number indicates recommended fitting height
- [F] symbol in this location indicates filter
- [L] symbol/number indicates corridor length

### Super No-Line



Materials:  
Plastic (CR39 and 1.50)

Essilor

**A**


Standard Progressive

Fitting cross location: 4mm above 180 line  
Rec. minimum fitting height: 21mm

Available as: Clear; Photchromic; Polarized  
Available in: US and Canada

PAL Design on Front Side

### Varilux Comfort



[M] Materials:  
no symbol Plastic (CR39 and 1.50)  
P Polycarbonate  
6 Plastic High Index [1.60]  
Π Plastic Hi-Index [1.66-1.67]  
\* Trivex

Essilor

**B**


Standard Progressive

Fitting cross location: 4mm above 180 line  
Rec. minimum fitting height: 17mm

Available as: Clear; Photchromic; Polarized  
Available in: US only

PAL Design on Front Side

### Varilux Comfort Drx/Comfort Short Drx



[M] Materials:  
no symbol Plastic (CR39 and 1.50)  
P Polycarbonate  
6 Plastic High Index [1.60]  
Π Plastic Hi-Index [1.66-1.67]  
\* Trivex

\* S here identifies Short

Essilor

**C**


Standard Progressive

Fitting cross location: 4mm above 180 line  
Rec. min. ftg. hgt: 17mm(Drx), 14mm(Short Drx)

Available as: Clear; Photchromic; Polarized  
Available in: US only

PAL Design on Back Side

### Varilux Comfort Enhanced



[M] Materials:  
no symbol Plastic (CR39 and 1.50)  
P Polycarbonate  
6 Plastic High Index [1.60]  
Π Plastic Hi-Index [1.66-1.67]  
\* Trivex

Essilor

**D**


Standard Progressive

Fitting cross location: 4mm above 180 line  
Rec. minimum fitting height: 14mm

Available as: Clear; Photchromic; Polarized  
Available in: US only

PAL Design on Front and Back Side

### Varilux Comfort Short (US)



[M] Materials:  
no symbol Plastic (CR39 and 1.50)  
P Polycarbonate  
6 Plastic High Index [1.60]  
Π Plastic Hi-Index [1.66-1.67]  
\* Trivex

Essilor

**E**

Standard Progressive

Fitting cross location: 4mm above 180 line  
Rec. minimum fitting height: 14mm

Available as: Clear; Photchromic; Polarized  
Available in: US only

PAL Design on Front and Back Side

### Varilux Ellipse/Ellipse 360



[M] Materials:  
no symbol Plastic (CR39 and 1.50)  
P Polycarbonate  
6 Plastic High Index [1.60]  
74 Plastic Ultra High Index (>1.67)  
Π Plastic Hi-Index [1.66-1.67]

Essilor

**F**

Standard Progressive

Fitting cross location: 4mm above 180 line  
Rec. minimum fitting height:  
Ellipse 14mm; 360° 13mm

Available as: Clear; Photchromic; Polarized  
Available in: US and Canada

PAL Design on Front Side


**Right Lens,  
Convex Side Up**

Location of  
ADD Power



[M]	symbol in this location indicates material
[H]	symbol/number indicates recommended fitting height
[F]	symbol in this location indicates filter
[L]	symbol/number indicates corridor length

### A Varilux Ipseo IV (US)/Ipseo IV eyecode



<b>[M]</b>	Materials:
no symbol	Plastic (CR39 and 1.50)
P	Polycarbonate
6	Plastic High Index [1.60]
74	Plastic Ultra High Index [>1.67]
Π	Plastic Hi-Index [1.66-1.67]
*	symbol here indicates eyecode design
**	Patient's initials here

Essilor


Standard Progressive

Fitting cross location: 4mm above 180 line  
Rec. minimum fitting height: 14mm

Available as: Clear; Photchromic  
Available in: US and Canada

PAL Design on Front and Back Side

### B Varilux Physio/Short



<b>[M]</b>	Materials:
no symbol	Plastic (CR39 and 1.50)
P	Polycarbonate
6	Plastic High Index [1.60]
74	Plastic Ultra High Index [>1.67]
Π	Plastic Hi-Index [1.66-1.67]
*	Trivex
*	S here indicates Short

Essilor


Standard Progressive

Fitting cross location: 4mm above 180 line  
Rec. minimum fitting height: 17mm

Available as: Clear; Photchromic; Polarized  
Available in: US and Canada

PAL Design on Front Side

### C Varilux Physio 360°/Short 360°



<b>[M]</b>	Materials:
no symbol	Plastic (CR39 and 1.50)
P	Polycarbonate
6	Plastic High Index [1.60]
74	Plastic Ultra High Index [>1.67]
Π	Plastic Hi-Index [1.66-1.67]
*	Trivex

Essilor


Standard Progressive

Fitting cross location: 4mm above 180 line  
Rec. minimum fitting height: 17mm

Available as: Clear; Photchromic; Polarized  
Available in: US and Canada

PAL Design on Front and Back Side

### D Varilux Physio Drx



<b>[M]</b>	Materials:
no symbol	Plastic (CR39 and 1.50)
P	Polycarbonate
6	Plastic High Index [1.60]
74	Plastic Ultra High Index [>1.67]
Π	Plastic Hi-Index [1.66-1.67]
*	Trivex

Essilor


Standard Progressive

Fitting cross location: 4mm above 180 line  
Rec. minimum fitting height: 14mm

Available as: Clear; Photchromic; Polarized  
Available in: US and Canada

PAL Design on Back Side

### E Varilux Physio Enhanced



<b>[M]</b>	Materials:
no symbol	Plastic (CR39 and 1.50)
P	Polycarbonate
6	Plastic High Index [1.60]
74	Plastic Ultra High Index [>1.67]
Π	Plastic Hi-Index [1.66-1.67]
*	Trivex

Essilor

Standard Progressive

Fitting cross location: 4mm above 180 line  
Rec. minimum fitting height: 14mm

Available as: Clear; Photchromic; Polarized  
Available in: US and Canada

PAL Design on Front and Back Side


**Right Lens,  
Convex Side Up**

Location of  
ADD Power



- [M]** symbol in this location indicates material
- [H]** symbol/number indicates recommended fitting height
- [F]** symbol in this location indicates filter
- [L]** symbol/number indicates corridor length

## Varilux Physio Enhanced



<b>M</b>	Materials:
no symbol	Plastic (CR39 and 1.50)
P	Polycarbonate
6	Plastic High Index (1.60)
74	Plastic Ultra High Index (>1.67)
Π	Plastic Hi-Index (1.66-1.67)
*	Trivex
**	Symbol here identifies:
A	Azio
—	eyecode, Fit
—	India

Essilor

**A**

Standard Progressive

Fitting cross location: 4mm above 180 line  
Rec. minimum fitting height: 14mm

Available as: Clear; Photchromic; Polarized  
Available in: US and Canada

PAL Design on Front and Back Side

\* Patient's initials here

## Varilux Sport



<b>M</b>	Materials:
P	Polycarbonate

Essilor

**B**

Standard Progressive

Fitting cross location: 4mm above 180 line  
Rec. minimum fitting height: 18mm

Available as: Polarized  
Available in: US and Canada

PAL Design on Front and Back Side

## Varilux S



<b>M</b>	Materials:
no symbol	Plastic (CR39 and 1.50)
P	Polycarbonate
Π	Plastic Hi-Index (1.66-1.67)
*	Symbol here identifies:
no symbol	Varilux S Design
S	Varilux S Design Short
F	Varilux S Design Fit
4D	Varilux S 4D

Essilor

**C**


Standard Progressive

Fitting cross location: 4mm above 180 line  
Rec. minimum fitting height:  
14mm (S Short,Fit,4D), 17mm (S Design)

Available as: Clear; Photchromic; Polarized  
Available in: US and Canada

PAL Design on Front and Back Side

## Pro-Freedom



Materials:
Plastic (CR39 and 1.50)

Excelite

**D**

Standard Progressive

Fitting cross location: on 180 line  
Rec. minimum fitting height: 15mm

Available as: Clear  
Available in: US and Canada

PAL Design on Back Side

## Pro-Freedom Plus



Materials:
Plastic High Index (1.60)

Excelite

**E**

Standard Progressive

Fitting cross location: 4mm above 180 line  
Rec. minimum fitting height: 15mm

Available as: Clear  
Available in: US and Canada

PAL Design on Front and Back Side

**Right Lens,  
Convex Side Up**

Location of  
ADD Power



- M** symbol in this location indicates material
- H** symbol/number indicates recommended fitting height
- F** symbol in this location indicates filter
- L** symbol/number indicates corridor length

**A Pro-Freedom Solace**

1

Materials:  
Plastic (CR39 and 1.50)

**Excelite**

Standard Progressive  
Fitting cross location: 4mm above 180 line  
Rec. minimum fitting height: 17mm

Available as: Clear; Photchromic; Polarized  
Available in: US and Canada  
PAL Design on Back Side

**B Pro-Freedom Sports**

Materials:  
Plastic (CR39 and 1.50)

**Excelite**

Standard Progressive  
Fitting cross location: 4mm above 180 line  
Rec. minimum fitting height: 15mm

Available as: Clear  
Available in: US only  
PAL Design on Back Side


**C X-Pro Discovery**G  
V  
M

Materials:  
Plastic (CR39, and 1.50)  
Trivex  
Plastic High Index (1.60)

**Excelite**

Standard Progressive  
Fitting cross location: 2mm above 180 line  
Rec. minimum fitting height: 20mm

Available as: Clear; Photchromic; Polarized  
Available in: US and Canada  
PAL Design on Front Side


**D X-Pro Discovery Plus**C  
H  
no symbol

Materials:  
Plastic (CR39, and 1.50)  
Plastic High Index (1.60)  
Plastic High Index (1.66- 1.67)

**Excelite**

Standard Progressive  
Fitting cross location: 4mm above 180 line  
Rec. minimum fitting height: 20mm

Available as: Clear; Photchromic  
Available in: US and Canada  
PAL Design on Front Side

**E X-Pro Discovery Xtra**D  
H  
V

Materials:  
Plastic (CR39, and 1.50)  
Plastic High Index (1.60)  
Trivex

**Excelite**

Standard Progressive  
Fitting cross location: 2mm above 180 line  
Rec. minimum fitting height: 18mm

Available as: Clear; Photchromic  
Available in: US and Canada  
PAL Design on Front Side

**F X-Pro Maxima Plus**

Materials:  
Plastic (CR39, and 1.50)  
Plastic High Index (1.60)


**Excelite**

Near Variable Focus  
Fitting cross location: 4mm above 180 line  
Rec. minimum fitting height: 18mm

Available as: Clear; Photchromic  
Available in: US and Canada  
PAL Design on Front Side

**Right Lens,  
Convex Side Up**Location of  
ADD Power


- [M] symbol in this location indicates material
- [H] symbol/number indicates recommended fitting height
- [F] symbol in this location indicates filter
- [L] symbol/number indicates corridor length

**DLS**

Materials:  
Plastic (CR39 and 1.50)  
Trivex  
Polycarbonate  
Plastic High Index (1.66-1.67)

**Eye Kraft Optical A**

Custom Progressive  
Fitting cross location: 4mm above 180 line  
Rec. minimum fitting height: 13mm  
Available as: Clear; Photochromic; Polarized  
Available in: US only  
PAL Design on Back Side

**DLS Advanced**

Materials:  
Plastic (CR39 and 1.50)  
Trivex  
Polycarbonate  
Plastic High Index (1.66-1.67)

**Eye Kraft Optical B**


Custom Progressive  
Fitting cross location: 4mm above 180 line  
Rec. minimum fitting height: 13mm  
Available as: Clear; Photochromic; Polarized  
Available in: US only  
PAL Design on Back Side

**DLS Pro**

Materials:  
Plastic (CR39 and 1.50)  
Trivex  
Polycarbonate  
Plastic High Index (1.66-1.67)

**Eye Kraft Optical C**

Custom Progressive  
Fitting cross location: 4mm above 180 line  
Rec. minimum fitting height: 13mm  
Available as: Clear; Photochromic; Polarized  
Available in: US only  
PAL Design on Back Side

**Constitution HD**

**M** Materials:  
no symbol Plastic (CR39 and 1.50)  
I Plastic Mid Index (1.52-1.58)  
P Polycarbonate  
L Plastic High Index (1.66-1.67)

**FEA Industries D**

Standard Progressive  
Fitting cross location: 4mm above 180 line  
Recommended fitting height: 17mm  
Available as: Clear; Photochromic  
Available in: US and Canada  
PAL Design on Back Side

**Constitution Short HD**

**M** Materials:  
no symbol Plastic (CR39 and 1.50)  
I Plastic Mid Index (1.52-1.58)  
P Polycarbonate  
L Plastic High Index (1.66-1.67)

**FEA Industries E**

Standard Progressive  
Fitting cross location: 4mm above 180 line  
Recommended fitting height: 15mm  
Available as: Clear; Photochromic  
Available in: US and Canada  
PAL Design on Back Side

**Right Lens,  
Convex Side Up**Location of  
ADD Power

**M** symbol in this location indicates material  
**H** symbol/number indicates recommended fitting height  
**F** symbol in this location indicates filter  
**L** symbol/number indicates corridor length

### A Eagle




<b>M</b>	Materials:
no symbol	Glass (1.523)
6	Glass High Index (>1.60)
7	Glass Ultra High Index (>1.70)
P	Polycarbonate
no symbol	Plastic (CR39 and 1.50)
△	Trivex
I	Plastic Mid Index (1.52-1.58)
L	Plastic High Index (1.66-1.67)
7	Plastic Ultra High Index (>1.67)

### FEA Industries

Standard Progressive  
Fitting cross location: 4mm above 180 line  
Rec. minimum fitting height: 14-20mm  
Available as: Clear; Photochromic; Polarized;  
fixed tinted glass; 1.80 leaded X-Ray glass;  
Amethyst Contrast Enhancement (ACE) glass  
Available in: US and Canada  
PAL Design on Back Side

### B Eagle Apprentice



<b>M</b>	Materials:
no symbol	Glass (1.523)
6	Glass High Index (>1.60)
7	Glass Ultra High Index (>1.70)
P	Polycarbonate
no symbol	Plastic (CR39 and 1.50)
△	Trivex
I	Plastic Mid Index (1.52-1.58)
L	Plastic High Index (1.66-1.67)
7	Plastic Ultra High Index (>1.67)

### FEA Industries

Standard Progressive  
Fitting cross location: 4mm above 180 line  
Rec. minimum fitting height: 16-20mm  
Available as: Clear; Photochromic; Polarized;  
fixed tinted glass; 1.80 leaded X-Ray glass;  
Amethyst Contrast Enhancement (ACE) glass  
Available in: US and Canada  
PAL Design on Back Side

### C Eagle Balance



<b>M</b>	Materials:
no symbol	Glass (1.523)
6	Glass High Index (>1.60)
7	Glass Ultra High Index (>1.70)
P	Polycarbonate
no symbol	Plastic (CR39 and 1.50)
△	Trivex
I	Plastic Mid Index (1.52-1.58)
L	Plastic High Index (1.66-1.67)
7	Plastic Ultra High Index (>1.67)

### FEA Industries

Standard Progressive  
Fitting cross location: 4mm above 180 line  
Rec. minimum fitting height: 14-20mm  
Available as: Clear; Photochromic; Polarized;  
fixed tinted glass; 1.80 leaded X-Ray glass;  
Amethyst Contrast Enhancement (ACE) glass  
Available in: US and Canada  
PAL Design on Back Side

### D Eagle Driver



<b>M</b>	Materials:
no symbol	Glass (1.523)
6	Glass High Index (>1.60)
7	Glass Ultra High Index (>1.70)
P	Polycarbonate
no symbol	Plastic (CR39 and 1.50)
△	Trivex
I	Plastic Mid Index (1.52-1.58)
L	Plastic High Index (1.66-1.67)
7	Plastic Ultra High Index (>1.67)

### FEA Industries

Standard Progressive  
Fitting cross location: 2mm above 180 line  
Rec. minimum fitting height: 10mm  
Available as: Clear; Photochromic; Polarized  
Available in: US and Canada  
PAL Design on Back Side


**Right Lens,  
Convex Side Up**

Location of  
ADD Power



- M** symbol in this location indicates material
- H** symbol/number indicates recommended fitting height
- F** symbol in this location indicates filter
- L** symbol/number indicates corridor length

### Eagle PC



<b>[M]</b>	Materials:
no symbol	Glass (1.523)
6	Glass High Index (>1.60)
7	Glass Ultra High Index (>1.70)
P	Polycarbonate
no symbol	Plastic (CR39 and 1.50)
△	Trivex
I	Plastic Mid Index (1.52-1.58)
6	Plastic High Index (1.60)
1	Plastic High Index (1.66-1.67)
7	Plastic Ultra High Index (>1.67)

### FEA Industries A

#### Near Variable Focus

Fitting cross location: 4mm above 180 line  
Rec. minimum fitting height: 14mm

Available as: Clear; Photochromic; Polarized;  
fixed tinted glass; 1.80 leaded X-Ray glass;  
Amethyst Contrast Enhancement (ACE) glass  
Available in: US and Canada

PAL Design on Back Side

### Eagle Precision



<b>[M]</b>	Materials:
no symbol	Glass (1.523)
6	Glass High Index (>1.60)
7	Glass Ultra High Index (>1.70)
P	Polycarbonate
no symbol	Plastic (CR39 and 1.50)
△	Trivex
I	Plastic Mid Index (1.52-1.58)
6	Plastic High Index (1.60)
1	Plastic High Index (1.66-1.67)
7	Plastic Ultra High Index (>1.67)

### FEA Industries B

#### Standard Progressive

Fitting cross location: 4mm above 180 line  
Rec. minimum fitting height: 14,16,18,20mm

Available as: Clear; Photochromic; Polarized;  
fixed tinted glass; 1.80 leaded X-Ray glass;  
Amethyst Contrast Enhancement (ACE) glass  
Available in: US and Canada

PAL Design on Back Side

### Eagle Sport



<b>[M]</b>	Materials:
no symbol	Glass (1.523)
6	Glass High Index (>1.60)
7	Glass Ultra High Index (>1.70)
P	Polycarbonate
no symbol	Plastic (CR39 and 1.50)
△	Trivex
I	Plastic Mid Index (1.52-1.58)
6	Plastic High Index (1.60)
1	Plastic High Index (1.66-1.67)
7	Plastic Ultra High Index (>1.67)

### FEA Industries C

#### Standard Progressive

Fitting cross location: 4mm above 180 line  
Rec. minimum fitting height: 16,18mm

Available as: Clear; Photochromic; Polarized;  
fixed tinted glass; 1.80 leaded X-Ray glass;  
Amethyst Contrast Enhancement (ACE) glass  
Available in: US and Canada

PAL Design on Back Side

### Eagle Ultra Short



<b>[M]</b>	Materials:
no symbol	Glass (1.523)
6	Glass High Index (>1.60)
7	Glass Ultra High Index (>1.70)
P	Polycarbonate
no symbol	Plastic (CR39 and 1.50)
△	Trivex
I	Plastic Mid Index (1.52-1.58)
6	Plastic High Index (1.60)
1	Plastic High Index (1.66-1.67)
7	Plastic Ultra High Index (>1.67)

### FEA Industries D

#### Standard Progressive

Fitting cross location: 4mm above 180 line  
Recommended fitting height: 17mm

Available as: Clear; Photochromic  
Available in: US and Canada

PAL Design on Back Side

**Right Lens,  
Convex Side Up**

Location of  
ADD Power



180° Line  
Nasal

- [M]** symbol in this location indicates material
- [H]** symbol/number indicates recommended fitting height
- [F]** symbol in this location indicates filter
- [L]** symbol/number indicates corridor length

## A Eagle Workplace



<b>M</b>	Materials:
no symbol	Glass (1.523)
6	Glass High Index (>1.60)
7	Glass Ultra High Index (>1.70)
P	Polycarbonate
no symbol	Plastic (CR39 and 1.50)
△	Trivex
I	Plastic Mid Index (1.52-1.58)
L	Plastic High Index (1.66-1.67)
7	Plastic Ultra High Index (>1.67)

## FEA Industries

### Near Variable Focus

Fitting cross location: 8mm above 180 line  
Recommended fitting height: 18mm

Available as: Clear; Photochromic; Polarized;  
Available in: US and Canada  
PAL Design on Back Side

## B Eaglet



<b>M</b>	Materials:
no symbol	Glass (1.523)
6	Glass High Index (>1.60)
7	Glass Ultra High Index (>1.70)
P	Polycarbonate
no symbol	Plastic (CR39 and 1.50)
△	Trivex
I	Plastic Mid Index (1.52-1.58)
6	Plastic High Index (1.60)
L	Plastic High Index (1.66-1.67)
7	Plastic Ultra High Index (>1.67)

## FEA Industries

### Standard Progressive

Fitting cross location: 4mm above 180 line  
Rec. minimum fitting height: 14,16,18,20mm

Available as: Clear; Photochromic; Polarized;  
fixed tinted glass; 1.80 leaded X-Ray glass;  
Amethyst Contrast Enhancement (ACE) glass  
Available in: US and Canada  
PAL Design on Back Side

## C Eaglet Balance



<b>M</b>	Materials:
no symbol	Glass (1.523)
6	Glass High Index (>1.60)
7	Glass Ultra High Index (>1.70)
P	Polycarbonate
no symbol	Plastic (CR39 and 1.50)
△	Trivex
I	Plastic Mid Index (1.52-1.58)
6	Plastic High Index (1.60)
L	Plastic High Index (1.66-1.67)
7	Plastic Ultra High Index (>1.67)


## FEA Industries

### Standard Progressive

Fitting cross location: 4mm above 180 line  
Rec. minimum fitting height: 14,16,18,20mm

Available as: Clear; Photochromic; Polarized;  
fixed tinted glass; 1.80 leaded X-Ray glass;  
Amethyst Contrast Enhancement (ACE) glass  
Available in: US and Canada  
PAL Design on Back Side

## D Amplitude



<b>M</b>	Materials:
I	Plastic (CR 39 and 1.50)
P	Polycarbonate
X	Trivex
3	Plastic High Index (1.60)
5	Plastic High Index (1.6601.67)

## Hoya Vision Care

### Standard Progressive

Fitting cross location: 2mm above 180 line  
Recommended fitting height: 19mm

Available as: Clear; Photochromic  
Available in: US and Canada  
PAL Design on Front Side

## E Amplitude BKS



<b>M</b>	Materials:
I	Plastic (CR 39 and 1.50)
P	Polycarbonate
X	Trivex
3	Plastic High Index (1.60)
5	Plastic High Index (1.6601.67)

\* indicates addition type

## Hoya Vision Care

### Standard Progressive

Fitting cross location: 2mm above 180 line  
Recommended fitting height: 14mm

Available as: Clear; Photochromic; Polarized;  
Available in: US and Canada  
PAL Design on Back Side

**Right Lens,  
Convex Side Up**

Location of  
ADD Power



- M** symbol in this location indicates material
- H** symbol/number indicates recommended fitting height
- F** symbol in this location indicates filter
- L** symbol/number indicates corridor length

### Amplitude iQ



[M]  
1  
P  
X  
3  
5

Materials:  
Plastic (CR 39 and 1.50)  
Polycarbonate  
Trivex  
Plastic High Index (1.60)  
Plastic High Index (1.66-1.67)

### Hoya Vision Care A

Standard Progressive

Fitting cross location: 2mm above 180 line  
Recommended fitting height: 19mm

Available as: Clear; Photochromic; Polarized  
Available in: US and Canada

PAL Design on Front Side

### Amplitude Mini



[M]  
1  
P  
X  
3  
5

Materials:  
Plastic (CR 39 and 1.50)  
Polycarbonate  
Trivex  
Plastic High Index (1.60)  
Plastic High Index (1.66-1.67)

### Hoya Vision Care B

Standard Progressive

Fitting cross location: 2mm above 180 line  
Recommended fitting height: 14mm

Available as: Clear; Photochromic; Polarized  
Available in: US and Canada

PAL Design on Front Side

### Amplitude Mini BKS



[M]  
1  
P  
X  
3  
5

Materials:  
Plastic (CR 39 and 1.50)  
Polycarbonate  
Trivex  
Plastic High Index (1.60)  
Plastic High Index (1.66-1.67)

\* indicates addition type

### Hoya Vision Care C

Custom Progressive

Fitting cross location: 2mm above 180 line  
Recommended fitting height: 19mm

Available as: Clear; Photochromic; Polarized  
Available in: US and Canada

PAL Design on Back Side

### Amplitude Mini IQ



[M]  
1  
P  
X  
3  
5

Materials:  
Plastic (CR 39 and 1.50)  
Polycarbonate  
Trivex  
Plastic High Index (1.60)  
Plastic High Index (1.66-1.67)

### Hoya Vision Care D


Standard Progressive

Fitting cross location: 2mm above 180 line  
Recommended fitting height: 14mm

Available as: Clear; Photochromic  
Available in: US and Canada

PAL Design on Front Side

### Array 11/13/15/VL



[M]  
1  
P  
X  
3  
5

Materials:  
Plastic (CR 39 and 1.50)  
Polycarbonate  
Trivex  
Plastic High Index (1.60)  
Plastic High Index (1.66-1.67)

\* indicates fitting type

\*\* indicates addition type

### Hoya Vision Care E


Custom Progressive

Fitting cross location: 4mm above 180 line  
Recommended fitting height: Several

Available as: Clear; Photochromic; Polarized  
Available in: US and Canada

PAL Design on Back Side

### Array Wrap 11/13/15/VL



[M]  
1  
P  
X  
3  
5

Materials:  
Plastic (CR 39 and 1.50)  
Polycarbonate  
Trivex  
Plastic High Index (1.60)  
Plastic High Index (1.66-1.67)

\* indicates fitting type

\*\* indicates addition type

### Hoya Vision Care F

Custom Progressive

Fitting cross location: 4mm above 180 line  
Recommended fitting height: Several

Available as: Clear; Photochromic  
Available in: US only


PAL Design on Back Side

**Right Lens,  
Convex Side Up**

Location of  
ADD Power



- [M] symbol in this location indicates material
- [H] symbol/number indicates recommended fitting height
- [F] symbol in this location indicates filter
- [L] symbol/number indicates corridor length

**A GP**

Materials:  
Plastic (CR39 and 1.50)

**Hoya Vision Care**

Standard Progressive

Fitting cross location: 4mm above 180 line  
Recommended fitting height: 18mm

Available as: Clear  
Available in: US and Canada

PAL Design on Front Side

**B GP Wide**

Materials:  
Plastic (CR 39 and 1.50)  
Plastic High Index (1.60)  
Plastic Ultra High Index (>1.67)  
Trivex


**Hoya Vision Care**

Standard Progressive

Fitting cross location: 4mm above 180 line  
Recommended fitting height: 18mm

Available as: Clear; Photochromic; Polarized  
Available in: US and Canada

PAL Design on Front Side

**C GP Wide**

Materials:  
Plastic (CR 39 and 1.50)  
Trivex  
Polycarbonate  
Plastic High Index (1.60)  
Plastic Ultra High Index (>1.67)

\* indicates addition type


**Hoya Vision Care**

Standard Progressive

Fitting cross location: 4mm above 180 line  
Recommended fitting height: 18mm

Available as: Clear; Photochromic; Polarized  
Available in: US only

PAL Design on Back Side

**D iD InStyle**

Materials:  
Phoenix/Trivex  
Plastic High Index (1.60)  
Plastic High Index (1.66-1.67)  
Plastic Ultra High Index (>1.67)

\* indicates addition type


**Hoya Vision Care**

Standard Progressive

Fitting cross location: 4mm above 180 line  
Recommended fitting height: 14,18mm

Available as: Clear; Photochromic; Polarized  
Available in: US and Canada

PAL Design on Front and Back Side

**E iD LifeStyle**

Materials:  
Plastic (CR 39 and 1.50)  
Trivex  
Polycarbonate  
Plastic High Index (1.60)  
Plastic High Index (1.66-1.67)

\* indicates addition type


**Hoya Vision Care**

Standard Progressive

Fitting cross location: 4mm above 180 line  
Recommended fitting height: 18mm

Available as: Clear; Photochromic; Polarized  
Available in: US and Canada

PAL Design on Front and Back Side

**F iD Lifestyle cd**

Materials:  
Plastic (CR 39 and 1.50)  
Trivex  
Polycarbonate  
Plastic High Index (1.60)  
Plastic High Index (1.66-1.67)

\* indicates addition type

**Hoya Vision Care**

Standard Progressive

Fitting cross location: 4mm above 180 line  
Recommended fitting height: 14mm

Available as: Clear; Photochromic; Polarized  
Available in: US and Canada

PAL Design on Front and Back Side

**Right Lens,  
Convex Side Up**

Location of  
ADD Power



- [M] symbol in this location indicates material
- [H] symbol/number indicates recommended fitting height
- [F] symbol in this location indicates filter
- [L] symbol/number indicates corridor length

### iD Lifestyle 2 Clarity



[M]  
1  
X  
P  
3  
5

Materials:  
Plastic (CR39 and 1.50)  
Trivex  
Polycarbonate  
Plastic High Index (1.60)  
Plastic High Index (1.66-1.67)

### Hoya Vision Care A

Standard Progressive  
Fitting cross location: 4mm above 180 line  
Recommended fitting height: 18mm  
Available as: Clear; Photochromic; Polarized  
Available in: US and Canada  
PAL Design on Front and Back Side

### iD Lifestyle 2 Clarity cd



[M]  
1  
X  
P  
3  
5

Materials:  
Plastic (CR39 and 1.50)  
Phoenix/Trivex  
Polycarbonate  
Plastic High Index (1.60)  
Plastic High Index (1.66-1.67)

### Hoya Vision Care B

Standard Progressive  
Fitting cross location: 4mm above 180 line  
Recommended fitting height: 14mm  
Available as: Clear; Photochromic; Polarized  
Available in: US and Canada  
PAL Design on Front and Back Side

### iD Lifestyle 2 Harmony



[M]  
1  
X  
P  
3  
5

Materials:  
Plastic (CR39 and 1.50)  
Trivex  
Polycarbonate  
Plastic High Index (1.60)  
Plastic High Index (1.66-1.67)

### Hoya Vision Care C

Standard Progressive  
Fitting cross location: 4mm above 180 line  
Recommended fitting height: 18mm  
Available as: Clear; Photochromic; Polarized  
Available in: US and Canada  
PAL Design on Front and Back Side

### iD Lifestyle 2 Harmony cd




[M]  
1  
X  
P  
3  
5

Materials:  
Plastic (CR39 and 1.50)  
Phoenix/Trivex  
Polycarbonate  
Plastic High Index (1.60)  
Plastic High Index (1.66-1.67)

### Hoya Vision Care D

Standard Progressive  
Fitting cross location: 4mm above 180 line  
Recommended fitting height: 14mm  
Available as: Clear; Photochromic; Polarized  
Available in: US and Canada  
PAL Design on Front and Back Side

### iD Mystyle



[M]  
1  
X  
P  
3  
5

Materials:  
Plastic (CR39 and 1.50)  
Trivex  
Polycarbonate  
Plastic High Index (1.60)  
Plastic High Index (1.66-1.67)

\* Letter here identifies Design Direction:  
B: Balance, C: Clear; O: Open

\*\*Letter here identifies Addition Type:  
B: Back; F: Front; W: As Worn

### Hoya Vision Care E

Custom Progressive  
Fitting cross location: 4mm above 180 line  
Recommended fitting height: 15,18,20mm  
Available as: Clear; Photochromic  
Available in: US and Canada  
PAL Design on Front and Back Side

### Summit cd



[M]  
1  
3  
4  
5  
X  
P

Materials:  
Plastic (CR39 and 1.50)  
Plastic High Index (1.60)  
Plastic High Index (>1.67)  
Plastic High Index (1.66-1.67)  
Phoenix/Trivex  
Polycarbonate

### Hoya Vision Care F


Standard Progressive  
Fitting cross location: 4mm above 180 line  
Recommended fitting height: 18mm  
Available as: Clear; Photochromic  
Available in: US and Canada  
PAL Design on Front and Back Side

**Right Lens,  
Convex Side Up**

Location of  
ADD Power




[M] symbol in this location indicates material  
[H] symbol/number indicates recommended fitting height  
[F] symbol in this location indicates filter  
[L] symbol/number indicates corridor length

**A** Summit cd iQ

[M]  
1  
X  
P  
3  
5

Materials:  
Plastic (CR39 and 1.50)  
Phoenix/Trivex  
Polycarbonate  
Plastic High Index (1.60)  
Plastic High Index (1.66-1.67)

Hoya Vision Care  
Custom Progressive  
Fitting cross location: 4mm above 180 line  
Recommended fitting height: 14mm  
Available as: Clear; Photochromic; Polarized  
Available in: US and Canada  
PAL Design on Front Side

**B** Summit ecp

[M]  
1  
3  
4  
5  
X  
P

Materials:  
Plastic (CR39 and 1.50)  
Plastic High Index (1.60)  
Plastic High Index (>1.67)  
Plastic High Index (1.66-1.67)  
Trivex/Phoenix  
Polycarbonate


Hoya Vision Care  
Standard Progressive  
Fitting cross location: 4mm above 180 line  
Recommended fitting height: 14mm  
Available as: Clear; Photochromic; Polarized  
Available in: US and Canada  
PAL Design on Front Side

**C** Summit ecp iQ

[M]  
1  
X  
P  
3  
5

Materials:  
Plastic (CR39 and 1.50)  
Phoenix/Trivex  
Polycarbonate  
Plastic High Index (1.60)  
Plastic High Index (1.66-1.67)

Hoya Vision Care  
Custom Progressive  
Fitting cross location: 4mm above 180 line  
Recommended fitting height: 18mm  
Available as: Clear; Photochromic; Polarized  
Available in: US and Canada  
PAL Design on Front Side

**D** Tact

[M]  
1  
3

Materials:  
Plastic (CR39 and 1.50)  
Plastic High Index (1.60)

Hoya Vision Care  
Near Variable Focus  
Fitting cross location: 4mm above 180 line  
Recommended fitting height: 18mm  
Available as: Clear; Photochromic; Polarized  
Available in: US and Canada  
PAL Design on Front Side

**E** Tact 40 BKS/TACT 60 BKS

[M]  
1  
X  
P  
3  
5

Materials:  
Plastic (CR39 and 1.50)  
Phoenix/Trivex  
Polycarbonate  
Plastic High Index (1.60)  
Plastic High Index (1.66-1.67)

Hoya Vision Care  
Custom Progressive  
Fitting cross location: 4mm above 180 line  
Recommended fitting height: 17mm  
Available as: Clear; Photochromic  
Available in: US and Canada  
PAL Design on Front Side

**F** EOS

Materials:  
Plastic (CR39 and 1.50)

KBco, Inc.  
Standard Progressive  
Fitting cross location: 4mm above 180 line  
Recommended fitting height: 14mm  
Available as: Clear; Photochromic; Polarized  
Available in: US and Canada  
PAL Design on Front Side

**Right Lens,  
Convex Side Up**

Location of  
ADD Power



- [M] symbol in this location indicates material
- [H] symbol/number indicates recommended fitting height
- [F] symbol in this location indicates filter
- [L] symbol/number indicates corridor length

## EOS Wrap



Materials:  
Polycarbonate

KBco, Inc.

**A**


Standard Progressive

Fitting cross location: 4mm above 180 line  
Recommended fitting height: 17mm

Available as: Clear; Polarized  
Available in: US and Canada

PAL Design on Front Side

## iRx Pro



Materials:  
Plastic [CR39 and 1.50]  
Plastic Mid-Index (1.52-1.58)  
Plastic High Index (1.60)  
Plastic High Index (1.66-1.67)

KBco, Inc.

**B**


Standard Progressive

Fitting cross location: 4mm above 180 line  
Recommended fitting height: 18mm

Available as: Clear; Photochromic  
Available in: US and Canada

PAL Design on Front Side

## iRx Short



Materials:  
Polycarbonate  
Plastic Mid-Index (1.52-1.58)

KBco, Inc.

**C**

Standard Progressive

Fitting cross location: 4mm above 180 line  
Recommended fitting height: 14mm

Available as: Clear; Polarized  
Available in: US and Canada

PAL Design on Front Side

## Xplore



[M] Materials:  
P Polycarbonate  
no symbol Plastic [CR 39 and 1.50]  
[F] Filter:  
[C] Polarized

KBco, Inc.

**D**


Standard Progressive

Fitting cross location: 4mm above 180 line  
Recommended fitting height: 17mm

Available as: Polarized  
Available in: US and Canada

PAL Design on Front Side

## Ce-Tru Normal Corridor



Materials:  
Plastic [CR39 and 1.50]

L.B.I.

**E**

Standard Progressive

Fitting cross location: 4mm above 180 line  
Recommended fitting height: 22mm

Available as: Clear  
Available in: US and Canada

PAL Design on Front Side

## Ce-Tru Polarized Progressive



Materials:  
Plastic [CR39 and 1.50]

L.B.I.

**F**

Standard Progressive

Fitting cross location: 4mm above 180 line  
Recommended fitting height: 22mm

Available as: Polarized  
Available in: US and Canada

PAL Design on Front Side

**Right Lens,  
Convex Side Up**

Location of  
ADD Power



[M] symbol in this location indicates material  
[H] symbol/number indicates recommended fitting height  
[F] symbol in this location indicates filter  
[L] symbol/number indicates corridor length

**A Ce-Tru Short Corridor**

L.B.I.




Materials:  
Plastic Mid-Index (1.52-1.58)

Standard Progressive  
Fitting cross location: 2mm above 180 line  
Rec. minimum fitting height: 16mm  
Available as: Clear  
Available in: US and Canada  
PAL Design on Front Side

**B Ce-Tru Short Corridor Photchromic**

L.B.I.




Materials:  
Plastic Mid-Index (1.52-1.58)

Standard Progressive  
Fitting cross location: 2mm above 180 line  
Rec. minimum fitting height: 16mm  
Available as: Clear; Photchromic  
Available in: US and Canada  
PAL Design on Back Side

**C Ce-Tru SunSensor**

L.B.I.




Materials:  
Plastic Mid-Index (1.52-1.58)

Standard Progressive  
Fitting cross location: 4mm above 180 line  
Rec. minimum fitting height: 22mm  
Available as: Clear; Photchromic  
Available in: US and Canada  
PAL Design on Front Side

**D Channel 14 Plastic II**

Landon Lens



Materials:  
Plastic (CR39 and 1.50)  
Polycarbonate

Standard Progressive  
Fitting cross location: 2mm above 180 line  
Rec. minimum fitting height: 14mm  
Available as: Clear  
Available in: US and Canada  
PAL Design on Front Side

**E Channel 14 Poly II**

Landon Lens



Materials:  
Polycarbonate

Standard Progressive  
Fitting cross location: 2mm above 180 line  
Rec. minimum fitting height: 14mm  
Available as: Clear; Photchromic  
Available in: US and Canada  
PAL Design on Front Side


**F Channel 14 Variations**

Landon Lens



Materials:  
Plastic Mid-Index (1.52-1.58)

Standard Progressive  
Fitting cross location: 3mm above 180 line  
Rec. minimum fitting height: 16mm  
Available as: Clear; Photchromic  
Available in: US and Canada  
PAL Design on Front Side

**Right Lens,  
Convex Side Up**Location of  
ADD Power

- [M] symbol in this location indicates material
- [H] symbol/number indicates recommended fitting height
- [F] symbol in this location indicates filter
- [L] symbol/number indicates corridor length

## Channel 14 Variations Poly Photochromic



Materials:  
Polycarbonate

## Landon Lens A

Standard Progressive  
Fitting cross location: 2mm above 180 line  
Rec. minimum fitting height: 14mm  
Available as: Photochromic  
Available in: US and Canada  
PAL Design on Front Side

## MVP Platinum Plastic II



Materials:  
Plastic (CR39 and 1.50)

## Landon Lens B

Standard Progressive  
Fitting cross location: 2mm above 180 line  
Rec. minimum fitting height: 18mm  
Available as: Photochromic  
Available in: US and Canada  
PAL Design on Front Side

## Variations



Materials:  
Plastic Mid-Index (1.52-1.58)

## Landon Lens C

Standard Progressive  
Fitting cross location: 4mm above 180 line  
Rec. minimum fitting height: 18mm  
Available as: Photochromic  
Available in: US and Canada  
PAL Design on Front Side

## PolySensus




Materials:  
Polycarbonate

## MacLens Optical D

Standard Progressive  
Fitting cross location: 4mm above 180 line  
Rec. minimum fitting height: 16mm  
Available as: Clear; Photochromic  
Available in: US and Canada  
PAL Design on Front Side

## Promult




Materials:  
Glass (1.523)  
Glass Ultra High Index (>1.70)  
Plastic (CR39 and 1.50)

## MacLens Optical E

Standard Progressive  
Fitting cross location: 4mm above 180 line  
Rec. minimum fitting height: 18mm  
Available as: Clear; Photochromic  
Available in: US and Canada  
PAL Design on Front Side

## Maui Passport




Materials:  
Plastic (CR39 and 1.50)  
Plastic High Index (1.60)

## Maui Jim F

Custom Progressive  
Fitting cross location: 4mm above 180 line  
Rec. minimum fitting height: 15mm; Several  
Available as: Polarized  
Available in: US and Canada  
PAL Design on Back Side

**Right Lens, Convex Side Up**

Location of ADD Power



- [M] symbol in this location indicates material
- [H] symbol/number indicates recommended fitting height
- [F] symbol in this location indicates filter
- [L] symbol/number indicates corridor length

**A Melibrad Progressive**

Materials:  
Plastic (CR39 and 1.50)

**Melibrad**

Standard Progressive  
Fitting cross location: 2mm above 180 line  
Rec. minimum fitting height: 14mm  
Available as: Polarized  
Available in: US and Canada  
PAL Design on Front Side

**B Polar-Ray Progressive**

Materials:  
Plastic (CR39 and 1.50)

**Melibrad**

Standard Progressive  
Fitting cross location: 2mm above 180 line  
Rec. minimum fitting height: 22mm  
Available as: Photochromic  
Available in: US and Canada  
PAL Design on Front Side

**C Polar-Ray Progressive**

Materials:  
Plastic (CR39 and 1.50)

**Melibrad**

Standard Progressive  
Fitting cross location: 2mm above 180 line  
Rec. minimum fitting height: 16mm  
Available as: Polarized  
Available in: US and Canada  
PAL Design on Front Side

**D Nalco Progressive**

Materials:  
Plastic (CR39 and 1.50)  
Plastic High Index (1.60)

**Nassau Lens Company**


Standard Progressive  
Fitting cross location: 4mm above 180 line  
Rec. minimum fitting height: 19mm  
Available as: Clear  
Available in: US only  
PAL Design on Front Side

**E Proprius DS**

Materials:  
Plastic (CR39 and 1.50)

**Nexus Vision Group**

Standard Progressive  
Fitting cross location: 4mm above 180 line  
Rec. minimum fitting height: Several  
Available as: Clear  
Available in: US only  
PAL Design on Back Side

**F MOVE Digital 13 (US)/ MOVE Short (Canada)**

Materials:  
Plastic (CR39 and 1.50)  
Plastic High Index (1.60)  
Plastic High Index (1.66-1.67)  
Polycarbonate (US)


**Nikon Optical**

Standard Progressive  
Fitting cross location: 2mm above 180 line  
Rec. minimum fitting height: 16mm  
Available as: Clear; Photochromic; Polarized  
Available in: US and Canada  
PAL Design on Back Side

**Right Lens,  
Convex Side Up**Location of  
ADD Power

- [M] symbol in this location indicates material
- [H] symbol/number indicates recommended fitting height
- [F] symbol in this location indicates filter
- [L] symbol/number indicates corridor length

## MOVE Digital 15 (US)/MOVE (Canada)



**M**  
NM  
NM  
NM  
NM

Materials:  
Plastic (CR39 and 1.50)  
Plastic High Index (1.60)  
Plastic High Index (1.66-1.67)  
Polycarbonate (US)

## Nikon Optical A

Standard Progressive  
Fitting cross location: 2mm above 180 line  
Rec. minimum fitting height: 18mm  
Available as: Clear; Photochromic; Polarized  
Available in: US and Canada  
PAL Design on Back Side

## Nikon Online




**M**  
IK  
IK  
NC

Materials:  
Plastic High Index (1.60)  
Plastic (CR39 and 1.50)  
Plastic High Index (1.66-1.67)

## Nikon Optical B

Near Variable Focus  
Fitting cross location: 4mm above 180 line  
Rec. minimum fitting height: 15mm  
Available as: Clear  
Available in: US and Canada  
PAL Design on Front Side

## Nikon W



**M**  
WC  
WC  
NC  
N5

Materials:  
Plastic (CR39 and 1.50)  
Plastic High Index (1.60)  
Plastic High Index (1.66-1.67)  
Plastic Ultra High Index (>1.67)

## Nikon Optical C

Standard Progressive  
Fitting cross location: 2mm above 180 line  
Rec. minimum fitting height: 17mm  
Available as: Clear  
Available in: US and Canada  
PAL Design on Front and Back Side

## Nikon W Short



**M**  
WC  
WC  
NC  
N5

Materials:  
Plastic (CR39 and 1.50)  
Plastic High Index (1.60)  
Plastic High Index (1.66-1.67)  
Plastic Ultra High Index (>1.67)

## Nikon Optical D

Fitting cross location: 2mm above 180 line  
Rec. minimum fitting height: 15mm  
Available as: Clear; Photochromic  
Available in: US only  
PAL Design on Front and Back Side

## Presio Digital i Short (US)/Nikon i Digital (Canada)




**M**  
NCA  
NCA  
NCA  
N5A

Materials:  
Plastic (CR39 and 1.50)  
Plastic High Index (1.60)  
Plastic High Index (1.66-1.67)  
Plastic Ultra High Index (>1.67)

## Nikon Optical E

Standard Progressive  
Fitting cross location: 2mm above 180 line  
Rec. minimum fitting height: 16mm  
Available as: Clear; Photochromic; Polarized  
Available in: US and Canada  
PAL Design on Back Side

## Presio i (US)/Nikon Go (Canada)



**M**  
NC  
NC  
NC  
N5


Materials:  
Plastic (CR39 and 1.50)  
Plastic High Index (1.60)  
Plastic Ultra High Index (>1.67)  
Plastic Ultra High Index (>1.67)

## Nikon Optical F

Standard Progressive  
Fitting cross location: 2mm above 180 line  
Rec. minimum fitting height: 18mm  
Available as: Clear  
Available in: US and Canada  
PAL Design on Front Side

**Right Lens,  
Convex Side Up**

Location of  
ADD Power



<b>M</b>	symbol in this location indicates material
<b>H</b>	symbol/number indicates recommended fitting height
<b>F</b>	symbol in this location indicates filter
<b>L</b>	symbol/number indicates corridor length

**A Presio i Digital (US)/Nikon Go Digital (Canada)**

<b>M</b>	Materials:
<b>PC8</b>	Plastic (CR39 and 1.50)
<b>HC8</b>	Plastic High Index (1.60)
<b>NC8</b>	Plastic High Index (1.66-1.67)
<b>N5B</b>	Plastic Ultra High Index (>1.67)

**Nikon Optical**

Standard Progressive  
Fitting cross location: 2mm above 180 line  
Rec. minimum fitting height: 18mm  
Available as: Clear; Photochromic; Polarized  
Available in: US and Canada  
PAL Design on Back Side

**B Presio i Digital 12 (US)/Balance Digital 12 (Canada)**

<b>M</b>	Materials:
<b>Pl</b>	Plastic (CR39 and 1.50)
<b>Ph</b>	Plastic High Index (1.60)
<b>NB</b>	Plastic High Index (1.66-1.67)
<b>N5B</b>	Plastic Ultra High Index (>1.67)
<b>N8</b>	Polycarbonate

**Nikon Optical**

Standard Progressive  
Fitting cross location: 2mm above 180 line  
Rec. minimum fitting height: 15mm  
Available as: Clear; Photochromic; Polarized  
Available in: US and Canada  
PAL Design on Back Side

**C Presio i Digital 14 (US)/Balance Digital 14 (Canada)**

<b>M</b>	Materials:
<b>Pl</b>	Plastic (CR39 and 1.50)
<b>Ph</b>	Plastic High Index (1.60)
<b>NB</b>	Plastic High Index (1.66-1.67)
<b>N5B</b>	Plastic Ultra High Index (>1.67)
<b>N8</b>	Polycarbonate

**Nikon Optical**

Standard Progressive  
Fitting cross location: 2mm above 180 line  
Rec. minimum fitting height: 17mm  
Available as: Clear; Photochromic  
Available in: US and Canada  
PAL Design on Back Side

**D Presio i Digital Short**

Materials:  
Plastic High Index (1.60)


Standard Progressive  
Fitting cross location: 2mm above 180 line  
Rec. minimum fitting height: 16mm  
Available as: Clear; Photochromic; Polarized  
Available in: Canada only  
PAL Design on Back Side

**E Presio i Short (US)/Nikon i (Canada)**

<b>M</b>	Materials:
<b>PC</b>	Plastic (CR39 and 1.50)
<b>HC</b>	Plastic High Index (1.60)
<b>NC</b>	Plastic High Index (1.66-1.67)
<b>N5</b>	Plastic Ultra High Index (>1.67)

**Nikon Optical**

Standard Progressive  
Fitting cross location: 2mm above 180 line  
Rec. minimum fitting height: 16mm  
Available as: Clear, Photochromic  
Available in: US and Canada  
PAL Design on Front Side

**F Presio Power 12/13/14**

<b>M</b>	Materials:
<b>N1</b>	Plastic (CR39 and 1.50)
<b>N3</b>	Plastic High Index (1.60)
<b>N4</b>	Plastic High Index (1.66-1.67)
<b>N5</b>	Plastic Ultra High Index (>1.67)
<b>*</b>	number here identifies design:
<b>2</b>	Presio Power 12
<b>3</b>	Presio Power 13
<b>4</b>	Presio Power 14

**Nikon Optical**

Standard Progressive  
Fitting cross location: 2mm above 180 line  
Rec. minimum fitting height:  
Presio Power 12: 15mm  
Presio Power 13: 16mm  
Presio Power 14: 18mm  
Available as: Clear; Photochromic  
Available in: US and Canada  
PAL Design on Front and Back Side

**Right Lens,  
Convex Side Up**

Location of  
ADD Power



- M** symbol in this location indicates material
- H** symbol/number indicates recommended fitting height
- F** symbol in this location indicates filter
- L** symbol/number indicates corridor length

### SeeMax Power 12/13/14



**M**  
SPP  
○  
**ADD**  
\*\*  
○  
**M**\*  
N3  
N4  
N5  
\*\*  
\*  
Number indicates design:  
2 SeeMax Power 12  
3 SeeMax Power 13  
4 SeeMax Power 14

Materials:  
Plastic High Index [1.60]  
Plastic High Index [1.66-1.67]  
Plastic Ultra High Index (>1.67)  
Characters indicate inset value  
Number indicates design:  
SeeMax Power 12  
SeeMax Power 13  
SeeMax Power 14

### Nikon Optical A

#### Standard Progressive

Fitting cross location: 2mm above 180 line

Rec. minimum fitting height:

SeeMax Power 12: 15mm

SeeMax Power 13: 16mm

SeeMax Power 14: 17mm

Available as: Clear; Photchromic

Available in: US and Canada

PAL Design on Front and Back Side

### SeeMaxProgressive 12



Materials:  
Plastic High Index [1.60]

### Nikon Optical B

#### Standard Progressive

Fitting cross location: 2mm above 180 line

Rec. minimum fitting height: 15mm

Available as: Clear; Photchromic

Available in: Canada only

PAL Design on Front and Back Side

### SeeMaxProgressive 14



SP  
○  
**ADD**  
\*\*

Materials:  
Plastic High Index [1.60]  
Characters indicate inset value

### Nikon Optical C

#### Standard Progressive

Fitting cross location: 2mm above 180 line

Rec. minimum fitting height: 17mm

Available as: Clear; Photchromic

Available in: Canada only

PAL Design on Front and Back Side

### HyperPro



**M**  
○  
**ADD**  
○  
3 **M**  
○  
○

Materials:  
Plastic High Index [1.66-1.67]  
Plastic Ultra High Index (>1.67)

### PFO/Optima D

#### Standard Progressive

Fitting cross location: 4mm above 180 line

Rec. minimum fitting height: 17mm

Available as: Clear

Available in: US and Canada

PAL Design on Front Side

### Resolution Response



○  
**ADD**  
○  
c  
○

Materials:  
Polycarbonate

### PFO/Optima E

#### Standard Progressive

Fitting cross location: 5mm above 180 line

Rec. minimum fitting height: 18mm


Available as: Clear; Photchromic

Available in: US and Canada

PAL Design on Front Side

### Right Lens, Convex Side Up


Location of  
ADD Power



- [M] symbol in this location indicates material
- [H] symbol/number indicates recommended fitting height
- [F] symbol in this location indicates filter
- [L] symbol/number indicates corridor length

**A Acuity 9/11/13**

PFO Global



- [M]
- 
- △
- 
- ◊
- AR
- [L]
- S
- M
- L

Materials:  
 Plastic (CR39 and 1.50)  
 Plastic High Index (1.60)  
 Plastic High Index (1.66-1.67)  
 Polycarbonate  
 Plastic High Index (1.60)

Corridor Length:

9  
11  
13

Standard Progressive


Fitting cross location: 4mm above 180 line  
 Rec. minimum fitting height: 16mm

Available as: Clear; Photchromic; Polarized  
 Available in: US and Canada

PAL Design on Back Side

**B identity home 9/11/13**

PFO Global



- [M]
- 
- △
- 
- ◊
- ◇
- [L]
- S
- M
- L

Materials:  
 Plastic (CR39 and 1.50)  
 Plastic High Index (1.60)  
 Plastic High Index (1.66-1.67)  
 Polycarbonate  
 Plastic Ultra High Index (>1.67)

Corridor Length:

9  
11  
13

Standard Progressive


Fitting cross location: 4mm above 180 line  
 Rec. minimum fitting height: 16mm

Available as: Clear; Photchromic; Polarized  
 Available in: US and Canada

PAL Design on Back Side

**C identity play 9/11/13**

PFO Global



- [M]
- 
- △
- 
- ◊
- ◇
- [L]
- S
- M
- L

Materials:  
 Plastic (CR39 and 1.50)  
 Plastic High Index (1.60)  
 Plastic High Index (1.66-1.67)  
 Polycarbonate  
 Plastic Ultra High Index (>1.67)

Corridor Length:

9  
11  
13

Standard Progressive


Fitting cross location: 4mm above 180 line  
 Rec. minimum fitting height: 16mm

Available as: Clear; Photchromic; Polarized  
 Available in: US and Canada

PAL Design on Back Side

**D identity pro (degressive)**

PFO Global



- [M]
- 
- △

Materials:  
 Plastic (CR39 and 1.50)  
 Plastic High Index (1.60)

Standard Progressive

Fitting cross location: 4mm above 180 line  
 Rec. minimum fitting height: 16mm


Available as: Clear; Photchromic; Polarized  
 Available in: US and Canada

PAL Design on Back Side

**Right Lens,  
Convex Side Up**Location of  
ADD Power

- [M]
  - [H]
  - [F]
  - [L]
- symbol in this location indicates material  
 symbol/number indicates recommended fitting height  
 symbol in this location indicates filter  
 symbol/number indicates corridor length

## identity Smart 9/11/13




- [M]
- 
- △
- 
- ◊
- ◊
- [L]
- S
- M
- L

Materials:  
Plastic (CR39 and 1.50)  
Plastic High Index (1.60)  
Plastic High Index (1.66-1.67)  
Polycarbonate  
Plastic Ultra High Index (>1.67)  
  
Corridor Length:  
9  
11  
13

## PFO Global A

Standard Progressive  
Fitting cross location: 4mm above 180 line  
Rec. minimum fitting height: 16mm  
Available as: Clear; Photchromic; Polarized  
Available in: US and Canada  
PAL Design on Back Side

## Futurise




Materials:  
Plastic (CR39 and 1.50)  
Polycarbonate

## Polcore Optical B

Standard Progressive  
Fitting cross location: 2mm above 180 line  
Rec. minimum fitting height: 18mm  
Available as: Clear; Photchromic; Polarized  
Available in: US and Canada  
PAL Design on Front Side

## Micro




Materials:  
Plastic (CR39 and 1.50)  
Polycarbonate

## Polcore Optical C

Standard Progressive  
Fitting cross location: 2mm above 180 line  
Rec. minimum fitting height: 16mm  
Available as: Clear; Photchromic  
Available in: US and Canada  
PAL Design on Front Side

## 4 You/4 You Variable/4 You Wrap




- [M]
- 49
- 58
- 53
- 56
- 60
- 66
- 70, 74

Materials:  
Plastic (CR39 and 1.50)  
Polycarbonate  
Trivex  
Plastic Mid Index (1.52-1.58)  
Plastic High Index (1.60)  
Plastic High Index (1.66-1.67)  
Plastic Ultra High Index (>1.67)

## Precision Optical Group D

Standard Progressive  
Fitting cross location: 4mm above 180 line  
Rec. minimum fitting height: Several  
Available as: Clear; Photchromic; Polarized  
Available in: US and Canada  
PAL Design on Back Side

## 4 You Gold/4 You Gold Variable



- [M]
- 49
- 58
- 53
- 56
- 60
- 66
- 70, 74

Materials:  
Plastic (CR39 and 1.50)  
Polycarbonate  
Trivex  
Plastic Mid Index (1.52-1.58)  
Plastic High Index (1.60)  
Plastic High Index (1.66-1.67)  
Plastic Ultra High Index (>1.67)

## Precision Optical Group E


Standard Progressive  
Fitting cross location: 4mm above 180 line  
Rec. minimum fitting height: Several  
Available as: Clear; Photchromic; Polarized  
Available in: US and Canada  
PAL Design on Back Side

**Right Lens,  
Convex Side Up**

Location of  
ADD Power



- [M]
  - [H]
  - [F]
  - [L]
- symbol in this location indicates material  
symbol/number indicates recommended fitting height  
symbol in this location indicates filter  
symbol/number indicates corridor length

**A 4 You Computer**

[M]	Materials:
49	Plastic (CR39 and 1.50)
58	Polycarbonate
53	Trivex
56	Plastic Mid Index (1.52-1.58)
60	Plastic High Index (1.60)
66	Plastic High Index (1.66-1.67)
70, 74	Plastic Ultra High Index (>1.67)

**Precision Optical Group****Near Variable Focus**

Fitting cross location: on 180 line  
Rec. minimum fitting height: 15mm

Available as: Clear; Photchromic; Polarized  
Available in: US and Canada

PAL Design on Back Side

**B Geo-FORM 11/13/15**

[M]	Materials:
F50,P,PRY,TPR,TRN	Plastic (CR39 and 1.50)
PLP, PLY, TPY	Polycarbonate
H53, PRT, T53	Trivex
H60, P60, T60	Plastic High Index (1.60)
H67, P67, T67	Plastic High Index (1.66-1.67)
H74	Plastic Ultra High Index (>1.67)

**Rite-Style Optical****Standard Progressive**

Fitting cross location: 4mm above 180 line  
Rec. min. fitting height: 16,18,20mm

Available as: Clear; Photchromic; Polarized  
Available in: US and Canada

PAL Design on Back Side

**C Geo-FORM AW 10/12/14**


[M]	Materials:
F50,P,PRY,TPR,TRN	Plastic (CR39 and 1.50)
PLP, PLY, TPP, TPY	Polycarbonate
H53, PRT, T53	Trivex
H60, P60, T60	Plastic High Index (1.60)
H67, P67, T67	Plastic High Index (1.66-1.67)
H74	Plastic Ultra High Index (>1.67)

**Rite-Style Optical****Standard Progressive**

Fitting cross location: on 180 line  
Rec. min. fitting height: 14,16,18mm

Available as: Clear; Photchromic; Polarized  
Available in: US and Canada

PAL Design on Back Side

**D Geo-FORM EZ 13/15**

[M]	Materials:
F50,P,PRY,TPR,TRN	Plastic (CR39 and 1.50)
PLP, PLY, TPY	Polycarbonate
H53, PRT, T53	Trivex
H60, P60, T60	Plastic High Index (1.60)
H67, P67, T67	Plastic High Index (1.66-1.67)
H74	Plastic Ultra High Index (>1.67)

**Rite-Style Optical****Standard Progressive**

Fitting cross location: on 180 line  
Rec. min. fitting height: 17,19mm

Available as: Clear; Photchromic; Polarized  
Available in: US and Canada

PAL Design on Back Side

**E Geo-FORM EZ Short 11/13**

[M]	Materials:
F50,P,PRY,TPR,TRN	Plastic (CR39 and 1.50)
PLP, PLY, TPP, TPY	Polycarbonate
H53, PRT, T53	Trivex
H60, P60, T60	Plastic High Index (1.60)
H67, P67, T67	Plastic High Index (1.66-1.67)
H74	Plastic Ultra High Index (>1.67)

**Rite-Style Optical****Standard Progressive**

Fitting cross location: on 180 line  
Rec. min. fitting height: 15,17mm

Available as: Clear; Photchromic; Polarized  
Available in: US and Canada

PAL Design on Back Side

**Right Lens,  
Convex Side Up**

Location of  
ADD Power



[M] symbol in this location indicates material  
[H] symbol/number indicates recommended fitting height  
[F] symbol in this location indicates filter  
[L] symbol/number indicates corridor length

**TR1- Far AW 14/16/18/20**

**M**  
F50,P,PRY,TPR,TRN  
PLP, PLY, TPP, TPY  
H53, PRT, T53  
H60, P60, T60  
H67, P67, T67  
H74

Materials:  
Plastic (CR39 and 1.50)  
Polycarbonate  
Trivex  
Plastic High Index (1.60)  
Plastic High Index (1.66-1.67)  
Plastic Ultra High Index (>1.67)

**Rite-Style Optical****A**

Standard Progressive

Fitting cross location: 4mm 180 line  
Rec. min. fitting height: 14,16,18,20mmAvailable as: Clear; Photchromic; Polarized  
Available in: US and Canada

PAL Design on Back Side

**TR2 Basic 14/16/18/20**

**M**  
F50,P,PRY,TPR,TRN  
PLP, PLY, TPP, TPY  
H53, PRT, T53  
H60, P60, T60  
H67, P67, T67  
H74

Materials:  
Plastic (CR39 and 1.50)  
Polycarbonate  
Trivex  
Plastic High Index (1.60)  
Plastic High Index (1.66-1.67)  
Plastic Ultra High Index (>1.67)

**Rite-Style Optical****B**

Standard Progressive

Fitting cross location: 4mm 180 line  
Rec. min. fitting height: 14,16,18,20mm

Available as: Clear; Photchromic; Polarized

Available in: US and Canada

PAL Design on Back Side

**TR3 Demand AW 14/16/18/20**

**M**  
F50,P,PRY,TPR,TRN  
PLP, PLY, TPP, TPY  
H53, PRT, T53  
H60, P60, T60  
H67, P67, T67  
H74

Materials:  
Plastic (CR39 and 1.50)  
Polycarbonate  
Trivex  
Plastic High Index (1.60)  
Plastic High Index (1.66-1.67)  
Plastic Ultra High Index (>1.67)

**Rite-Style Optical****C**

Standard Progressive

Fitting cross location: 4mm 180 line

Rec. min. fitting height: 14,16,18,20mm

Available as: Clear; Photchromic; Polarized

Available in: US and Canada

PAL Design on Back Side

**TR4 Highway AW**

**M**  
F50,P,PRY,TPR,TRN  
PLP, PLY, TPP, TPY  
H53, PRT, T53  
H60, P60, T60  
H67, P67, T67  
H74

Materials:  
Plastic (CR39 and 1.50)  
Polycarbonate  
Trivex  
Plastic High Index (1.60)  
Plastic High Index (1.66-1.67)  
Plastic Ultra High Index (>1.67)

**Rite-Style Optical****D**

Standard Progressive

Fitting cross location: 4mm 180 line

Rec. min. fitting height: 18mm

Available as: Clear; Photchromic; Polarized

Available in: US and Canada

PAL Design on Back Side

**TR5 Zone 13/20/40**

**M**  
F50,P,PRY,TPR,TRN  
PLP, PLY, TPP, TPY  
H53, PRT, T53  
H60, P60, T60  
H67, P67, T67  
H74

Materials:  
Plastic (CR39 and 1.50)  
Polycarbonate  
Trivex  
Plastic High Index (1.60)  
Plastic High Index (1.66-1.67)  
Plastic Ultra High Index (>1.67)

**Rite-Style Optical****E**

Standard Progressive

Fitting cross location: 2mm 180 line

Rec. min. fitting height: 18mm

Available as: Clear; Photchromic; Polarized


Available in: US and Canada

PAL Design on Back Side

**Right Lens,  
Convex Side Up**Location of  
ADD Power

- M** symbol in this location indicates material
- H** symbol/number indicates recommended fitting height
- F** symbol in this location indicates filter
- L** symbol/number indicates corridor length

## A TR8 Active AW 15/17/19



<b>M</b>	Materials:
F50,P,PRY,TPR,TRN	Plastic (CR39 and 1.50)
PLP, PLY, TPP, TPY	Polycarbonate
H53, PRT, T53	Trivex
H60, P60, T60	Plastic High Index (1.60)
H67, P67, T67	Plastic High Index (1.66-1.67)
H74	Plastic Ultra High Index (>1.67)

Rite-Style Optical

Standard Progressive

Fitting cross location: 4mm 180 line  
Rec. min. fitting height: 15,17,19mm

Available as: Clear; Photochromic; Polarized  
Available in: US and Canada  
PAL Design on Back Side

## B Persona



<b>M</b>	Materials:
50	Plastic (CR 39 & 1.50)
53	Trivex
58	Polycarbonate
56	Plastic Mid Index (1.52-1.58)
60	Plastic High Index (1.60)
67	Plastic High Index (1.66-1.67)
74	Plastic Ultra High Index (>1.67)


Riverside Opticalab Ltd.

Standard Progressive

Fitting cross location: on 180 line  
**H** Recommended fitting height:  
P 14mm  
S 17mm  
no symbol 19mm

Available as: Clear, Photochromic; Polarized  
Available in: Canada only  
PAL Design on Back Side

## C Persona Office



<b>M</b>	Materials:
50	Plastic (CR 39 & 1.50)
53	Trivex
58	Polycarbonate
56	Plastic Mid Index (1.52-1.58)
60	Plastic High Index (1.60)
67	Plastic High Index (1.66-1.67)
74	Plastic Ultra High Index (>1.67)

Riverside Opticalab Ltd.

Near Variable Focus

Fitting cross location: on 180 line  
Rec. minimum fitting height: 15mm

Available as: Clear; Photochromic  
Available in: Canada only  
PAL Design on Back Side

## D Persona G4



<b>M</b>	Materials:
50	Plastic (CR 39 & 1.50)
53	Trivex
58	Polycarbonate
56	Plastic Mid Index (1.52-1.58)
60	Plastic High Index (1.60)
67	Plastic High Index (1.66-1.67)
74	Plastic Ultra High Index (>1.67)

Riverside Opticalab Ltd.

Standard Progressive

Fitting cross location: on 180 line  
Rec. minimum fitting height: 13mm

Available as: Clear; Photochromic; Polarized  
Available in: Canada only  
PAL Design on Back Side

## E Persona Novice



<b>M</b>	Materials:
50	Plastic (CR 39 & 1.50)
53	Trivex
58	Polycarbonate
56	Plastic Mid Index (1.52-1.58)
60	Plastic High Index (1.60)
67	Plastic High Index (1.66-1.67)
74	Plastic Ultra High Index (>1.67)

Riverside Opticalab Ltd.

Custom Progressive

Fitting cross location: on 180 line  
Rec. minimum fitting height: 13mm

Available as: Clear; Photochromic; Polarized  
Available in: Canada only  
PAL Design on Back Side


**Right Lens,  
Convex Side Up**

Location of  
ADD Power



- M** symbol in this location indicates material
- H** symbol/number indicates recommended fitting height
- F** symbol in this location indicates filter
- L** symbol/number indicates corridor length

### Persona Phd



[M]  
50  
53  
58  
56  
60  
67  
74

Materials:  
Plastic (CR 39 & 1.50)  
Trivex  
Polycarbonate  
Plastic Mid Index (1.52-1.58)  
Plastic High Index (1.60)  
Plastic High Index (1.66-1.67)  
Plastic Ultra High Index (>1.67)

### Riverside Opticalab Ltd. A

Standard Progressive

Fitting cross location: on 180 line  
Rec. minimum fitting height: 13mm

Available as: Clear; Photochromic; Polarized  
Available in: Canada only  
PAL Design on Back Side

### Persona Phd Distance



[M]  
50  
53  
58  
56  
60  
67  
74

Materials:  
Plastic (CR 39 & 1.50)  
Trivex  
Polycarbonate  
Plastic Mid Index (1.52-1.58)  
Plastic High Index (1.60)  
Plastic High Index (1.66-1.67)  
Plastic Ultra High Index (>1.67)


### Riverside Opticalab Ltd. B

Standard Progressive

Fitting cross location: on 180 line  
Rec. minimum fitting height: 13mm

Available as: Clear; Photochromic; Polarized  
Available in: Canada only  
PAL Design on Back Side

### Persona Phd Near



[M]  
50  
53  
58  
56  
60  
67  
74

Materials:  
Plastic (CR 39 & 1.50)  
Trivex  
Polycarbonate  
Plastic Mid Index (1.52-1.58)  
Plastic High Index (1.60)  
Plastic High Index (1.66-1.67)  
Plastic Ultra High Index (>1.67)

### Riverside Opticalab Ltd. C

Standard Progressive

Fitting cross location: on 180 line  
Rec. minimum fitting height: 13mm

Available as: Clear; Photochromic; Polarized  
Available in: Canada only  
PAL Design on Back Side

### Persona Quattro



[M]  
50  
53  
56  
60  
67  
74

Materials:  
Plastic (CR 39 & 1.50)  
Trivex  
Plastic Mid Index (1.52-1.58)  
Plastic High Index (1.60)  
Plastic High Index (1.66-1.67)  
Plastic Ultra High Index (>1.67)

### Riverside Opticalab Ltd. D

Custom Progressive

Fitting cross location: 4mm above 180 line  
Rec. minimum fitting height: 13mm

Available as: Clear; Photochromic; Polarized  
Available in: Canada only  
PAL Design on Back Side

### Persona Quattro Sport



[M]  
50  
53  
56  
60  
67  
74

Materials:  
Plastic (CR 39 & 1.50)  
Trivex  
Plastic Mid Index (1.52-1.58)  
Plastic High Index (1.60)  
Plastic High Index (1.66-1.67)  
Plastic Ultra High Index (>1.67)

### Riverside Opticalab Ltd. E

Custom Progressive

Fitting cross location: 4mm above 180 line  
Rec. minimum fitting height: 15mm

Available as: Clear; Photochromic; Polarized  
Available in: Canada only  
PAL Design on Back Side

**Right Lens,  
Convex Side Up**

Location of  
ADD Power



- [M] symbol in this location indicates material
- [H] symbol/number indicates recommended fitting height
- [F] symbol in this location indicates filter
- [L] symbol/number indicates corridor length

**A Signature HD**

[M]  
50  
53  
58  
56  
60  
67  
74

Materials:  
Plastic (CR 39 & 1.50)  
Trivex  
Polycarbonate  
Plastic Mid Index (1.52-1.58)  
Plastic High Index (1.60)  
Plastic High Index (1.66-1.67)  
Plastic Ultra High Index (>1.67)

**Riverside Opticalab Ltd.****Standard Progressive**

Fitting cross location: 2mm above 180 line  
Rec. minimum fitting height: 14mm

Available as: Clear; Photchromic; Polarized  
Available in: Canada only

PAL Design on Back Side

**B COZE ADL Advanced**

[M]  
50  
58  
54  
16  
67

Materials:  
Plastic (CR 39 & 1.50)  
Polycarbonate  
Trivex  
Plastic High Index (1.60)  
Plastic High Index (1.66-1.67)

**Robertson Optical Laboratories****Custom Progressive**

Fitting cross location: 4mm above 180 line  
Rec. fitting height: 14, 16, 18, 20mm

Available as: Clear, Photchromic; Polarized  
Available in: US only

PAL Design on Back Side

**C COZE CASATA**

[M]  
50  
58  
54  
16  
67

Materials:  
Plastic (CR 39 & 1.50)  
Polycarbonate  
Trivex  
Plastic High Index (1.60)  
Plastic High Index (1.66-1.67)

**Robertson Optical Laboratories****Custom Progressive**

Fitting cross location: 4mm above 180 line  
Rec. fitting height: 14, 16, 18, 20mm

Available as: Clear, Photchromic; Polarized  
Available in: US only

PAL Design on Back Side

**D COZE HDW**

[M]  
50  
58  
53  
16  
67

Materials:  
Plastic (CR 39 & 1.50)  
Polycarbonate  
Trivex  
Plastic High Index (1.60)  
Plastic High Index (1.66-1.67)

**Robertson Optical Laboratories****Custom Progressive**

Fitting cross location: 4mm above 180 line  
Rec. fitting height: 16, 18, 20mm

Available as: Clear, Photchromic; Polarized  
Available in: US only

PAL Design on Back Side

**E COZE Soft**

[M]  
50  
58  
53  
16  
67

Materials:  
Plastic (CR 39 & 1.50)  
Polycarbonate  
Trivex  
Plastic High Index (1.60)  
Plastic High Index (1.66-1.67)

**Robertson Optical Laboratories****Custom Progressive**

Fitting cross location: 4mm above 180 line  
Rec. fitting height: 16, 18, 20mm

Available as: Clear, Photchromic; Polarized  
Available in: US only

PAL Design on Back Side

**Right Lens,  
Convex Side Up**

Location of  
ADD Power



- [M] symbol in this location indicates material
- [H] symbol/number indicates recommended fitting height
- [F] symbol in this location indicates filter
- [L] symbol/number indicates corridor length

### COZE Wrap



[M]  
50  
58  
53  
16  
67

Materials:  
Plastic (CR 39 & 1.50)  
Polycarbonate  
Trivex  
Plastic High Index (1.60)  
Plastic High Index (1.66-1.67)

### Robertson Optical Laboratories A


Custom Progressive

Fitting cross location: 4mm above 180 line  
Rec. fitting height: 16, 18mm

Available as: Clear, Photochromic; Polarized  
Available in: US only

PAL Design on Back Side

### Vista



[M]  
50  
58  
53  
16  
67

Materials:  
Plastic (CR 39 & 1.50)  
Polycarbonate  
Trivex  
Plastic High Index (1.60)  
Plastic High Index (1.66-1.67)

### Robertson Optical Laboratories B


Custom Progressive

Fitting cross location: on 180 line  
Rec. fitting height: 18, 20mm

Available as: Clear, Photochromic; Polarized  
Available in: US only

PAL Design on Back Side

### Vista CP



[M]  
50  
58  
53  
16  
67

Materials:  
Plastic (CR 39 & 1.50)  
Polycarbonate  
Trivex  
Plastic High Index (1.60)  
Plastic High Index (1.66-1.67)

### Robertson Optical Laboratories C


Custom Progressive

Fitting cross location: on 180 line  
Rec. fitting height: 15, 17, 19mm

Available as: Clear, Photochromic; Polarized  
Available in: US only

PAL Design on Back Side

### Vista WS



[M]  
50  
58  
53  
16  
67

Materials:  
Plastic (CR 39 & 1.50)  
Polycarbonate  
Trivex  
Plastic High Index (1.60)  
Plastic High Index (1.66-1.67)

### Robertson Optical Laboratories D

Custom Progressive

Fitting cross location: on 180 line  
Rec. fitting height: 16, 18mm

Available as: Clear, Photochromic; Polarized  
Available in: US only

PAL Design on Back Side

### XP HD



[M]  
50  
58  
53  
16  
67

Materials:  
Plastic (CR 39 & 1.50)  
Polycarbonate  
Trivex  
Plastic High Index (1.60)  
Plastic High Index (1.66-1.67)

### Robertson Optical Laboratories E

Custom Progressive

Fitting cross location: 4mm above 180 line  
Rec. fitting height: 14, 16, 18, 20mm

Available as: Clear, Photochromic; Polarized  
Available in: US only

PAL Design on Back Side

**Right Lens,  
Convex Side Up**


Location of  
ADD Power



- [M] symbol in this location indicates material
- [H] symbol/number indicates recommended fitting height
- [F] symbol in this location indicates filter
- [L] symbol/number indicates corridor length

**A** ClassicLife Free XS/M/L

Rodenstock



50  
54  
60  
67

Materials:  
Plastic (CR 39 & 1.50)  
Plastic Mid-Index (1.52-1.58)  
Plastic High Index (1.60)  
Plastic UltraHigh Index (>1.67)

## Standard Progressive

Fitting cross location: 4mm above 180 line


\* Letter indicates Rec minimum height:  
X 14mm  
M 16mm  
L 18mm

Available as: Clear; Photchromic  
Available in: US and Canada

PAL Design on Back Side

**B** Impression 2 XS/M/L

Rodenstock



5  
54  
60  
60  
67  
74

Materials:  
Plastic (CR39 and 1.50)  
Plastic Mid-Index (1.52-1.58)  
Glass High Index (>1.60)  
Plastic High Index (1.60)  
Plastic High Index (1.66-1.67)  
Plastic Ultra High Index (>1.67)

## Standard Progressive

Fitting cross location: 4mm above 180 line


\* Letter indicates Rec minimum height:  
X 14mm  
M 16mm  
L 18mm

Available as: Clear; Photchromic  
Available in: US and Canada

PAL Design on Back Side

**C** Impression Ergo 2 Book

Rodenstock



60  
\*\*

Materials:  
Plastic High Index (1.60)  
\*\* Characters indicate base curve and lens material.

## Near Variable Focus


Fitting cross location: on 180 line  
Rec. minimum fitting height: 14mm

Available as: Clear  
Available in: US and Canada

PAL Design on Back Side

**D** Impression Ergo 2 PC/Room

Rodenstock



60  
\*

Materials:  
Plastic High Index (1.60)  
\* Letters indicate Lens Design:  
P PC Design  
R Room Design

## Near Variable Focus


Fitting cross location: on 180 line  
Rec. minimum fitting height: 18mm

Available as: Clear; Photchromic  
Available in: Canada only

PAL Design on Back Side

**E** Impression Ergo FreeSign 2

Rodenstock



60  
\*\*

Materials:  
Plastic High Index (1.60)  
\*\* Characters indicate base curve and lens material.

## Near Variable Focus

Fitting cross location: on 180 line  
Rec. minimum fitting height: 14mm


Available as: Clear  
Available in: Canada only

PAL Design on Front and Back Side

**Right Lens,  
Convex Side Up**Location of  
ADD Power

- M** symbol in this location indicates material
- H** symbol/number indicates recommended fitting height
- F** symbol in this location indicates filter
- L** symbol/number indicates corridor length

## Impression FreeSign 2



**M** Materials:  
60 Plastic High Index [1.60]  
67 Plastic High Index [1.66-1.67]  
74 Plastic Ultra High Index [>1.67]  
\*\* Characters indicate base curve and lens material.


**Rodenstock****A**

Standard Progressive

Fitting cross location: on 180 line  
Rec. minimum fitting height: 13mmAvailable as: Clear; Photchromic  
Available in: US and Canada

PAL Design on Back Side

## Impression Hyperop



**M** Materials:  
7 Plastic High Index [1.66-1.67]  
\*\* Characters indicate base curve and lens material.


**Rodenstock****B**

Standard Progressive

Fitting cross location: on 180 line  
Rec. minimum fitting height: 18mmAvailable as: Clear; Photchromic  
Available in: US and Canada

PAL Design on Back Side

## Impression Hyperop XS



**M** Materials:  
7 Plastic High Index [1.66-1.67]  
\*\* Characters indicate base curve and lens material.


**Rodenstock****C**

Standard Progressive

Fitting cross location: on 180 line  
Rec. minimum fitting height: 14mmAvailable as: Clear; Photchromic  
Available in: US and Canada

PAL Design on Back Side

## Impression Myop



**M** Materials:  
7 Plastic High Index [1.66-1.67]  
\*\* Characters indicate base curve and lens material.


**Rodenstock****D**

Standard Progressive

Fitting cross location: on 180 line  
Rec. minimum fitting height: 18mmAvailable as: Clear; Photchromic  
Available in: US and Canada

PAL Design on Back Side

## Impression Myop XS



**M** Materials:  
7 Plastic High Index [1.66-1.67]  
\*\* Characters indicate base curve and lens material.


**Rodenstock****E**

Standard Progressive

Fitting cross location: on 180 line  
Rec. minimum fitting height: 14mmAvailable as: Clear; Photchromic  
Available in: US and Canada

PAL Design on Back Side

## Impression Sport 2



**M** Materials:  
6 Plastic High Index (1.60)  
54 Plastic Mid-Index [1.52-1.58]  
\*\* Characters indicate base curve and lens material.  
\* X here indicates extra curve  
\* L here indicates basic curve

**Rodenstock****F**

Standard Progressive

Fitting cross location: on 180 line  
Rec. minimum fitting height: 18mmAvailable as: Clear; Photchromic  
Available in: US and Canada


PAL Design on Back Side

**Right Lens,  
Convex Side Up**Location of  
ADD Power

- M** symbol in this location indicates material
- H** symbol/number indicates recommended fitting height
- F** symbol in this location indicates filter
- L** symbol/number indicates corridor length

**A Multigressiv MyView 2 XS/M/L**

Rodenstock



[M]
50
54
60
67
74

Materials:  
50 Plastic (CR39 and 1.50)  
54 Plastic Mid-Index (1.52-1.58)  
60 Plastic High Index (1.60)  
67 Plastic High Index (1.66-1.67)  
74 Plastic Ultra High Index (>1.67)

## Standard Progressive

Fitting cross location: on 180 line

\* Letter indicates Rec. minimum fitting height:  
XS 14mm  
M 16mm  
L 18mm

Available as: Clear; Photchromic  
Available in: US and Canada

PAL Design on Back Side

**B MyView Ergo 2 Book**

Rodenstock



[M]
50
60

Materials:  
50 Plastic (CR39 and 1.50)  
60 Plastic High Index (1.60)

\*\* Characters indicate base curve and lens material.

## Near Variable Focus

Fitting cross location: on 180 line  
Rec. minimum fitting height: 14mm

Available as: Clear  
Available in: US and Canada

PAL Design on Back Side

**C MyView Ergo PC/Room**

Rodenstock



[M]
60
*
P

Materials:  
60 Plastic High Index (1.60)  
\* Letter indicates Lens Design:  
P PC design  
R Room design

## Near Variable Focus

Fitting cross location: on 180 line  
Rec. minimum fitting height: 18mm

Available as: Clear  
Available in: US and Canada

PAL Design on Back Side

**D Nexyma Computer (80) (digressive)**

Rodenstock



[M]
5
*
A

Materials:  
5 Plastic (CR39 and 1.50)  
\* Letter indicates depression:  
A 0.8 depression  
B 1.50 depression

## Near Variable Focus

Fitting cross location: 4mm above 180 line  
Rec. minimum fitting height: 20mm

Available as: Clear  
Available in: US and Canada

PAL Design on Front Side

**E Nexyma Reading (40)**

Rodenstock



[M]
5
**

Materials:  
5 Plastic (CR39 and 1.50)  
\*\* Characters indicate base curve and lens material.

## Near Variable Focus


Fitting cross location: 4mm above 180 line  
Rec. minimum fitting height: 13mm

Available as: Clear  
Available in: US and Canada

PAL Design on Front Side

**F Progressiv ClassicLife**

Rodenstock



[M]
5
6

Materials:  
5 Plastic (CR39 and 1.50)  
6 Plastic High Index (1.60)

\*\* Characters indicate base curve and lens material.

## Standard Progressive

Fitting cross location: 4mm above 180 line  
Rec. minimum fitting height: 18mm

Available as: Clear; Photchromic  
Available in: US and Canada


PAL Design on Front Side

**Right Lens,  
Convex Side Up**Location of  
ADD Power

[M]
[H]
[F]
[L]

symbol in this location indicates material  
symbol/number indicates recommended fitting height  
symbol in this location indicates filter  
symbol/number indicates corridor length

### Progressiv ClassicLife XS



Materials:  
Plastic (CR39 and 1.50)  
Plastic Mid-Index (1.52-1.58)  
Plastic High Index (1.60)

\*\* Characters indicate base curve and lens material.

Rodenstock

A

Standard Progressive

Fitting cross location: 4mm above 180 line  
Rec. minimum fitting height: 14mm

Available as: Clear; Photchromic  
Available in: US and Canada

PAL Design on Front Side

### Progressiv Life 2



Materials:  
Polycarbonate

\*\* Characters indicate base curve and lens material.

Rodenstock

B


Standard Progressive

Fitting cross location: 4mm above 180 line  
Rec. minimum fitting height: 18mm

Available as: Clear  
Available in: US and Canada

PAL Design on Front Side

### Progressiv Life 2 XS



Materials:  
Polycarbonate

\*\* Characters indicate base curve and lens material.

Rodenstock

C


Standard Progressive

Fitting cross location: 4mm above 180 line  
Rec. minimum fitting height: 14mm

Available as: Clear  
Available in: US and Canada

PAL Design on Front Side

### Progressiv PureLife



Materials:  
Plastic (CR39 and 1.50)  
Plastic Mid-Index (1.52-1.58)  
Plastic High Index (1.60)  
Glass High Index (>1.60)  
Plastic High Index (1.66-1.67)  
Glass Ultra High Index (>1.70)

\*\* Characters indicate base curve and lens material.

Rodenstock

D

Standard Progressive

Fitting cross location: 4mm above 180 line  
Rec. minimum fitting height: 18mm

Available as: Clear; Photchromic  
Available in: US and Canada

PAL Design on Front Side

### Progressiv PureLife XS



Materials:  
Plastic (CR39 and 1.50)  
Plastic Mid-Index (1.52-1.58)  
Plastic High Index (1.60)  
Plastic High Index (1.66-1.67)

\*\* Characters indicate base curve and lens material.

Rodenstock

E


Standard Progressive

Fitting cross location: 4mm above 180 line  
Rec. minimum fitting height: 14mm

Available as: Clear; Photchromic  
Available in: US and Canada

PAL Design on Front Side

### Progressiv PureLife Free XS/M/L



Materials:  
Plastic (CR39 and 1.50)  
Plastic Mid-Index (1.52-1.58)  
Plastic High Index (1.60)  
Plastic High Index (1.66-1.67)  
Trivex

\*\* Characters indicate base curve and lens material.

Rodenstock

F

Standard Progressive

Fitting cross location: 4mm above 180 line  
\* Letter indicates Rec. minimum fitting height:  
X 14mm  
M 16mm  
L 18mm

Available as: Clear; Photchromic  
Available in: US and Canada

PAL Design on Back Side

**Right Lens,  
Convex Side Up**

Location of  
ADD Power



- M**: symbol in this location indicates material
- H**: symbol/number indicates recommended fitting height
- F**: symbol in this location indicates filter
- L**: symbol/number indicates corridor length

**A AF2**

[M]  
C  
A  
S


Materials:  
Plastic (CR39 and 1.50)  
Plastic High Index (1.60)  
Plastic High Index (1.66-1.67)

Seiko Optical  
Standard Progressive  
Fitting cross location: 3mm above 180 line  
Rec. minimum fitting height: 17mm  
Available as: Clear  
Available in: US and Canada  
PAL Design on Front and Back Side

**B DC mini**

Materials:  
Polycarbonate


Seiko Optical  
Standard Progressive  
Fitting cross location: 2mm above 180 line  
Rec. minimum fitting height: 19mm  
Available as: Clear  
Available in: US only  
PAL Design on Front and Back Side

**C PC Wide**

[M]  
□  
△  
□  
□  
▽  
□

Materials:  
Plastic (CR39 and 1.50)  
Plastic High Index (1.60)  
Plastic High Index (1.66-1.67)  
Plastic Ultra High Index (>1.67)  
Polycarbonate  
Trivex


Seiko Optical  
Near Variable Focus  
Fitting cross location: on 180 line  
Rec. minimum fitting height: 15mm  
Available as: Clear; Photchromic  
Available in: US only  
PAL Design on Back Side

**D Perfas Premier II**

[M]  
50  
53  
59  
60  
67  
74  
[L]

Materials:  
Plastic (CR39 and 1.50)  
Trivex  
Polycarbonate  
Plastic High Index (1.60)  
Plastic High Index (1.66-1.67)  
Plastic Ultra High Index (>1.67)  
Corridor Length:  
0=10mm, 2=12mm, 4=14mm

Seiko Optical  
Standard Progressive  
Fitting cross location: on 180 line  
Rec. minimum fitting height: 14,16,18mm  
Available as: Clear; Photchromic; Polarized  
Available in: US only  
PAL Design on Back Side

**E Perfas Prestige II**


[M]  
△  
□  
□  
□  
[L]

Materials:  
Plastic High Index (1.60)  
Plastic High Index (1.66-1.67)  
Plastic Ultra High Index (>1.67)  
Trivex  
Corridor Length:  
0=10mm, 2=12mm, 4=14mm

Seiko Optical  
Standard Progressive  
Fitting cross location: on 180 line  
Rec. minimum fitting height: 14,16,18mm  
Available as: Clear; Photchromic  
Available in: US only  
PAL Design on Back Side


**Right Lens,  
Convex Side Up**

Location of  
ADD Power



[M] symbol in this location indicates material  
[H] symbol/number indicates recommended fitting height  
[F] symbol in this location indicates filter  
[L] symbol/number indicates corridor length

### Perfas Prominent



- M
- H
- F
- L

Materials:  
Plastic (CR39 and 1.50)  
Trivex  
Polycarbonate  
Plastic High Index (1.60)  
Plastic High Index (1.66-1.67)  
Plastic Ultra High Index (>1.67)  
Corridor Length:  
0=10mm, 2=12mm, 4=14mm

### Seiko Optical A


Standard Progressive

Fitting cross location: 4mm above 180 line  
Rec. minimum fitting height: 14,16,18mm

Available as: Clear; Photochromic  
Available in: US only

PAL Design on Back Side

### Proceed II Short



Materials:  
Plastic High Index (1.66-1.67)

### Seiko Optical B


Standard Progressive

Fitting cross location: on 180 line  
Rec. minimum fitting height: 18mm

Available as: Clear  
Available in: US only

PAL Design on Back Side

### Proceed III, Super Short



Materials:  
Plastic High Index (1.66-1.67)

### Seiko Optical C

Standard Progressive

Fitting cross location: on 180 line  
Rec. minimum fitting height: 16mm

Available as: Clear  
Available in: US only

PAL Design on Front and Back Side

### Succeed



- M
- H
- F
- L

Materials:  
Plastic (CR39 and 1.50)  
Plastic High Index (1.60)  
Plastic High Index (1.66-1.67)  
Plastic Ultra High Index (>1.67)  
Polycarbonate  
Trivex

### Seiko Optical D


Standard Progressive

Fitting cross location: 3mm above 180 line  
Rec. minimum fitting height: 17,19mm

Available as: Clear; Photochromic  
Available in: US and Canada

PAL Design on Back Side

### Succeed WS



- M
- H
- F
- L

Materials:  
Plastic (CR39 and 1.50)  
Plastic High Index (1.60)  
Plastic High Index (1.66-1.67)  
Plastic Ultra High Index (>1.67)  
Polycarbonate  
Trivex

### Seiko Optical E

Standard Progressive

Fitting cross location: on 180 line  
Rec. minimum fitting height: Several

Available as: Clear  
Available in: US and Canada

PAL Design on Back Side

### Supercede



- M
- H
- F
- L

Materials:  
Plastic (CR39 and 1.50)  
Plastic High Index (1.60)  
Plastic High Index (1.66-1.67)  
Plastic Ultra High Index (>1.67)  
Polycarbonate  
Trivex

### Seiko Optical F

Standard Progressive

Fitting cross location: 2mm above 180 line  
Rec. minimum fitting height: Several

Available as: Clear  
Available in: US and Canada

PAL Design on Back Side

### Right Lens, Convex Side Up

Location of ADD Power



- M symbol in this location indicates material
- H symbol/number indicates recommended fitting height
- F symbol in this location indicates filter
- L symbol/number indicates corridor length

### A Supercede WS



Materials:  
 Plastic [CR39 and 1.50]  
 Plastic High Index [1.60]  
 Plastic High Index [1.66-1.67]  
 Plastic Ultra High Index [>1.67]  
 Polycarbonate  
 Trivex


Seiko Optical

Standard Progressive

Fitting cross location: on 180 line  
Rec. minimum fitting height: Several

Available as: Clear; Photchromic  
Available in: US and Canada  
PAL Design on Back Side

### B Supercede II



Materials:  
 Plastic [CR39 and 1.50]  
 Trivex  
 Polycarbonate  
 Plastic High Index [1.60]  
 Plastic High Index [1.66-1.67]  
 Plastic Ultra High Index [>1.67]



Seiko Optical

Standard Progressive

Fitting cross location: on 180 line  
Rec. minimum fitting height: 10,12,14mm

Available as: Clear; Photchromic; Polarized  
Available in: US only  
PAL Design on Back Side

### C Superior



Materials:  
 Plastic [CR39 and 1.50]  
 Trivex  
 Polycarbonate  
 Plastic High Index [1.60]  
 Plastic High Index [1.66-1.67]  
 Plastic Ultra High Index [>1.67]  
 Corridor Length:  
 0=10mm, 2=12mm, 4=14mm

Seiko Optical

Custom Progressive



Fitting cross location: on 180 line  
Rec. minimum fitting height: 8-22mm

Available as: Clear; Photchromic; Polarized  
Available in: US only  
PAL Design on Back Side

\* Here indicates Design:  
B-Balanced, N-Near, F-Far

XX Here indicates inset value

### D Supernal



Materials:  
 Plastic [CR39 and 1.50]  
 Trivex  
 Polycarbonate  
 Plastic High Index [1.60]  
 Plastic High Index [1.66-1.67]  
 Plastic Ultra High Index [>1.67]  
 Corridor Length:  
 0=10mm, 2=12mm, 4=14mm



Seiko Optical

Custom Progressive

Fitting cross location: 4mm above 180 line  
Rec. minimum fitting height: 14,16,18mm

Available as: Clear; Photchromic; Polarized  
Available in: US only  
PAL Design on Back Side

### E Surmount



Materials:  
 Plastic [CR39 and 1.50]  
 Trivex  
 Polycarbonate  
 Plastic High Index [1.60]  
 Plastic High Index [1.66-1.67]  
 Plastic Ultra High Index [>1.67]

Seiko Optical

Standard Progressive

Fitting cross location: on 180 line  
Rec. minimum fitting height: 14,16,18mm

Available as: Clear, Photchromic  
Available in: US only  
PAL Design on Back Side

**Right Lens,  
Convex Side Up**

Location of  
ADD Power



- [M] symbol in this location indicates material
- [H] symbol/number indicates recommended fitting height
- [F] symbol in this location indicates filter
- [L] symbol/number indicates corridor length

## Surmount WS

**[M]**

- Materials:  
50 Plastic (CR39 and 1.50)  
53 Trivex  
59 Polycarbonate  
60 Plastic High Index (1.60)  
67 Plastic High Index (1.66-1.67)  
74 Plastic Ultra High Index (>1.67)

## Seiko Optical A


### Standard Progressive

Fitting cross location: on 180 line  
Rec. minimum fitting height: 14mm

Available as: Clear; Photochromic; Polarized  
Available in: US only

PAL Design on Back Side

## Attitude III Fashion

**[M]**

- Materials:  
15,DW, PZ,TR,TV,X5 Plastic (CR39 and 1.50)  
PC,PD,PT,PVPX,PPZ Polycarbonate  
NXTP,NXTZ,PTX,TX Trivex  
TTX,VX,XX  
16,PZ6,T6,X6 Plastic High Index (1.60)  
67,T67,X67,PZ67 Plastic High Index (1.66-1.67)  
56,56P Plastic Mid Index (1.52-5.58)

## Shamir Insight Inc. B

### Standard Progressive

Fitting cross location: 4mm above 180 line

**[H]** Rec. minimum fitting height: 15,18mm

Available as: Clear; Photochromic; Polarized  
Available in: US only

PAL Design on Back Side

## Attitude III Sport

**[M]**

- Materials:  
15,DW, PZ,TR,TV,X5 Plastic (CR39 and 1.50)  
PC,PD,PT,PVPX,PPZ Polycarbonate  
NXTP,NXTZ,PTX,TX Trivex  
TTX,VX,XX  
16,PZ6,T6,X6 Plastic High Index (1.60)  
67,T67,X67,PZ67 Plastic High Index (1.66-1.67)  
56,56P Plastic Mid Index (1.52-5.58)

## Shamir Insight Inc. C

### Standard Progressive

Fitting cross location: 4mm above 180 line  
Rec. minimum fitting height: 18mm

Available as: Clear; Photochromic; Polarized  
Available in: US only

PAL Design on Back Side

## Autograph II Attitude

**[M]**

- Materials:  
15,PZ,TR,V5,X5 Plastic (CR39 and 1.50)  
PC,PD,PT,PV,PX,PPZ Polycarbonate  
NXTD,NXTP,PTX,TX Trivex  
TTX,VX,XX  
16,T6, X6, PZ6 Plastic High Index (1.60)  
67,T67,X67,PZ67 Plastic High Index (1.66-1.67)

## Shamir Insight Inc. D

### Standard Progressive


Fitting cross location: 4mm above 180 line

**[H]** Rec. minimum fitting height:  
FF-AS 15mm; FFA 18mm

Available as: Clear; Photochromic; Polarized  
Available in: US only

PAL Design on Back Side

## Autograph II Office

**[M]**

- Materials:  
15 Plastic (CR39 and 1.50)  
PC Polycarbonate  
16 Plastic High Index (1.60)

## Shamir Insight Inc. E

### Near Variable Focus

Fitting cross location: on 180 line  
Rec. minimum fitting height: 16mm

Available as: Clear  
Available in: US only

PAL Design on Back Side

**Right Lens,  
Convex Side Up**

Location of  
ADD Power

**[M]**


symbol in this location indicates material

**[H]** symbol/number indicates recommended fitting height

**[F]** symbol in this location indicates filter

**[L]** symbol/number indicates corridor length

### A Autograph II (Fixed and Variable Designs)



<b>M</b>	Materials:
15,DW,PZ,TR,V5,X5	Plastic (CR39 and 1.50)
NXTP,NXTZ,PTX,TX	Trivex
TTX,VX,XX	
PC,PD,PT,PX,PPZ	Polycarbonate
16,PZ6,T6,X6	Plastic High Index (1.60)
67,PZ67,T67,X67	Plastic High Index (1.66-1.67)
74,T74	Plastic Ultra High Index (>1.67)

Shamir Insight Inc.

Standard Progressive

Fitting cross location: 4mm above 180 line

**H** Rec. minimum fitting height:

Variable design: 11mm

Fixed Design: number is Rec. min. fitting height

Available as: Clear; Photochromic; Polarized

Available in: US only

PAL Design on Back Side

### B Autograph III (Fixed and Variable Designs)



<b>M</b>	Materials:
15,DW,TR,V5,X5,PPZ	Plastic (CR39 and 1.50)
DW,PC,PD,PT,PX,PPZ	Polycarbonate
NXTP,NXTZ,PTX,TX	Trivex
TTX,VX,XX	
16,PZ6,T6,X6	Plastic High Index (1.60)
67,PZ67,T67,X67	Plastic High Index (1.66-1.67)
74,T74	Plastic Ultra High Index (>1.67)
56,56P	Plastic Mid Index (1.52-5.58)

Shamir Insight Inc.

Standard Progressive

Fitting cross location: 4mm above 180 line

**H** Rec. minimum fitting height:


11,13,15,18mm

Available as: Clear; Photochromic; Polarized

Available in: US only

PAL Design on Back Side

### C Computer



<b>M</b>	Materials:
15,PPZ,TR,X5,	Plastic (CR39 and 1.50)
PC,PT,PX	Polycarbonate
TX,TTX,XX	Trivex
16,T6,X6	Plastic High Index (1.60)
56,56P	Plastic Mid Index (1.52-5.58)

Shamir Insight Inc.

Standard Progressive

Fitting cross location: 4mm above 180 line

Rec. minimum fitting height: 14mm

Available as: Clear; Photochromic; Polarized

Available in: US only

PAL Design on Back Side

### D Creation



<b>M</b>	Materials:
no symbol	Plastic (CR39 and 1.50)
P	Polycarbonate
H	Plastic High Index (1.60)
67	Plastic High Index (1.66-1.67)

Shamir Insight Inc.

Standard Progressive

Fitting cross location: 4mm above 180 line


Rec. minimum fitting height: 19mm

Available as: Clear; Photochromic; Polarized

Available in: US and Canada

PAL Design on Front Side

### E Element/Element Short



<b>M</b>	Materials:
15, TR, X5, PZ	Plastic (CR39 and 1.50)
16, T6, X6	Plastic High Index (1.60)
67, T67, X67	Plastic High Index (1.66-1.67)
TX, TTX, XX	Trivex
PC, PT, PX, PPZ	Polycarbonate

Shamir Insight Inc.

Standard Progressive

Fitting cross location: 4mm above 180 line

**H** Rec. minimum fitting height:

S 16mm

no symbol 19mm

Available as: Clear, Photochromic, Polarized

Available in: US only

PAL Design on Back Side


**Right Lens,  
Convex Side Up**

Location of  
ADD Power



- M** symbol in this location indicates material
- H** symbol/number indicates recommended fitting height
- F** symbol in this location indicates filter
- L** symbol/number indicates corridor length

### First PAL



[M]  
15,PZ,TR,X5  
16,PZ6,T6,X6  
PC,PPZ,PT,PX

Materials:  
Plastic (CR39, 1.50)  
Plastic High Index (1.60)  
Polycarbonate

### Shamir Insight Inc.

**A**

Standard Progressive

Fitting cross location: 4mm above 180 line  
Rec. minimum fitting height: 15mm

Available as: Clear, Photochromic, Polarized  
Available in: US only  
PAL Design on Back Side

### Genesis



[M]  
H  
H67

Materials:  
Plastic High Index (1.60)  
Plastic High Index (1.66-1.67)

### Shamir Insight Inc.

**B**

Standard Progressive

Fitting cross location: 4mm above 180 line  
Rec. minimum fitting height: 19mm

Available as: Clear, Photochromic, Polarized  
Available in: US only  
PAL Design on Front Side

### Genesis



Materials:  
Polycarbonate

### Shamir Insight Inc.

**C**

Standard Progressive

Fitting cross location: 4mm above 180 line  
Rec. minimum fitting height: 19mm

Available as: Clear  
Available in: US only

PAL Design on Front Side

### Genesis



[M]  
16  
TX

Materials:  
Plastic (CR39 and 1.50)  
Glass High Index (1.60)  
Trivex

### Shamir Insight Inc.

**D**

Standard Progressive

Fitting cross location: 4mm above 180 line  
Rec. minimum fitting height: 19mm

Available as: Clear, Photochromic, Polarized  
Available in: US only

PAL Design on Front Side

### Golf



[M]  
16  
TX

Materials:  
Polycarbonate  
Trivex  
Plastic High Index (1.60)  
Plastic Mid Index (1.52-5.58)

### Shamir Insight Inc.

**E**


Standard Progressive

Fitting cross location: 4mm above 180 line  
Rec. minimum fitting height: 18mm

Available as: Clear; Photochromic; Polarized  
Available in: US only

PAL Design on Back Side

### InTouch



[M]  
15,DW,TR,V5,X5,PZ  
PC,PD,PT,PX,PPZ  
PTX,TX,TTX,VX,XX,NXTP,NXTZ  
16,T6,X6,PZ6  
67,T67,X67,PZ67  
74,T74  
G15  
G16

Materials:  
Plastic (CR39 and 1.50)  
Polycarbonate  
Trivex  
Plastic High Index (1.60)  
Plastic High Index (1.66-1.67)  
Plastic Ultra High Index (>1.67)  
Glass Mid Index (1.52-5.58)  
Glass High Index (1.60)

### Shamir Insight Inc.

**F**

Standard Progressive

Fitting cross location: 4mm above 180 line  
[H] Rec. minimum fitting height: 15,18mm

Available as: Clear; Photochromic; Polarized  
Available in: US only

PAL Design on Back Side

**Right Lens,  
Convex Side Up**

Location of  
ADD Power



180° Line  
Nasal

- [M] symbol in this location indicates material
- [H] symbol/number indicates recommended fitting height
- [F] symbol in this location indicates filter
- [L] symbol/number indicates corridor length

**A Office**


Materials:  
Plastic (CR39 and 1.50)  
Polycarbonate

Shamir Insight Inc.

Near Variable Focus

Fitting cross location: on 180 line  
Rec. minimum fitting height: 16mm

Available as: Clear  
Available in: US and Canada  
PAL Design on Front Side

**B Piccolo**


Materials:  
Polycarbonate

Shamir Insight Inc.

Standard Progressive

Fitting cross location: 4mm above 180 line  
Rec. minimum fitting height: 16mm

Available as: Clear; Photchromic  
Available in: US and Canada  
PAL Design on Front Side

**C Piccolo**

**M**  
no symbol  
H  
67  
no symbol

Materials:  
Plastic (CR39 and 1.50)  
Plastic High Index (1.60)  
Plastic High Index (1.66-1.67)  
Glass High Index (1.523)

Shamir Insight Inc.


Standard Progressive

Fitting cross location: 4mm above 180 line  
Rec. minimum fitting height: 16mm

Available as: Clear, Photchromic  
Available in: US and Canada

**F**  
TD      Photchromic

PAL Design on Front Side

**D Spectrum**

**M**  
15,PZ,TR,X5  
PC,PD,PPZ,PT,PV,PX,  
PTX,TX,TTX,XV,XX,  
16,PZ6,T6,X6  
67,PZ67,T67,X67  
74,T74  
56,56P  
G15  
G16

Materials:  
Plastic (Cr39 & 1.50)  
Polycarbonate  
Trivex  
Plastic High Index (1.60)  
Plastic High Index (1.66-1.67)  
Plastic Ultra High Index (>1.67)  
Plastic Mid Index (1.52-5.58)  
Glass (1.52)  
Glass High Index (1.60)

Shamir Insight Inc.

Fitting cross location: 4mm above 180 line

**H**      Rec. minimum fitting height:  
14      14mm  
16      16mm  
18      18mm

Available as: Clear, Photchromic, Polarized  
Available in: US only

PAL Design on Back Side

**E Workspace**

**M**  
15,PPZ,TR,X5  
PC,PT,PX  
TX,TTX,XX  
16,T6,X6,PZ6  
56,56P

Materials:  
Plastic (CR39 and 1.50)  
Polycarbonate  
Trivex  
Plastic High Index (1.60)  
Plastic Mid Index (1.52-5.58)

Shamir Insight Inc.

Standard Progressive

Fitting cross location: 4mm above 180 line  
Rec. minimum fitting height: 14mm

Available as: Clear; Photchromic; Polarized  
Available in: US only

PAL Design on Back Side

**Right Lens, Convex Side Up**

Location of ADD Power



- M** symbol in this location indicates material
- H** symbol/number indicates recommended fitting height
- F** symbol in this location indicates filter
- L** symbol/number indicates corridor length

## Executive/ShoreView ES/ShoreView Mini ES



	Materials:
S	Plastic (CR39 and 1.50)
S	Plastic High Index (1.60)
P	Polycarbonate
no symbol	Plastic High Index (1.66-1.67)

## Shore Lens Company A

Standard Progressive  
Fitting cross location: 4mm above 180 line  
Rec. minimum fitting height:  
Shore Executive: 18mm  
ShoreView: 18mm  
ShoreView Mini: 15mm  
Available as: Clear; Photochromic; Polarized  
Available in: US and Canada  
PAL Design on Front Side

## ShoreView/Mini




	Materials:
T	Plastic (CR39 and 1.50)
TV	Plastic Mid-Index (1.52-1.58)
P	Polycarbonate

## Shore Lens Company B

Standard Progressive  
Fitting cross location: 2mm above 180 line  
Rec. minimum fitting height: 15mm  
Available as: Clear; Photochromic; Polarized  
Available in: US and Canada  
PAL Design on Front Side

## DirecTek




	Materials:
no symbol	Plastic (CR39 and 1.50)
L	Plastic High Index (1.66-1.67)
P	Polycarbonate
A	Trivex

## Signet Armorlite, Inc. C

Standard Progressive  
Fitting cross location: 4mm above 180 line  
Rec. minimum fitting height: 16.5mm  
Available as: Clear; Photochromic; Polarized  
Available in: US and Canada  
PAL Design on Front Side

## DirecTek Short




	Materials:
no symbol	Plastic (CR39 and 1.50)
L	Plastic High Index (1.66-1.67)
P	Polycarbonate
A	Trivex

## Signet Armorlite, Inc. D

Standard Progressive  
Fitting cross location: 4mm above 180 line  
Rec. minimum fitting height: 13.5mm  
Available as: Clear; Photochromic; Polarized  
Available in: US and Canada  
PAL Design on Back Side

## KODAK Concise




	Materials:
no symbol	Plastic (CR39 and 1.50)
◊	Plastic High Index (1.60)
L	Plastic High Index (1.66-1.67)
P	Polycarbonate
A	Trivex

## Signet Armorlite, Inc. E

Standard Progressive  
Fitting cross location: 2mm above 180 line  
Rec. minimum fitting height: 14mm  
Available as: Clear; Photochromic  
Available in: US and Canada  
PAL Design on Front Side

## KODAK MonitorView



	Materials:
M	Plastic (CR39 and 1.50)
P	Polycarbonate

## Signet Armorlite, Inc. F

Near Variable Focus  
Fitting cross location: 2mm above 180 line  
Rec. minimum fitting height: 17mm  
Available as: Clear  
Available in: US and Canada  
PAL Design on Back Side

**Right Lens,  
Convex Side Up**

Location of  
ADD Power



- symbol in this location indicates material
- symbol/number indicates recommended fitting height
- symbol in this location indicates filter
- symbol/number indicates corridor length

**A KODAK Precise**


	Materials:
no symbol	Plastic (CR39 and 1.50)
	Plastic High Index (1.60)
	Plastic High Index (1.66-1.67)
P	Polycarbonate
	Trivex

**Signet Armorlite, Inc.**

Standard Progressive

Fitting cross location: 4mm above 180 line  
Rec. minimum fitting height: 17mmAvailable as: Clear; Photchromic; Polarized  
Available in: US and Canada

PAL Design on Front Side

**B KODAK Precise Short**


	Materials:
no symbol	Plastic (CR39 and 1.50)
	Plastic High Index (1.66-1.67)
P	Polycarbonate

**Signet Armorlite, Inc.**

Standard Progressive

Fitting cross location: 4mm above 180 line  
Rec. minimum fitting height: 13mmAvailable as: Clear; Photchromic  
Available in: US and Canada


PAL Design on Front Side

**C KODAK Unique**

	Materials:
no symbol	Plastic (CR39 and 1.50)
	Plastic Mid-Index (1.52-1.58)
6	Plastic High Index (1.60)
	Plastic High Index (1.66-1.67)
P	Plastic Ultra High Index (>1.67)
	Polycarbonate
	Trivex

**Signet Armorlite, Inc.**

Standard Progressive

Fitting cross location: 4mm above 180 line  
Rec. minimum fitting height: 13mmAvailable as: Clear; Photchromic; Polarized  
Available in: US and Canada Character indicates corridor length  
PAL Design on Back Side**D KODAK Progressive**


	Materials:
I	Plastic Mid-Index (1.52-1.58)

**Signet Armorlite, Inc.**

Standard Progressive

Fitting cross location: 2mm above 180 line  
Rec. minimum fitting height: 20mmAvailable as: Clear; Photchromic  
Available in: US and Canada

PAL Design on Front Side

**E Navigator Precision**

	Materials:
no symbol	Plastic (CR39 and 1.50)
	Plastic High Index (1.60)
I	Plastic Mid-Index (1.52-1.58)
P	Polycarbonate

**Signet Armorlite, Inc.**

Standard Progressive

Fitting cross location: 2mm above 180 line  
Rec. minimum fitting height: 20mmAvailable as: Clear; Photchromic; Polarized  
Available in: US and Canada

PAL Design on Front Side

**F Navigator Short**

	Materials:
no symbol	Plastic (CR39 and 1.50)
sl	Plastic Mid-Index (1.52-1.58)
sP	Polycarbonate

**Signet Armorlite, Inc.**

Standard Progressive

Fitting cross location: 2mm above 180 line  
Rec. minimum fitting height: 14mmAvailable as: Clear; Photchromic  
Available in: US and Canada

PAL Design on Front Side

**Right Lens,  
Convex Side Up**Location of  
ADD Power

- symbol in this location indicates material
- symbol/number indicates recommended fitting height
- symbol in this location indicates filter
- symbol/number indicates corridor length

**Access**

**M**  
AC  
ACP

Materials:  
Plastic (CR39 and 1.50)  
Polycarbonate

**SOLA Optical A**

Near Variable Focus

Fitting cross location: on 180 line  
Rec. minimum fitting height: 15mm

Available as: Clear  
Available in: US and Canada

PAL Design on Front Side

**Compact Ultra**

**M**  
C  
60  
67  
P

Materials:  
Plastic (CR39 and 1.50)  
Plastic High Index [1.60] (Canada only)  
Plastic High Index [1.66-1.67]  
Polycarbonate


**SOLA Optical B**

Standard Progressive

Fitting cross location: 2mm above 180 line  
Rec. minimum fitting height: 13mm

Available as: Clear; Photchromic  
Available in: US and Canada

PAL Design on Front Side

**Compact Ultra HD**

**M**  
H  
F  
M  
P  
T

Materials:  
Plastic (CR39 and 1.50)  
Plastic High Index [1.60]  
Plastic High Index [1.66-1.67]  
Polycarbonate  
Trivex

**SOLA Optical C**

Standard Progressive

Fitting cross location: 4mm above 180 line  
Rec. minimum fitting height: 13mm

Available as: Clear  
Available in: US and Canada

PAL Design on Back Side

**Continuum**

**M**  
CS  
CP

Materials:  
Plastic Mid-Index (1.52-1.58)  
Polycarbonate

**SOLA Optical D**

Near Variable Focus

Fitting cross location: on 180 line  
Rec. minimum fitting height: 15mm

Available as: Clear  
Available in: US and Canada  
PAL Design on Front Side

**Elan HD**

**M**  
H  
F  
M  
P  
T

Materials:  
Plastic (CR39 and 1.50)  
Plastic High Index [1.60] (Canada only)  
Plastic High Index [1.66-1.67]  
Polycarbonate  
Trivex


**SOLA Optical E**

Standard Progressive

Fitting cross location: 2mm above 180 line  
Rec. minimum fitting height: 17mm

Available as: Clear; Photchromic; Polarized  
Available in: US and Canada

PAL Design on Back Side

**Elan HD Short**

**M**  
H  
F  
M  
P  
T

Materials:  
Plastic (CR39 and 1.50)  
Plastic High Index [1.60] (Canada only)  
Plastic High Index [1.66-1.67]  
Polycarbonate  
Trivex

**SOLA Optical F**

Standard Progressive

Fitting cross location: 2mm above 180 line  
Rec. minimum fitting height: 13mm

Available as: Clear; Photchromic; Polarized  
Available in: US and Canada


PAL Design on Back Side

**Right Lens,  
Convex Side Up**

Location of  
ADD Power



- M** symbol in this location indicates material
- H** symbol/number indicates recommended fitting height
- F** symbol in this location indicates filter
- L** symbol/number indicates corridor length

**A Elan HDV**

Materials:  
Plastic (CR39 and 1.50)  
Plastic High Index (1.60) (Canada only)  
Plastic High Index (1.66-1.67)  
Polycarbonate  
Trivex

**SOLA Optical**

Standard Progressive

Fitting cross location: 2mm above 180 line  
Rec. minimum fitting height: 13mmAvailable as: Clear; Photochromic  
Available in: US and Canada

\* Character indicates corridor code

PAL Design on Back Side

**B Instinctive/PEZ**

Materials:  
Plastic (CR39 and 1.50)  
Plastic High Index (1.60) (Canada only)  
Plastic High Index (1.66-1.67)  
Polycarbonate

**SOLA Optical**

Standard Progressive

Fitting cross location: 2mm above 180 line  
Rec. minimum fitting height: 17mmAvailable as: Clear; Photochromic  
Available in: US and Canada

PAL Design on Front Side

**C SOLA HDV**

Materials:  
Plastic (CR39 and 1.50)  
Plastic High Index (1.60) (Canada only)  
Plastic High Index (1.66-1.67)  
Polycarbonate  
Trivex


**SOLA Optical**

Standard Progressive

Fitting cross location: 4mm above 180 line  
Rec. minimum fitting height: 13mmAvailable as: Clear; Photochromic; Polarized  
Available in: Canada only

\* Character indicates corridor code

PAL Design on Back Side

**D SOLAMAX**

Materials:  
Plastic (CR39 and 1.50)  
Plastic Mid-Index (1.54)  
Polycarbonate

**SOLA Optical**

Standard Progressive

Fitting cross location: 4mm above 180 line  
Rec. minimum fitting height: 17mmAvailable as: Clear; Photochromic  
Available in: US and Canada

PAL Design on Front Side

**E SOLAOne**


Materials:  
Plastic (CR39 and 1.50)  
Plastic High Index (1.60) (Canada only)  
Plastic High Index (1.66-1.67)  
Polycarbonate

**SOLA Optical**

Standard Progressive

Fitting cross location: 4mm above 180 line  
Rec. minimum fitting height: 18mmAvailable as: Clear; Photochromic; Polarized  
Available in: US and Canada

PAL Design on Front Side

**F SOLAOne HD**

Materials:  
Plastic (CR39 and 1.50)  
Plastic High Index (1.60) (Canada only)  
Plastic High Index (1.66-1.67)  
Polycarbonate  
Trivex

**SOLA Optical**

Standard Progressive


Fitting cross location: 4mm above 180 line  
Rec. minimum fitting height: 18mmAvailable as: Clear; Photochromic; Polarized  
Available in: US and Canada

PAL Design on Back Side

**Right Lens,  
Convex Side Up**Location of  
ADD Power

- [M] symbol in this location indicates material
- [H] symbol/number indicates recommended fitting height
- [F] symbol in this location indicates filter
- [L] symbol/number indicates corridor length

### Synchrony



[M]  
H  
M  
P

Materials:  
Plastic (CR39 and 1.50)  
Plastic High Index (1.66-1.67)  
Polycarbonate

### SOLA Optical A

Standard Progressive

Fitting cross location: 4mm above 180 line  
Rec. minimum fitting height: 17mm

Available as: Clear; Photchromic  
Available in: US and Canada

PAL Design on Front Side

### VIP



[M]  
no symbol  
VIP

Materials:  
Plastic (CR39 and 1.50)  
Polycarbonate

### SOLA Optical B

Standard Progressive

Fitting cross location: 2mm above 180 line  
Rec. minimum fitting height: 18mm

Available as: Clear; Photchromic  
Available in: US and Canada

PAL Design on Front Side

### VIP



Materials:  
Glass (1.523)

### SOLA Optical C

Standard Progressive

Fitting cross location: 2mm above 180 line  
Rec. minimum fitting height: 18mm

Available as: Clear; Photchromic  
Available in: US and Canada

PAL Design on Front Side

### EZ View Mini



Materials:  
Polycarbonate

### SOMO Optical D


Standard Progressive

Fitting cross location: 2mm above 180 line  
Rec. minimum fitting height: 16mm

Available as: Clear  
Available in: US and Canada

PAL Design on Front Side

### EZ View STD



Materials:  
Polycarbonate

### SOMO Optical E


Standard Progressive

Fitting cross location: 2mm above 180 line  
Rec. minimum fitting height: 20mm

Available as: Clear  
Available in: US and Canada

PAL Design on Front Side

### Overture



[M]  
no symbol  
P  
6  
67  
\*

Materials:  
Plastic (CR39 and 1.50)  
Polycarbonate  
Plastic High Index (1.60)  
Plastic High Index (1.66-1.67)  
Trivex

### Sutherlin Optical F

Standard Progressive

Fitting cross location: 4mm above 180 line  
Rec. minimum fitting height: 17mm

Available as: Clear; Photchromic; Polarized  
Available in: US and Canada

PAL Design on Back Side

**Right Lens,  
Convex Side Up**

Location of  
ADD Power




- [M] symbol in this location indicates material
- [H] symbol/number indicates recommended fitting height
- [F] symbol in this location indicates filter
- [L] symbol/number indicates corridor length

**A Overture Short**

<b>M</b>	Materials:
P	Plastic (CR39 and 1.50)
6	Polycarbonate
67	Plastic High Index (1.60)
*	Plastic High Index (1.66-1.67)
	Trivex

Sutherlin Optical

Standard Progressive

Fitting cross location: 4mm above 180 line  
Rec. minimum fitting height: 14mmAvailable as: Clear; Photochromic; Polarized  
Available in: US and Canada  
PAL Design on Back Side**B Advanced HD**


<b>M</b>	Materials:
15, TR	Plastic (CR39 and 1.50)
16	Plastic High Index (1.60)
67	Plastic High Index (1.66-1.67)
74	Plastic Ultra High Index (>1.67)
PC	Polycarbonate
TX	Trivex

US Optical

Standard Progressive

Fitting cross location: 4mm above 180 line  
Rec. minimum fitting height: 14mmAvailable as: Clear; Photochromic; Polarized  
Available in: US and Canada  
H indicates design number

PAL Design on Back Side

**C Ultimate HD**


<b>M</b>	Materials:
15, TR	Plastic (CR39 and 1.50)
16	Plastic High Index (1.60)
74	Plastic Ultra High Index (>1.67)
PC	Polycarbonate
TX	Trivex

US Optical

Standard Progressive

Fitting cross location: 4mm above 180 line  
Rec. minimum fitting height: 14mmAvailable as: Clear; Photochromic; Polarized  
Available in: US and Canada  
H indicates design number

PAL Design on Back Side

**D Wrap HD**


<b>M</b>	Materials:
15, TR	Plastic (CR39 and 1.50)
16	Plastic High Index (1.60)
74	Plastic Ultra High Index (>1.67)
PC	Polycarbonate
TX	Trivex

US Optical

Standard Progressive

Fitting cross location: 4mm above 180 line  
Rec. minimum fitting height: 14mmAvailable as: Clear; Photochromic; Polarized  
Available in: US and Canada  
H indicates design number

PAL Design on Back Side

**E Continual Focus Lens (CFL)**Materials:  
Plastic Mid-Index (1.52-1.58)

Vision Dynamics Lab/Optical Dynamics

Standard Progressive


Fitting cross location: 2mm above 180 line  
Rec. minimum fitting height: 18mmAvailable as: Clear; Photochromic  
Available in: US and Canada

PAL Design on Front Side

**Right Lens,  
Convex Side Up**Location of  
ADD Power

- M** symbol in this location indicates material
- H** symbol/number indicates recommended fitting height
- F** symbol in this location indicates filter
- L** symbol/number indicates corridor length

## Paradigm PROGRESSIVE



## Vision Dynamics Lab/Optical Dynamics A

Materials:  
Plastic Mid-Index (1.52-1.58)

Standard Progressive  
Fitting cross location: 2mm above 180 line  
Rec. minimum fitting height: 20mm  
Available as: Clear; Photchromic  
Available in: US and Canada  
PAL Design on Front Side

## Paradigm Short Corridor



## Vision Dynamics Lab/Optical Dynamics B

Materials:  
Plastic Mid-Index (1.52-1.58)

Standard Progressive  
Fitting cross location: 2mm above 180 line  
Rec. minimum fitting height: 16mm  
Available as: Clear; Photchromic  
Available in: US and Canada  
PAL Design on Front Side

## Illumina



Materials:  
Plastic (CR39 and 1.50)

Standard Progressive  
Fitting cross location: 4mm above 180 line  
Rec. minimum fitting height: 17mm  
Available as: Clear; Photchromic; Polarized  
Available in: US and Canada  
PAL Design on Front Side


## Novel



Materials:  
Polycarbonate

Standard Progressive  
Fitting cross location: 2mm above 180 line  
Rec. minimum fitting height: 16mm  
Available as: Clear, Photchromic; Polarized  
Available in: US and Canada  
PAL Design on Front Side

## Novella Thindex Short Corridor



Materials:  
Plastic Ultra High Index (>1.67)

Standard Progressive  
Fitting cross location: 2mm above 180 line  
Rec. minimum fitting height: 14mm  
Available as: Clear  
Available in: US and Canada  
PAL Design on Front Side

## Outlook




Materials:  
Plastic (CR39 and 1.50)  
Glass Mid-Index (>1.53)  
Polycarbonate

Standard Progressive  
Fitting cross location: 4mm above 180 line  
Rec. minimum fitting height: 18mm  
Available as: Clear, Photchromic; Polarized  
Available in: US and Canada  
PAL Design on Front Side

## Right Lens, Convex Side Up

Location of ADD Power



- [M] symbol in this location indicates material
- [H] symbol/number indicates recommended fitting height
- [F] symbol in this location indicates filter
- [L] symbol/number indicates corridor length

**A Stealth 15**

[M]  
TM  
TG  
TV

Materials:  
Glass High Index (>1.60)  
Plastic (CR39 and 1.50)  
Trivex

Vision Warehouse

Standard Progressive

Fitting cross location: 2mm above 180 line  
Rec. minimum fitting height: 18mm

Available as: Clear; Photchromic  
Available in: US and Canada

PAL Design on Front Side

**B UNITY PLx**

[M]  
15, Dw, PZ, TR, X5  
16, PZ6, T6, X6  
67, PZ67, T67, X67  
74  
PC, PD, PPZ, PX, PT  
PTX, TX, TTX, XX

Materials:  
Plastic (CR39 and 1.50)  
Plastic High Index (1.60)  
Plastic High Index (1.66-1.67)  
Plastic Ultra High Index (>1.67)  
Polycarbonate  
Trivex

VSP

Standard Progressive

Fitting cross location: 4mm above 180 line  
Rec. minimum fitting height: Several

Available as: Clear; Photchromic; Polarized  
Available in: US only

PAL Design on Back Side

**C UNITY PLextra**

[M]  
15, Dw, PZ, TR, X5  
16, PZ6, T6, X6  
67, PZ67, T67, X67  
74  
PC, PD, PPZ, PT, PX  
PTX, TX, TTX, XX

Materials:  
Plastic (CR39 and 1.50)  
Plastic High Index (1.60)  
Plastic High Index (1.66-1.67)  
Plastic Ultra High Index (>1.67)  
Polycarbonate  
Trivex


VSP

Standard Progressive

Fitting cross location: 4mm above 180 line  
Rec. minimum fitting height: Several

Available as: Clear; Photchromic; Polarized  
Available in: US only

PAL Design on Back Side

**D Acclaim OEM PAL #1 and #2**

[M]  
no symbol  
6  
67  
74  
P  
TX

Materials:  
Plastic (CR39 and 1.50)  
Plastic High Index (1.60)  
Plastic High Index (1.66-1.67)  
Plastic Ultra High Index (>1.67)  
Polycarbonate  
Trivex

Walman - Soderberg

Near Variable Focus

Fitting cross location: 2mm above 180 line  
Rec. minimum fitting height: Several

Available as: Clear  
Available in: US and Canada

PAL Design on Back Side

**E Freedom ID**

Materials:  
Polycarbonate  
Trivex

X-CEL Optical

Standard Progressive

Fitting cross location: 4mm above 180 line  
Rec. minimum fitting height: 17mm

Available as: Clear; Photchromic; Polarized  
Available in: US and Canada

PAL Design on Front Side

**F Freedom ID**

Materials:  
Plastic (CR39 and 1.50)  
Plastic High Index (1.66-1.67)

X-CEL Optical

Standard Progressive


Fitting cross location: 4mm above 180 line  
Rec. minimum fitting height: 17mm

Available as: Clear; Photchromic; Polarized  
Available in: US and Canada

PAL Design on Front Side

**Right Lens, Convex Side Up**

Location of  
ADD Power



- [M] symbol in this location indicates material
- [H] symbol/number indicates recommended fitting height
- [F] symbol in this location indicates filter
- [L] symbol/number indicates corridor length

### Freedom ID




Materials:  
Glass (1.523)  
Glass High Index (>1.60)

### X-CEL Optical

**A**  
Standard Progressive  
Fitting cross location: 4mm above 180 line  
Rec. minimum fitting height: 17mm  
Available as: Clear; Photochromic; Polarized  
Available in: US and Canada  
PAL Design on Front Side

### Adage



Materials:  
Polycarbonate

### Younger Optics

**B**  
Standard Progressive  
Fitting cross location: 2mm above 180 line  
Rec. minimum fitting height: 13mm  
Available as: Clear; Photochromic; Polarized  
Available in: US and Canada  
PAL Design on Front Side

### Image




Materials:  
Plastic Mid-Index (1.52-1.58)  
Polycarbonate  
Plastic High Index (1.66-1.67)  
Plastic Mid-Index (1.52-1.58)

### Younger Optics

**C**  
Standard Progressive  
Fitting cross location: 2mm above 180 line  
Rec. minimum fitting height: 18mm  
Available as: Clear; Photochromic; Polarized  
Available in: US and Canada  
PAL Design on Front Side

### Image/Image Wrap



Materials:  
Trivex  
Polycarbonate

\* D here indicates Image Wrap - de-centered design

### Younger Optics

**D**  
Standard Progressive  
Fitting cross location: 2mm above 180 line  
Rec. minimum fitting height: 18mm  
Available as: Polarized  
Available in: US and Canada  
PAL Design on Front Side

### Zeal Digital



Materials:  
Polycarbonate

### Zeal Optics

**E**  
Custom Progressive  
Fitting cross location: 2mm above 180 line  
Rec. minimum fitting height: 18mm  
Available as: Polarized  
Available in: US and Canada  
PAL Design on Back Side

**Right Lens,  
Convex Side Up**

Location of  
ADD Power



- [M] symbol in this location indicates material
- [H] symbol/number indicates recommended fitting height
- [F] symbol in this location indicates filter
- [L] symbol/number indicates corridor length

# Fitting Instructions for Progressive Lenses



## Frame Fitting


1. Before taking any measurements, make sure the patient is sitting straight, without any back support.
2. Adjust the frame to correctly fit the patient.
3. Ensure a pantoscopic tilt of 9° -12°.
4. Minimize the vertex distance by fitting the frame as close to the face as possible. This will ensure a wide field of vision at all ranges.



## Pupil Distance Measurement

Be aware that the pupil distance (PD) can differ from eye to eye.

1. Whenever possible, use a pupilometer for measuring pupil distance, as this provides the most accurate results.
2. If a pupilometer is not available:
  - a. Position yourself at the patient's eye level, making sure he or she is looking directly into your eyes.
  - b. Mark the pupil center on the demo lens in the frame.
  - c. Place the demo lens on the centration chart and read the monocular PD.



## Height Measurement Fitting

Be aware that the fitting height can differ from eye to eye.

1. Position yourself at the patient's eye level.
2. Mark the pupil center on the demo lens in the frame.

## Cut-Out Confirmation

1. Check both the right and left lenses.
2. Align the pupil center marking over the cross on the centration chart.
3. Make sure the frame shape falls within the selected lens diameter.



## Lens Verification

1. If lenses are not marked, restore the markings with a marker.
2. Fit the frame with the glazed lenses on the patient and verify that the fitting cross is aligned with the pupil center.


Reprinted courtesy of Shamir Insight, Inc.

## How to Verify the PD & Height of Progressives

Center the frame over the pyramid lines, with the fitting cross lined up with the top horizontal line, marked "0." This is the 180° line as shown on the lens diagrams in the *Progressive Identifier*.

With the frame in this position, determine the monocular PD for each lens by reading the number on the horizontal line directly underneath the 180° line.

With the fitting cross positioned on the top line, the fitting height of each lens can be determined by reading the number on the line where the bottom of the lens rests.





# VISIONARIES

IN EDUCATION, FASHION AND  
TECHNOLOGY



## SAVE THE DATE!

### INTERNATIONAL VISION EXPO WEST 2015

EDUCATION: WEDNESDAY, SEPTEMBER 16–SATURDAY, SEPTEMBER 19

EXHIBITION: THURSDAY, SEPTEMBER 17–SATURDAY, SEPTEMBER 19

SANDS EXPO & CONVENTION CENTER | LAS VEGAS, NV

[VisionExpoWest.com](http://VisionExpoWest.com) | #VisionExpo

---

### INTERNATIONAL VISION EXPO EAST 2016

EDUCATION: THURSDAY, APRIL 14–SUNDAY, APRIL 17

EXHIBITION: FRIDAY, APRIL 15–SUNDAY, APRIL 17

JAVITS CENTER | NEW YORK, NY

[VisionExpoEast.com](http://VisionExpoEast.com) | #VisionExpo



PROUD SUPPORTER OF:   
American Optometric Association

# 2015/16 EDITION



THE VISION COUNCIL  
**OPTICAL LAB DIVISION**

225 Reinekers Lane  
Suite 700  
Alexandria, VA 22314  
703-548-4560  
[thevisioncouncil.org](http://thevisioncouncil.org)

